

CHEMICAL COMPATIBILITY LIST FOR 891.501002

A

Acetic acid concentrated (glacial)	Do not use
Acetone	Stable
Acetophenone	Do not use
Acetylacetone	Do not use
Acetylene, Ethene	Stable
Acid methyl ester	Do not use
Alums	No data available
Amyl acetate	Do not use
Amyl alcohol	Stable
Aromatic fuels 50% (Fuel C)	Stable

B

Benzaldehyde	Do not use
Benzene	Stable
Benzoic acid benzyl ester	Do not use
Benzyl alcohol	Limited compatibility*
Brake fluid	Do not use
Butanol (butyl alcohol)	Stable
Butanone (methyl ethyl ketone, MEK)	Do not use
Butyl acetate	Do not use
Butylglycol	Do not use

C

Calcium hydroxide	Stable
Calcium hypochlorite	Do not use
Castor oil	No data available
Citric acid	No data available
Cyclohexane	Stable
Cyclohexanol	Stable
Cyclohexanone	Do not use

D

Denatured alcohol	Stable
Detergent dissolved in water	Stable
Diacetone alcohol (acetone)	Do not use
Dibutyl phthalate (Palatinol® C)	Limited compatibility*
Dichloromethane (methylene chloride)	Stable

Diesel fuel	Stable
Diethyl ether	Do not use
Diethyl phthalate	Stable
Diethylene glycol	Stable
Diphenyl (biphenyl)	Stable

E

2-Ethylhexanol (isobutanol)	No data available
Ethanol (ethyl alcohol)	Stable
Ethanolamine (colamine)	Do not use
Ethyl acetate	Do not use
Ethylbenzene	Stable
Ethylene glycol (glycol)	Stable

F

Formaldehyde	Do not use
Furan	Do not use
Furfuryl alcohol	Stable

G

Gasoline	Stable
Gasoline, premium	No data available
Glacial acetic acid (100% acetic acid)	No data available
Glycerin	Stable
Glycol (ethylene glycol)	Stable

H

Heating oil	Stable
Heptane	Stable
Hexane	Stable
Hydraulic oil (mineral oil base)	No data available
Hydrochloric acid, 3 Molar	Do not use
Hydrochloric acid, concentrated	Do not use
Hydrofluoric acid < 65% cold	No data available
Hydrofluoric acid < 65% hot	No data available
Hydrofluoric acid > 65% cold	No data available
Hydrofluoric acid > 65% hot	No data available
Hydrogen fluoride (hydrofl uoric acid)	Do not use
Hydrogen peroxide 90%	Stable
Hydrogen peroxide, diluted	Stable

I

Isobutyl alcohol (isobutanol)	Stable
Isooctane	Stable
Isopropanol (isopropyl alcohol)	Stable

K

Kerosene	Stable
----------	--------

L

Lacquers	Stable
Lavender oil	No data available
Linoleic acid	No data available
Linseed oil	Stable

M

Methanol	Stable
Methyl ethyl ketone	Stable
Methyl ethyl ketone (butanone, MEK)	Stable
Methyl isobutyl ketone (MIBK)	Do not use
Methyl methacrylate	Do not use
Methylene chloride	Stable
Mineral oils	Limited compatibility*

N

Naphta	Stable
Naphthalene	Stable
Neatsfoot oil	No data available
Nitric acid concentrate	Do not use
Nitric acid, 3 Molar	Do not use
Nitrobenzene	Stable
Nitrohydrochloric acid	Do not use
Nitromethane	Limited compatibility*
Nitrotoluene	Limited compatibility*

O

Oil	Stable
Olive oil	Stable
Oxalic acid	Limited compatibility*
Ozone	Limited compatibility*

P

Paint solvents	More information needed.
Paint thinner	More information needed.
Perchloric acid, 2 Molar	No data available
Phenyl-ethyl-ether	Do not use
Phosphoric acid, 3 Molar	Do not use
Pine oil	No data available
Potassium hydroxide solutions (diluted)	No data available
Potassium hydroxide, potassium hydroxide 50%	Do not use
Propane	Stable

P

Propanol	Stable
----------	--------

S

Silicone oil	No data available
Soda (sodium carbonate)	Stable
Sodium hydroxide (caustic soda)	Stable
Sodium hypochlorite	Limited compatibility*
Sulfuric acid, 3-molar	Limited compatibility*
Sulfuric acid, concentrated	Limited compatibility*
Sulphurous acid	Limited compatibility*

T

Terpineol	Stable
Tetrahydrofuran	Do not use
Toluene	Stable
Transformer oil	Stable
Transmission fluid	Stable
Triethanolamine	Do not use
Trinitrotoluene	Stable
Turpentine	Stable

V

Vinegar (5% aqueous acetic acid)	Stable
----------------------------------	--------

W

White oil	Stable
-----------	--------

X
Xylene

Stable