

## System assortment 8.4.1, socket wrench 3/8 inch 102 pcs

### Compatible with all ORSY system products


Uniform grid dimensions

### Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning


### Find the correct tools quickly and easily

Tool sizes are marked on the insert.



Number of pieces in assortment/set	102 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

**ORSY**




### Art. no. 0965 905 921

P. Qty.: 1

### Details/Application

Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)



Carbon look

#### Contents for art. no. 0965 905 921

Designation	Art. no.	Quantity
Slotted bit 0.5 x 3.0 mm	<b>0614 175 650</b>	1
Slotted bit 0.6 x 4.5 mm	<b>0614 175 652</b>	1
Slotted bit 0.8 x 5.5 mm	<b>0614 175 653</b>	1
Slotted bit 1.0 x 6.0 mm	<b>0614 175 654</b>	1
Slotted bit 1.2 x 6.5 mm	<b>0614 175 655</b>	1
Slotted bit 1.2 x 8.0 mm	<b>0614 175 656</b>	1
C 6.3 PH bit (1/4 inch) PH1	<b>0614 176 274</b>	6
C 6.3 PH bit (1/4 inch) PH2	<b>0614 176 461</b>	6
C 6.3 PH bit (1/4 inch) PH3	<b>0614 176 648</b>	6
Hexagon socket bit 3 mm	<b>0614 176 93</b>	1
Hexagon socket bit 4 mm	<b>0614 176 94</b>	2
Hexagon socket bit 5 mm	<b>0614 176 95</b>	2
Hexagon socket bit 6 mm	<b>0614 176 96</b>	1

**Contents for art. no. 0965 905 921**

<b>Designation</b>	<b>Art. no.</b>	<b>Quantity</b>
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX10	<b>0614 311 0</b>	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX15	<b>0614 311 5</b>	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX20	<b>0614 312 0</b>	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX25	<b>0614 312 5</b>	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX30	<b>0614 313 0</b>	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX40	<b>0614 314 0</b>	1
Reversible ratchet 3/8 inch With turntable switching	<b>0712 038 0</b>	1
3/8-inch jointed-head ratchet	<b>0715 12 140</b>	1
3/8" cardan joint insert short 10 mm	<b>0713 121 10</b>	1
3/8" cardan joint insert short 11 mm		1
3/8" cardan joint insert short 12 mm	<b>0713 121 12</b>	1
3/8" cardan joint insert short 13 mm	<b>0713 121 13</b>	1
3/8" cardan joint insert short 14 mm		1
3/8" cardan joint insert short 15 mm	<b>0713 121 15</b>	1
3/8 inch socket wrench insert metric, hexagon, short 8 mm; For outer hexagon	<b>0713 121 108</b>	1
3/8 inch socket wrench insert metric, hexagon, short 9 mm; For outer hexagon	<b>0713 121 109</b>	1
3/8 inch socket wrench insert metric, hexagon, short 10 mm; For outer hexagon	<b>0713 121 110</b>	1
3/8 inch socket wrench insert metric, hexagon, short 11 mm; For outer hexagon	<b>0713 121 111</b>	1
3/8 inch socket wrench insert metric, hexagon, short 12 mm; For outer hexagon	<b>0713 121 112</b>	1
3/8 inch socket wrench insert metric, hexagon, short 13 mm; For outer hexagon	<b>0713 121 113</b>	1
3/8 inch socket wrench insert metric, hexagon, short 14 mm; For outer hexagon	<b>0713 121 114</b>	1
3/8 inch socket wrench insert metric, hexagon, short 15 mm; For outer hexagon	<b>0713 121 115</b>	1
3/8 inch socket wrench insert metric, hexagon, short 16 mm; For outer hexagon	<b>0713 121 116</b>	1
3/8 inch socket wrench insert metric, hexagon, short 17 mm; For outer hexagon	<b>0713 121 117</b>	1
3/8 inch socket wrench insert metric, hexagon, short 18 mm; For outer hexagon	<b>0713 121 118</b>	1
3/8 inch socket wrench insert metric, hexagon, short 19 mm; For outer hexagon	<b>0713 121 119</b>	1
3/8 inch socket wrench insert metric, hexagon, short 21 mm; For outer hexagon	<b>0713 121 121</b>	1
3/8 inch socket wrench insert metric, hexagon, short 22 mm; For outer hexagon	<b>0713 121 122</b>	1
3/8-inch socket wrench insert, metric long 8 mm	<b>0713 122 108</b>	1
3/8-inch socket wrench insert, metric long 9 mm	<b>0713 122 109</b>	1
3/8-inch socket wrench insert, metric long 10 mm	<b>0713 122 110</b>	1
3/8-inch socket wrench insert, metric long 11 mm	<b>0713 122 111</b>	1
3/8-inch socket wrench insert, metric long 12 mm	<b>0713 122 112</b>	1
3/8-inch socket wrench insert, metric long 13 mm	<b>0713 122 113</b>	1
3/8-inch socket wrench insert, metric long 14 mm	<b>0713 122 114</b>	1
3/8-inch socket wrench insert, metric long 15 mm	<b>0713 122 115</b>	1
3/8-inch socket wrench insert, metric long 16 mm	<b>0713 122 116</b>	1
3/8-inch socket wrench insert, metric long 17 mm	<b>0713 122 117</b>	1
3/8-inch socket wrench insert, metric long 18 mm	<b>0713 122 118</b>	1
3/8-inch socket wrench insert, metric long 19 mm	<b>0713 122 119</b>	1
3/8-inch socket wrench insert, metric long 21 mm	<b>0713 122 121</b>	1
3/8 inch extension 75 mm	<b>0713 128 103</b>	1
3/8 inch extension 125 mm	<b>0713 128 105</b>	1
3/8 inch extension 250 mm	<b>0713 128 110</b>	1
3/8 inch cardan joint With a braked joint to fix the specified position	<b>0713 128 301</b>	1
3/8" connector 1/4 inch	<b>0713 128 401</b>	1
3/8" connector 1/2 inch	<b>0713 128 402</b>	1
3/8-inch adapter With quick-change chuck 1/4 inch	<b>0715 12 01</b>	1
3/8" socket wrench insert For external TX screws, short E5	<b>0715 122 05</b>	1
3/8" socket wrench insert For external TX screws, short E6	<b>0715 122 06</b>	1
3/8" socket wrench insert For external TX screws, short E7	<b>0715 122 07</b>	1
3/8" socket wrench insert For external TX screws, short E8	<b>0715 122 08</b>	1
3/8" socket wrench insert For external TX screws, short E10	<b>0715 122 10</b>	1

**Contents for art. no. 0965 905 921**

<b>Designation</b>	<b>Art. no.</b>	<b>Quantity</b>
3/8" socket wrench insert For external TX screws, short E11	<b>0715 122 11</b>	1
3/8" socket wrench insert For external TX screws, short E12	<b>0715 122 12</b>	1
3/8" socket wrench insert For external TX screws, short E14	<b>0715 122 14</b>	1
3/8-inch socket wrench For TX screws, short TX15	<b>0715 123 15</b>	1
3/8-inch socket wrench For TX screws, short TX20	<b>0715 123 20</b>	1
3/8-inch socket wrench For TX screws, short TX25	<b>0715 123 25</b>	1
3/8-inch socket wrench For TX screws, short TX27	<b>0715 123 27</b>	1
3/8-inch socket wrench For TX screws, short TX30	<b>0715 123 30</b>	1
3/8-inch socket wrench For TX screws, short TX40	<b>0715 123 40</b>	1
3/8-inch socket wrench For TX screws, short TX45	<b>0715 123 45</b>	1
3/8-inch socket wrench For TX screws, short TX50	<b>0715 123 50</b>	1
3/8" socket wrench insert metric, hexagon, short 3 mm; For hexagon socket	<b>0715 127 03</b>	1
3/8" socket wrench insert metric, hexagon, short 4 mm; For hexagon socket	<b>0715 127 04</b>	1
3/8" socket wrench insert metric, hexagon, short 5 mm; For hexagon socket	<b>0715 127 05</b>	1
3/8" socket wrench insert metric, hexagon, short 6 mm; For hexagon socket	<b>0715 127 06</b>	1
3/8" socket wrench insert metric, hexagon, short 7 mm; For hexagon socket	<b>0715 127 07</b>	1
3/8" socket wrench insert metric, hexagon, short 8 mm; For hexagon socket	<b>0715 127 08</b>	1
3/8" socket wrench insert metric, hexagon, short 9 mm; For hexagon socket	<b>0715 127 09</b>	1
3/8" socket wrench insert metric, hexagon, short 10 mm; For hexagon socket	<b>0715 127 10</b>	1
System insert 8.4.1, socket wrench 3/8 inch	<b>0955 905 921</b>	1