



Empack Spraytech Inc.
98 Walker Drive
Brampton, Ontario, L6T 4H6
Canada
905-792-6571

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 315 ml
CODE: 11315
SECTION 01: IDENTIFICATION

Product Identity..... Panita Hand Sanitizer Ethanol 73% - 315 ml
 Product Item Numbers..... 11315
 Supplier..... Empack Spraytech Inc.
 98 Walker Drive
 Brampton
 Ontario
 Canada
 L6T 4H6
 905-792-6571
 24 hour emergency telephone number..... In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-9300.
 Recommended Use..... Hand sanitizer.

SECTION 02: HAZARD IDENTIFICATION


Label Elements:
 Signal Word..... DANGER.
 Hazard Classification:
 Physical Hazards..... Flammable Liquids - Category 2.
 Health Hazards..... Eye Irritation - Category 2B. Specific Target Organ Toxicity, Single Exposure - Category 3.
 Environmental Hazards..... Not Classified.
 Hazard Statement..... H225:Highly flammable liquid and vapour. H320:Causes eye irritation. H335:May cause respiratory irritation.

Precautionary Statements:
 Prevention..... P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280:Wear eye protection/face protection. P233:Keep container tightly closed. P240:Ground and bond container and receiving equipment. P242:Use non-sparking tools. P243:Take action to prevent static discharges. P241:Use explosion-proof electrical/ventilating/lighting . P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P271:Use only outdoors or in a well-ventilated area.
 Response..... P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P370+P378:In case of fire: Use CO2, dry chemicals or foam to extinguish. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313:If eye irritation persists: Get medical advice/attention. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312:Call a POISON CENTER if you feel unwell.
 Storage..... P403+P235:Store in a well ventilated place. Keep cool. P233:Keep container tightly closed. P405: Store locked up.
 Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.
 Hazard(s) not otherwise classified (HNOC) For external use only. Not expected to cause skin irritation. Discontinue use if rash, redness or itching occurs. KEEP OUT OF REACH OF CHILDREN.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Ethyl alcohol	64-17-5	60-80
Triethanolamine	102-71-6	0.1-1

SECTION 04: FIRST-AID MEASURES

Skin Contact..... The product is not expected to be skin irritant. However, if irritation persists, wash the contact skin area with soap and water.
 Eye Contact..... Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation persists.

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 315 ml

CODE: 11315

SECTION 04: FIRST-AID MEASURES

Ingestion..... Ingestion is not a likely route of exposure. Do not attempt to give anything by mouth to an unconscious person. If victim is alert and not convulsing, rinse mouth out and give 1/2 to 1 glass of water to dilute material. DO NOT induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer more water. Obtain medical attention IMMEDIATELY. Obtain medical advice.

Inhalation..... No specific effects have been reported. Supply fresh air if any irritations persists.
Most important symptoms/effects, acute .. Direct eye contact may cause temporary eye irritation.
and delayed

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 05: FIRE-FIGHTING MEASURES

General Fire Hazards..... Use as directed. Flammable.

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.

Unsuitable Extinguishing Media..... None in particular.

Specific Hazards Arising from the Chemical None known.

Special Protective Equipment and Firefighters must use standard protective equipment including flame retardant coat, helmet
Precautions for Firefighters with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep
Equipment and Emergency Procedures unprotected persons away. Use respiratory protection against the effects of dust.
Methods and Materials for Containment .. Contain the spill. Clean up the spill area with detergent and water. Once spilled material
and Cleaning Up has been collected, use rags or other suitable material to clean spill area. Rags should be properly disposed off.

Environmental Precautions..... Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Use with
adequate ventilation. Keep away from heat, sparks, and open flames.

Conditions for Safe Storage including any Incompatibilities Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store in direct sunlight.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV		OSHA PEL		REL	NIOSH
		STEL		PEL	STEL		
Ethyl alcohol	1000 ppm	1000 ppm		1000 ppm	Not available		1000 ppm
Triethanolamine	5 mg/m ³	Not established		Not established	Not established		Not established
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved.						
Individual Protection Measures:							
Eye/Face Protection.....	Prevent eye contact, wear safety glasses in the event that eye contact is possible.						
Skin Protection.....	Not normally required.						
Respiratory Protection.....	Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.						
Thermal Hazards.....	None Known.						
General Hygiene Considerations.....	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use.						

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Liquid.

Physical Appearance..... Clear/Transparent .

Odour..... Mild alcohol .

Odour Threshold (ppm)..... Not available.

pH..... 6.0 - 7.5.

Aerosol Vapour Pressure (psig, 21°C)..... Not applicable.

Vapour Pressure (psig)..... Not available.

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 315 ml**CODE: 11315****SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Evaporation Rate (n-Butyl Acetate = 1)..... Not available.
 Boiling Point (°C)..... 78.3. (Ethanol).
 Melting/Freezing Point (°C)..... -115. Approximately. (Ethanol).
 VOC Content..... No data.
 Relative Density/Specific Gravity..... No data.
 Solubility in water..... Soluble in water.
 Auto Ignition Temperature (liquid), °C..... 370. Approximately. (Ethanol).
 Flash Point (°C), Method..... 13. Tag Closed Cup. (ASTM D-56). (Ethanol).
 Lower Explosive Limit (% vol)..... 3.3. (Ethanol).
 Upper Explosive Limit (% vol)..... 19.0. (Ethanol).
 Viscosity..... 1.35 cp @ 20°C. Approximately. (Ethanol).

SECTION 10: STABILITY AND REACTIVITY

Reactivity Product not reactive under normal conditions of use.
 Chemical Stability..... Stable at normal temperatures and pressures.
 Possibility of Hazardous Reactions..... Will not occur.
 Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.
 Incompatible Materials..... Avoid contacting with oxidizers.
 Hazardous Decomposition Products..... Normal products of combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Ethyl alcohol	31,623 ppm (Rat - 4 hrs)	7,060 mg/kg (Oral - Rat); 20,000 mg/kg (Dermal - Rabbit)
Triethanolamine	Not available	6,400 mg/kg (Oral - Rat); >2,000 mg/kg (Dermal - Rabbit)
Information on Likely Routes of Exposure:		
Routes of entry - Inhalation.....	No.	
Routes of entry - Skin & Eye.....	Yes.	
Routes of entry - Ingestion.....	Yes.	
Routes of entry - Skin Absorption.....	Yes.	
Symptoms Related to the Physical,	Irritant effects.	
Chemical and Toxicological Characteristics		
Acute Toxicity.....	No known significant effects.	
Skin Corrosion/Irritation.....	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irritation.....	Direct contact with eyes causes temporary irritation.	
Respiratory or Skin Sensitization.....	Not expected to be a skin or respiratory sensitizers.	
Germ Cell Mutagenicity.....	No information is available, and no adverse effects are expected.	
Carcinogenicity.....	Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.	
Reproductive Toxicity.....	Based on available data, the classification criteria are not met.	
STOT - Single Exposure.....	Specific target organ toxicity single exposure Category 3. May cause respiratory irritation.	
STOT - Repeated Exposure.....	Not classified.	
Aspiration Hazard.....	Based on available data, the classification criteria are not met.	
Chronic Effects.....	No long term chronic effects are known or anticipated.	

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity..... This product contains the following ingredients: Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs; Toxicity to algae: not available.
 Persistence and degradability The product itself has not been tested.
 Bioaccumulation Potential..... The product itself has not been tested.
 Mobility in Soil..... The product itself has not been tested.
 Other Adverse Effects..... None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II .
 DOT (US-Road)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II, LTD QTY, Consumer Commodity, ORM-D.
 IMDG (International- Marine)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II.

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 315 ml

CODE: 11315

SECTION 14: TRANSPORT INFORMATION

IATA (International- Air)..... UN 1993, FLAMMABLE LIQUID, n.o.s. (ETHANOL), Class 3, PG II, LTD.QTY.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... Refer to Section 2 for a WHMIS 2015 Classification for this product.
US Regulations..... All substances contained in this product are listed on the TSCA inventory or are exempt.

SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.
Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.
Prepared by Regulatory Affairs
Latest Revision 2020-04-22