

# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

#### **SECTION 1. IDENTIFICATION**

Product name : EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L

Product code : 5866.400112

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300 Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Clear coating

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 2

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

Category 3

#### **GHS** label elements



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel

unwell.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant

foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

Vapors may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS** 

Substance / Mixture : Mixture

Chemical nature : Paint related material



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version **Revision Date:** SDS Number: Date of last issue: 11/11/2022 01/10/2023 4961825-00007 Date of first issue: 09/30/2019 3.0

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
4-Chloro-α,α,α- trifluorotoluene		98-56-6	>= 30 - < 60 *
Hexamethylene diisocyanate, oligomers	Hexane, 1,6- diisocyanato-, homopolymer	28182-81-2	>= 30 - < 60 *
tert-Butyl acetate	Acetic acid, 1,1-dimethylethyl ester	540-88-5	>= 10 - < 30 *
2-Butoxyethyl acetate	Ethanol, 2- butoxy-, 1- acetate	112-07-2	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

In the case of accident or if you feel unwell, seek medical ad-General advice

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

n case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Harmful if inhaled.

May cause respiratory irritation.

Respiratory symptoms, including pulmonary edema, may be

delayed.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Water spray in large fire situations

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Fluorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec-: tive equipment and emer-

gency procedures

Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

After approximately one hour, transfer to waste container and

do not seal, due to evolution of carbon dioxide.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing spray.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used.

Keep container tightly closed.

Protect from moisture.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitizers.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Protect from moisture.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hexamethylene diisocyanate, oligomers	28182-81-2	TWA	0.005 ppm	CA BC OEL
		С	0.01 ppm	CA BC OEL
tert-Butyl acetate	540-88-5	TWA	200 ppm 950 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	50 ppm	CA QC OEL
		STEV	150 ppm	CA QC OEL
		TWA	50 ppm	CA BC OEL
		STEL	150 ppm	CA BC OEL
		TWA	50 ppm	ACGIH
		STEL	150 ppm	ACGIH
2-Butoxyethyl acetate	112-07-2	TWA	20 ppm	CA AB OEL
			131 mg/m³	
		TWA	20 ppm	CA BC OEL
		TWAEV	20 ppm	CA QC OEL
		TWA	20 ppm	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting

equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/11/2022

 3.0
 01/10/2023
 4961825-00007
 Date of first issue: 09/30/2019

Filter type : Combined particulates and organic vapor type

Hand protection

Material : butyl-rubber

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the pro-

duct. Change gloves often!

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : light yellow

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : < -24 °C

Initial boiling point and boiling : > 98 °C



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

range

Flash point : 4.4 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

10.5 %(V)

Lower explosion limit / Lower

flammability limit

0.9 %(V)

Vapor pressure : < 41.5 mmHg

Relative vapor density : No data available

Relative density : 1.167

Solubility(ies)

Water solubility : Reacts with water.

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : 272 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable if used as directed. Follow precautionary advice and

avoid incompatible materials and conditions.

Polymerizes at high temperatures with evolution of carbon

dioxide.

Possibility of hazardous reac- : Highly flammable liquid and vapor.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

tions Vapors may form explosive mixture with air.

Isocyanates react with many materials and the rate of reaction increases with temperature as well as increased contact; these reactions can become violent. Contact is increased by stir-

ring or if the other material mixes with the isocyanate. Exothermic reaction with acids, amines and alcohols Reacts with water to form carbon dioxide and heat

Isocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon

dioxide gas and a layer of solid polyurea.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Acids
Bases
Water
Alcohols
Amines
Ammonia
Aluminum
Zinc
Brass
Tin
Copper

Galvanized metals

Humid air

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Harmful if inhaled.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute toxicity estimate: 11 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Method: Calculation method

## **Components:**

### 4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 32.03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 3,300 mg/kg

## Hexamethylene diisocyanate, oligomers:

Acute oral toxicity : LD50 (Rat, female): > 2,500 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgment

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

tert-Butyl acetate:

Acute oral toxicity : LD50 (Rat): 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 15 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

2-Butoxyethyl acetate:

Acute oral toxicity : LD50 (Rat): 1,880 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 20 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment

Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit): 1,500 mg/kg



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### 4-Chloro-α,α,α-trifluorotoluene:

Species : Rabbit

Result : No skin irritation

### Hexamethylene diisocyanate, oligomers:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

tert-Butyl acetate:

Species : Rabbit

Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

2-Butoxyethyl acetate:

Species : Rabbit

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### 4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Species : Rabbit

Result : No eye irritation

## Hexamethylene diisocyanate, oligomers:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

tert-Butyl acetate:

Species : Rabbit

Result : No eye irritation

2-Butoxyethyl acetate:

Species : Rabbit

Result : No eye irritation

## Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

#### Respiratory sensitization

Not classified based on available information.

#### **Components:**

## 4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

#### Hexamethylene diisocyanate, oligomers:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of skin sensitization in humans

Routes of exposure : Inhalation Species : Guinea pig Result : negative

tert-Butyl acetate:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

### 2-Butoxyethyl acetate:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

## 4-Chloro-α,α,α-trifluorotoluene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

**Application Route: Ingestion** 

Result: negative

Hexamethylene diisocyanate, oligomers:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

tert-Butyl acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapor) Method: OECD Test Guideline 474

Result: negative

2-Butoxyethyl acetate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

# Carcinogenicity

Not classified based on available information.

### **Components:**

## tert-Butyl acetate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

# 2-Butoxyethyl acetate:

Species : Rat

Application Route : inhalation (vapor)

Exposure time : 2 Years Result : negative

Remarks : Based on data from similar materials

#### Reproductive toxicity

Not classified based on available information.

### **Components:**

### 4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on fetal development : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

#### tert-Butyl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapor)

Method: OPPTS 870.3650

Result: negative

Effects on fetal development : Test Type: Reproduction/Developmental toxicity screening

est

Species: Rat

Application Route: inhalation (vapor)

Method: OPPTS 870.3650

Result: negative



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

2-Butoxyethyl acetate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

May cause respiratory irritation.

**Components:** 

Hexamethylene diisocyanate, oligomers:

Assessment : May cause respiratory irritation.

tert-Butyl acetate:

Assessment : May cause respiratory irritation.

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

**Components:** 

4-Chloro-α,α,α-trifluorotoluene:

Species : Rat

LOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

tert-Butyl acetate:

Species : Mouse NOAEL : 1.9 mg/l

Application Route : inhalation (vapor)

Exposure time : 13 Weeks

2-Butoxyethyl acetate:

Species : Rat, male
NOAEL : <69 mg/kg
Application Route : Ingestion
Exposure time : 90 Days



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

**Aspiration toxicity** 

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

### **Components:**

4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.41

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.41

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 103.6 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Hexamethylene diisocyanate, oligomers:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 127 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

EC10 (Desmodesmus subspicatus (green algae)): 370 mg/l

Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC10: 880 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

tert-Butyl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 240 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Toxicity to daphnia and other :

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 350 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 16

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.3

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2-Butoxyethyl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 28 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 37 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 1,570

mg/l

Exposure time: 72 h Method: ISO 8692

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Ceriodaphnia dubia (water flea)): 30.4 mg/l

Exposure time: 7 d

Toxicity to microorganisms : IC50: 2,800 mg/l

Exposure time: 16 h

#### Persistence and degradability

### **Components:**

## **4-Chloro-α,α,α-trifluorotoluene:**

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 19.2 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Hexamethylene diisocyanate, oligomers:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1 % Exposure time: 28 d

Method: Regulation (EC) No. 440/2008, Annex, C.4-E

tert-Butyl acetate:

Biodegradability : Result: Not readily biodegradable.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Biodegradation: 50 % Exposure time: 28 d

Method: OECD Test Guideline 301D

2-Butoxyethyl acetate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 88 % Exposure time: 28 d

**Bioaccumulative potential** 

**Components:** 

4-Chloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 121.8 - 202

Partition coefficient: n-

octanol/water

log Pow: 3.7

Hexamethylene diisocyanate, oligomers:

Partition coefficient: n-

octanol/water

log Pow: > 4

Remarks: Calculation

tert-Butyl acetate:

Partition coefficient: n-

octanol/water

Pow: 1.64

2-Butoxyethyl acetate:

Partition coefficient: n-

octanol/water

log Pow: 1.51

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN number : UN 1263

Proper shipping name : PAINT RELATED MATERIAL

Class : 3
Packing group : II
Labels : 3

**IATA-DGR** 

UN/ID No. : UN 1263

Proper shipping name : Paint related material

Class : 3
Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen- : 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1263

Proper shipping name : PAINT RELATED MATERIAL (4-Chloro-α,α,α-trifluorotoluene)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**TDG** 

UN number : UN 1263

Proper shipping name : PAINT RELATED MATERIAL

Class : 3
Packing group : II
Labels : 3
ERG Code : 128

 $\mbox{Marine pollutant} \qquad \qquad : \quad \mbox{yes(4-Chloro-}\alpha,\alpha,\alpha-\mbox{trifluorotoluene)}$ 

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

Volatile organic compounds

(VOC) content

CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -

Guidelines for VOC in Consumer Products

VOC content: 28.76 g/l

Remarks: VOC content excluding water

### The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA BC OEL / STEL : short-term exposure limit

CA BC OEL / C : ceiling limit

CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



# **EUROCLEAR PRO ACTIVATOR, Fast dry, 2.5 L**

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 3.0 01/10/2023 4961825-00007 Date of first issue: 09/30/2019

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 01/10/2023 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8