

Vers 1.3	sion	Revision Date: 06/09/2022	-	OS Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019			
SEC	CTION 1	. IDENTIFICATION						
	Produc	t name	:	EUROCLEAR AC	EUROCLEAR ACTIVATOR, Standard dry, 946 mL			
	Produc	t code	:	5866.400114	5866.400114			
	Other r	neans of identification	:	No data available				
	Manufa	acturer or supplier's o	deta	ails				
	Compa	ny name of supplier	:	Würth Canada Lir	nited			
	Addres	S	:	345 Hanlon Creel GUELPH, ON N1				
	Teleph	one	:	+1 (905) 564 622	5			
	Telefax	(:	+1 (905) 564 367	1			
	Emerge	ency telephone	:	CHEMTREC (24/ Transport related	olving a spill, fire, explosion or exposure: 7): 1-800-424-9300 emergencies: : 1-613-996-6666 or * 666 (cell)			
				exposition: CHEMTREC (24/ Urgences liées au	ant un déversement, incendie, explosion ou 7): 1-800-424-9300 u transport: : 1-613-996-6666 ou * 666 (cellulaire)			
	E-mail	address	:	prodsafe@wurth.	ca			
		mended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Paint				
	Restric	tions on use	:	Not applicable				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids	:	Category 2
Acute toxicity (Inhalation)	:	Category 4
Skin sensitization	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3



sion	Revision Date: 06/09/2022	SDS Number: 4961724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	abel elements d pictograms		!
Signal	Word	: Danger	
Hazaro	d Statements	H317 May caus H332 Harmful i H335 May caus	ammable liquid and vapor. se an allergic skin reaction. f inhaled. se respiratory irritation. se drowsiness or dizziness.
Precau	utionary Statements	and other ignition P261 Avoid bree P271 Use only P272 Contamin the workplace.	ay from heat, hot surfaces, sparks, open flames on sources. No smoking. eathing mist or vapors. outdoors or in a well-ventilated area. nated work clothing should not be allowed out o etective gloves, protective clothing, eye protecti ction.
		Response:	
		P303 + P361 + all contaminate P304 + P340 + and keep comf unwell. P333 + P313 If tion.	P353 IF ON SKIN (or hair): Take off immediated clothing. Rinse skin with water. P312 IF INHALED: Remove person to fresh a ortable for breathing. Call a doctor if you feel skin irritation or rash occurs: Get medical atter
		Storage:	
		P405 Store loc	ked up.
		Disposal: P501 Dispose o disposal plant.	of contents and container to an approved waste

Vapors may form explosive mixture with air.

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture



Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2021
1.3	06/09/2022	4961724-00004	Date of first issue: 09/30/2019

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Hexamethylene diiso- cyanate, oligomers	Hexane, 1,6- diisocyanato-, homopolymer	28182-81-2	>= 30 - < 60 *
tert-Butyl acetate	Acetic acid, 1,1- dimethylethyl ester	540-88-5	>= 30 - < 60 *
n-Butyl acetate	Acetic acid, butyl ester	123-86-4	>= 10 - < 30 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Respiratory symptoms, including pulmonary edema, may be delayed. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac- tive airways dysfunction syndrome). Prolonged or repeated contact may dry skin and cause irrita- tion.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,



Vers 1.3	sion	Revision Date: 06/09/2022		DS Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019					
					nmended personal protective equipment I for exposure exists (see section 8).					
	Notes t	o physician	:	Treat symptomati	Treat symptomatically and supportively.					
SEC	SECTION 5. FIRE-FIGHTING MEASURES									
Suitable extinguishing media		:	Carbon dioxide (C Dry chemical	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray in large fire situations						
Unsuitable extinguishing media		:	High volume water jet							
Specific hazards during fire fighting		:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.							
	Hazard ucts	lous combustion prod-	:	Carbon oxides Nitrogen oxides (NOx)						
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do					
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. ective equipment.					

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Version	Revision Date:		DS Number:	Date of last issue: 09/22/2021
1.3	06/09/2022		61724-00004	Date of first issue: 09/30/2019
	ds and materials for ment and cleaning up	:	Suppress (knock jet. For large spills, pr ment to keep mat pumped, store ree Clean up remainin bent. After approximate do not seal, due to Local or national r sal of this materia ployed in the clea which regulations Sections 13 and 1	t absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- ely one hour, transfer to waste container and o evolution of carbon dioxide. regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine

SECTION 7. HANDLING AND STORAGE

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation :	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling :	Do not get on skin or clothing. Avoid breathing mist or vapors. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used. Keep container tightly closed. Protect from moisture. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira- tory irritants or sensitizers. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage :	Keep in properly labeled containers. Store locked up. Protect from moisture. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.



Version 1.3	Revision Date: 06/09/2022		0S Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
			Keep away from	heat and sources of ignition.
Mater	rials to avoid	:	Strong oxidizing a Self-reactive subs Organic peroxide Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating subs Substances and i flammable gases Explosives Gases	stances and mixtures s s s s stances and mixtures mixtures which in contact with water emit
Reco perat	mmended storage tem- ure	:	<= 50 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ingredients with workplace control parameters									
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis					
Hexamethylene diisocyanate, oligomers	28182-81-2	TŴA	0.005 ppm	CA BC OEL					
		С	0.01 ppm	CA BC OEL					
tert-Butyl acetate	540-88-5	TWA	200 ppm 950 mg/m ³	CA AB OEL					
		TWAEV	50 ppm	CA QC OEL					
		STEV	150 ppm	CA QC OEL					
		TWA	50 ppm	CA BC OEL					
		STEL	150 ppm	CA BC OEL					
		TWA	50 ppm	ACGIH					
		STEL	150 ppm	ACGIH					
n-Butyl acetate	123-86-4	STEL	200 ppm 950 mg/m³	CA AB OEL					
		TWA	150 ppm 713 mg/m³	CA AB OEL					
		TWAEV	50 ppm	CA QC OEL					
		STEV	150 ppm	CA QC OEL					
		TWA	50 ppm	CA BC OEL					
		STEL	150 ppm	CA BC OEL					
		TWA	50 ppm	ACGIH					
		STEL	150 ppm	ACGIH					

Ingredients with workplace control parameters

Engineering measures

: Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.



Versior 1.3	n	Revision Date: 06/09/2022		0S Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019		
				Use explosion-pro equipment.	oof electrical, ventilating and lighting		
Pe	erson	al protective equipm	ent				
Re	Respiratory protection		:	If adequate local exhaust ventilation is not available or exp sure assessment demonstrates exposures outside the re- commended guidelines, use respiratory protection.			
	Filte	r type	:	Combined particu	lates and organic vapor type		
Ha	Hand protection Material		:	Nitrile rubber			
	Mate	erial	:	butyl-rubber			
	Rem	narks	:	on the concentrati applications, we re- micals of the afore manufacturer. Wa	protect hands against chemicals depending ion specific to place of work. For special ecommend clarifying the resistance to che- ementioned protective gloves with the glove ash hands before breaks and at the end of rough time is not determined for the pro- ves often!		
Ey	Eye protection		:	Wear the following Safety glasses	g personal protective equipment:		
Sk	kin an	d body protection	:	resistance data ar potential. Wear the following If assessment der atmospheres or fl protective clothing Skin contact must	e protective clothing based on chemical nd an assessment of the local exposure g personal protective equipment: monstrates that there is a risk of explosive ash fires, use flame retardant antistatic g. be avoided by using impervious protective aprons, boots, etc).		
Ну	ygien	e measures	:	eye flushing syste king place. When using do no Contaminated wo workplace.	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. rk clothing should not be allowed out of the ed clothing before re-use.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color

: clear, yellow



Vers 1.3	sion	Revision Date: 06/09/2022		S Number: 1724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	Odor		:	slight, fruity	
	Odor T	hreshold	:	No data available	
	рН		:	No data available	
	Melting	point/freezing point	:	< -24 °C	
	Initial b range	oiling point and boiling	:	> 98 °C	
	Flash p	point	:	4.4 °C	
	Evapor	ation rate	:	No data available	
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	No data available	
		explosion limit / Upper ability limit	:	7.5 %(V)	
		explosion limit / Lower ability limit	:	1.2 %(V)	
	Vapor p	oressure	:	< 41.5 mmHg	
	Relativ	e vapor density	:	> 1 (Air = 1.0)	
	Density	/	:	0.99 g/cm ³	
	Solubili Wat	ity(ies) er solubility	:	partly soluble	
	Partitio octanol	n coefficient: n- l/water	:	Not applicable	
	Autoigr	nition temperature	:	390 °C	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Explosi	ive properties	:	Not explosive	
	Oxidizii	ng properties	:	The substance or	mixture is not classified as oxidizing.



Vers 1.3	ion	Revision Date: 06/09/2022	-	S Number: 31724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019	
	Particle	size	:	Not applicable		
SEC	TION 1	0. STABILITY AND RE	EAC	ΤΙVΙΤΥ		
	Reactiv	ity	:	Not classified as	a reactivity hazard.	
	Chemic	al stability	:	avoid incompatib	directed. Follow precautionary advice and le materials and conditions. gh temperatures with evolution of carbon	
	Possibility of hazardous reac- tions		:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Isocyanates react with many materials and the rate of reaction increases with temperature as well as increased contact; the se reactions can become violent. Contact is increased by stir ring or if the other material mixes with the isocyanate. Exothermic reaction with acids, amines and alcohols Reacts with water to form carbon dioxide and heat Isocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of solid polyurea.		
	Conditio	ons to avoid	:	Heat, flames and	sparks.	
	Incomp	atible materials	:	Oxidizing agents Acids Bases Water Alcohols Amines Ammonia Aluminum Zinc Brass Tin Copper Galvanized meta Humid air	8	
	Hazard product	ous decomposition s	:	No hazardous de	composition products are known.	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact



Version 1.3	Revision Date: 06/09/2022	SDS Number: 4961724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	e toxicity hful if inhaled.		
Prod	uct:		
	e oral toxicity		y estimate: > 2,000 mg/kg culation method
Acute	e inhalation toxicity	Exposure tin Test atmosp	
<u>Com</u>	ponents:		
Hexa	methylene diisocyar	nate, oligomers:	
Acute	e oral toxicity	Method: OE	emale): > 2,500 mg/kg CD Test Guideline 423 : The substance or mixture has no acute oral tox-
Acute	e inhalation toxicity	Exposure tin Test atmosp	y estimate: 1.5 mg/l ne: 4 h here: dust/mist pert judgment
Acute	e dermal toxicity		> 2,000 mg/kg CD Test Guideline 402 : The substance or mixture has no acute dermal
tert-E	Butyl acetate:		
Acute	e oral toxicity	: LD50 (Rat):	4,500 mg/kg
Acute	e inhalation toxicity	: LC50 (Rat): Exposure tin Test atmosp	ne: 4 h
Acute	e dermal toxicity		it): > 2,000 mg/kg : The substance or mixture has no acute dermal
n-Bu	tyl acetate:		
Acute	e oral toxicity	: LD50 (Rat):	> 5,000 mg/kg
Acute	e inhalation toxicity	: LC50 (Rat): Exposure tin Test atmosp Method: OE	ne: 4 h
Acute	e dermal toxicity	: LD50 (Rabb	it): > 5,000 mg/kg



	06/09/2022	SDS Number: 4961724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019				
Skin	corrosion/irritation						
Not cl	assified based on ava	ailable information.					
<u>Components:</u> Hexamethylene diisocyanate, oligomers:							
Metho		: OECD Test Gui					
Resul	t	: No skin irritatior	1				
tert-B	sutyl acetate:						
Speci	-	: Rabbit					
Resul		: No skin irritatior	1				
Asses	ssment	: Repeated expos	sure may cause skin dryness or cracking				
n-But	yl acetate:						
Speci	es	: Rabbit					
Resul	t	: No skin irritatior	1				
Asses	ssment	: Repeated expos	sure may cause skin dryness or cracking				
	un ava damagalava	invitation					
Not cl	us eye damage/eye assified based on ava conents:						
Not cl <u>Com</u> p	assified based on ava	ailable information.					
Not cl <u>Comp</u> Hexa	assified based on ava <u>conents:</u> methylene diisocya	ailable information. nate, oligomers:					
Not cl Comp Hexa Speci	assified based on ava <u>conents:</u> methylene diisocya es	ailable information. nate, oligomers: : Rabbit					
Not cl <u>Comp</u> Hexa	assified based on ava <u>conents:</u> methylene diisocyar es t	ailable information. nate, oligomers:					
Not cl <u>Comp</u> Hexa Speci Resul Metho	assified based on ava <u>ponents:</u> methylene diisocyar es t pd	ailable information. nate, oligomers: : Rabbit : No eye irritation					
Not cl Comp Hexa Speci Resul Metho tert-B	assified based on ava <u>conents:</u> methylene diisocyar es t bd Butyl acetate:	ailable information. nate, oligomers: : Rabbit : No eye irritation					
Not cl <u>Comp</u> Hexa Speci Resul Metho	assified based on ava <u>conents:</u> methylene diisocyar es t bd sutyl acetate: es	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui	deline 405				
Not cl <u>Comp</u> Hexa Speci Resul Metho tert-B Speci Resul	assified based on ava <u>conents:</u> methylene diisocyar es t bd sutyl acetate: es	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit	deline 405				
Not cl <u>Comp</u> Hexa Speci Resul Metho tert-B Speci Resul	assified based on ava <u>ponents:</u> methylene diisocyal es t bd sutyl acetate: es t t es t	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit	deline 405				
Not cl <u>Comp</u> Hexal Speci Resul Metho tert-B Speci Resul n-But	assified based on ava <u>conents:</u> methylene diisocyar es t bd Sutyl acetate: es t t syl acetate: es	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit : No eye irritation	deline 405				
Not cl Comp Hexa Speci Resul Metho tert-B Speci Resul n-But Speci	assified based on ava <u>conents:</u> methylene diisocyar es t bd sutyl acetate: es t es t es t es t	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit : No eye irritation : Rabbit	deline 405				
Not cl <u>Comp</u> Hexal Speci Resul Metho tert-B Speci Resul n-But Speci Resul Method	assified based on ava <u>conents:</u> methylene diisocyar es t bd sutyl acetate: es t es t es t es t	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit : No eye irritation : Rabbit : No eye irritation : OECD Test Gui	deline 405				
Not cl <u>Comp</u> Hexal Speci Resul Metho Speci Resul Metho Resul Metho Resul Metho	assified based on ava <u>ponents:</u> methylene diisocyat es t bd sutyl acetate: es t es t es t bd	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit : No eye irritation : Rabbit : No eye irritation : OECD Test Gui	deline 405				
Not cl <u>Comp</u> Hexa Speci Resul Metho tert-B Speci Resul Metho Resul Metho Speci Resul Speci Skin -	assified based on ava <u>ponents:</u> methylene diisocyar es t bd sutyl acetate: es t cyl acetate: es t bd iratory or skin sensi	ailable information. nate, oligomers: : Rabbit : No eye irritation : OECD Test Gui : Rabbit : No eye irritation : Rabbit : No eye irritation : OECD Test Gui itization	deline 405				

Not classified based on available information.



Versior 1.3	n Revision Date: 06/09/2022	SDS Number:Date of last issue: 09/22/20214961724-00004Date of first issue: 09/30/2019	
<u>C</u> (omponents:		
He	examethylene diisocyanat	e, oligomers:	
Ro Sp	est Type butes of exposure becies	 Local lymph node assay (LLNA) Skin contact Mouse 	
	ethod esult	: OECD Test Guideline 429 : positive	
As	ssessment	: Probability or evidence of skin sensitization in humans	
Sp	outes of exposure becies esult	 Inhalation Guinea pig negative 	
te	rt-Butyl acetate:		
Ro Sp	est Type outes of exposure oecies esult	 Buehler Test Skin contact Guinea pig negative 	
n-	Butyl acetate:		
Ro Sp	est Type outes of exposure oecies esult	 Maximization Test Skin contact Guinea pig negative 	
	erm cell mutagenicity ot classified based on availa	ble information.	
	omponents:		
	examethylene diisocyanat	e oligomers:	
	enotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative	
		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative	
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative	
G	enotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative	vivo



Vers 1.3	sion	Revision Date: 06/09/2022		9S Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	tert-Bu	ityl acetate:			
		oxicity in vitro	:	Test Type: Bacter Method: OECD To Result: negative	rial reverse mutation assay (AMES) est Guideline 471
				Test Type: Chrom Method: OECD To Result: negative	nosome aberration test in vitro est Guideline 473
				Test Type: In vitro Method: OECD To Result: negative	o mammalian cell gene mutation test est Guideline 476
	Genoto	oxicity in vivo	:	cytogenetic assay Species: Rat	: inhalation (vapor)
	n-Buty	l acetate:			
	Genoto	oxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
		ogenicity ssified based on availa	ıble	information.	
	Compo	onents:			
	tert-Bu	ityl acetate:			
	Specie	-	:	Rat	
		tion Route	:		
	Exposi Result	ure time	:	2 Years negative	
	Remar		:		om similar materials
	•	ductive toxicity ssified based on availa	ıble	information.	
	Compo	onents:			
	tert-Bu	ityl acetate:			
	Effects	on fertility	:	test Species: Rat	duction/Developmental toxicity screening :: inhalation (vapor) 370.3650
	Effects	on fetal development	:	Test Type: Repro test Species: Rat	duction/Developmental toxicity screening



/ersion .3	Revision Date: 06/09/2022	SDS Number:Date of last issue: 09/22/20214961724-00004Date of first issue: 09/30/2019
		Application Route: inhalation (vapor) Method: OPPTS 870.3650 Result: negative
n-But	yl acetate:	
	s on fertility	 Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 416 Result: negative
Effect	s on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Result: negative
STOT	-single exposure	
	cause respiratory irritatio	
Com	oonents:	
Hexa	methylene diisocyanat	e, oligomers:
Asses	ssment	: May cause respiratory irritation.
tert-B	Butyl acetate:	
	ssment	: May cause respiratory irritation.
Asses	ssment	: May cause drowsiness or dizziness.
n-But	yl acetate:	
Asses	ssment	: May cause drowsiness or dizziness.
STOT	-repeated exposure	
Not cl	assified based on availa	able information.
Repe	ated dose toxicity	
Com	<u>oonents:</u>	
tert-B	Butyl acetate:	
Speci NOAE		: Mouse
-	L cation Route	: 1.9 mg/l : inhalation (vapor)
	sure time	: 13 Weeks
n-But	yl acetate:	
Speci	es	: Rat
NOAE	EL cation Route	: 2.4 mg/l : inhalation (vapor)
Аррік		



			61724-00004	Date of first issue: 09/30/2019
Expos	ure time	:	90 Days	
-	ation toxicity assified based on availa	ble	information.	
ECTION ²	12. ECOLOGICAL INFO	DRN	ATION	
Ecoto	xicity			
<u>Comp</u>	onents:			
Hexar	nethylene diisocyanat	e, o	ligomers:	
Toxicit	ty to fish	:	Exposure time:	rio (zebra fish)): > 100 mg/l 96 h ve 67/548/EEC, Annex V, C.1.
	ty to daphnia and other c invertebrates	:	Exposure time:	magna (Water flea)): 127 mg/l 48 h ve 67/548/EEC, Annex V, C.2.
Toxicit plants	ty to algae/aquatic	:	EC10 (Desmod Exposure time:	esmus subspicatus (green algae)): 370 mg/ 72 h
			ErC50 (Desmoo mg/l Exposure time:	desmus subspicatus (green algae)): > 1,000 72 h
Toxicit	ty to microorganisms	:	EC10: 880 mg/l Exposure time: Method: OECD	
tert-B	utyl acetate:			
	ty to fish	:	Exposure time:	nchus mykiss (rainbow trout)): 240 mg/l 96 h Test Guideline 203
	ty to daphnia and other c invertebrates	:	Exposure time:	magna (Water flea)): 350 mg/l 48 h Test Guideline 202
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time:	kirchneriella subcapitata (green algae)): 16 72 h Test Guideline 201
			mg/l Exposure time:	kirchneriella subcapitata (green algae)): 2.3 72 h Test Guideline 201

n-Butyl acetate:



Vers 1.3	sion	Revision Date: 06/09/2022		S Number: 61724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	Toxicity	v to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 18 mg/l 5 h
		to daphnia and other invertebrates	:	EC50 (Daphnia sp Exposure time: 48	o. (Water flea)): 44 mg/l h
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
				mg/l Exposure time: 72 Method: OECD Te	
		invertebrates (Chron-	:	Exposure time: 21 Method: OECD Te	
	Toxicity	to microorganisms	:	IC50 (Tetrahymen Exposure time: 40	a pyriformis): 356 mg/l h
	Persist	ence and degradabili	ty		
	Compo				
		ethylene diisocyanate	e, o	-	
	Biodegi	radability	:	Result: Not readily Biodegradation: 1 Exposure time: 28 Method: Regulation	%
		tyl acetate: radability	:	Result: Not readily Biodegradation: 5 Exposure time: 28 Method: OECD Te	50 %
	-	l acetate: radability	:	Result: Readily bio Biodegradation: 8 Exposure time: 28 Method: OECD Te	33 %



accumulative potential			
ponents:			
amethylene diisocyana	ite, c	ligomers:	
tion coefficient: n- nol/water	:	log Pow: > 4 Remarks: Calcula	ition
Butyl acetate:			
tion coefficient: n- nol/water	:	Pow: 1.64	
utyl acetate:			
tion coefficient: n- nol/water	:	log Pow: 2.3	
ility in soil			
lata available			
er adverse effects lata available			
	tion coefficient: n- nol/water Butyl acetate: tion coefficient: n- nol/water Ityl acetate: tion coefficient: n- nol/water ility in soil ata available er adverse effects ata available	tion coefficient: n- nol/water Butyl acetate: tion coefficient: n- inol/water utyl acetate: tion coefficient: n- inol/water ility in soil lata available er adverse effects ata available	tion coefficient: n- hol/water : log Pow: > 4 Remarks: Calcula Butyl acetate: tion coefficient: n- hol/water ityl acetate: tion coefficient: n- hol/water ility in soil lata available er adverse effects

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	i
------------------	---

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	:	UN 1123 BUTYL ACETATES SOLUTION 3 II 3
IATA-DGR UN/ID No. Proper shipping name Class	:	UN 1123 Butyl acetates solution 3



Version 1.3	Revision Date: 06/09/2022		DS Number: 961724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
Labe Pack aircra Pack	ing instruction (cargo	:	II Flammable Liquid 364 353	ds
UN n	3-Code lumber er shipping name	:	UN 1123 BUTYL ACETATI	ES SOLUTION
Labe EmS	ing group	:	3 II 3 F-E, S-D no	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

TDG UN number Proper shipping name	:	UN 1123 BUTYL ACETATES SOLUTION
Class Packing group Labels ERG Code Marine pollutant	: : :	3 II 3 129 no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds (VOC) content	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products VOC content: 143 g/l Remarks: VOC content excluding water and exempt com- pounds			
The ingredients of this product are reported in the following inventories:				

DSL

: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).



Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2021
1.3	06/09/2022	4961724-00004	Date of first issue: 09/30/2019

SECTION 16. OTHER INFORMATION

Full text of other abbreviations					
ACGIH CA AB OEL	:	USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
CA BC OEL CA QC OEL	:	Canada. British Columbia OEL Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants			
ACGIH / TWA ACGIH / STEL CA AB OEL / TWA CA AB OEL / STEL CA BC OEL / TWA CA BC OEL / STEL CA BC OEL / C CA QC OEL / TWAEV CA QC OEL / STEV	:	8-hour, time-weighted average Short-term exposure limit 8-hour Occupational exposure limit 15-minute occupational exposure limit 8-hour time weighted average short-term exposure limit ceiling limit Time-weighted average exposure value Short-term exposure value			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD



Version 1.3	Revision Date: 06/09/2022		DS Number: 961724-00004	Date of last issue: 09/22/2021 Date of first issue: 09/30/2019
	ile the Material Safety Sheet		eChem Portal sea cy, http://echa.eu	arch results and European Chemicals Agen- ropa.eu/
	ion Date format	:	06/09/2022 mm/dd/yyyy	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8