

Safety Data Sheet

Classified in accordance with SOR/2015-17

1. Product Identification

Product Information: 5986.112400

Product Identifier: W-MAX INTAKE CLEANER

Recommended Use: Cleaner

Manufacturer/Importer/Supplier Information: Wurth Canada Limited / Limitée
345 Hanlon Creek Boulevard Guelph, Ontario N1C 0A1 CA
Telephone: + (905) 564 6225 Telefax: + (905) 564 3671
Emergencies involving a spill, fire, explosion, or exposure:
CHEMTREC (24/7): 1-800-424-9300

Emergency Telephone: Transport related emergencies:
CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

2. Hazard(s) identification

Classification

Flammable Aerosol, category 1
Skin Irritation, category 2
Eye Irritation, category 2A
Acute Toxicity, Inhalation, category 4
STOT, single exposure, category 3, NE
Carcinogenicity, category 2
Reproductive Toxicity, category 1B
STOT, repeated exposure, category 2

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD

Danger

GHS HAZARD STATEMENTS

| | |
|------|--|
| H222 | Extremely flammable aerosol. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H360 | May damage fertility or the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

GHS PRECAUTIONARY STATEMENTS**Prevention**

| | |
|------|--|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P260 | Do not breathe fumes, mists, vapours or spray. |
| P264 | Wash thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves, eye protection, face protection, and protective clothing |

Response

| | |
|----------------|---|
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P304+P340+P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P314 | Get medical advice/attention if you feel unwell. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

Storage

| | |
|-----------|---|
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. |

Disposal

| | |
|------|--|
| P501 | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
|------|--|

Other Information

None

3. Composition/Information on Ingredients**Mixtures**

| <u>Chemical Identity</u> | <u>Common Name and Synonyms</u> | <u>CAS Number</u> | <u>Content in Percent (%)*</u> |
|--------------------------|---------------------------------|-------------------|--------------------------------|
| Xylene | | 1330-20-7 | 15-40 |
| Acetone | | 67-64-1 | 10-30 |
| Propane | | 74-98-6 | 10-30 |
| Isobutane | | 75-28-5 | 7-13 |
| Ethyl Benzene | | 100-41-4 | 5-10 |
| Diacetone Alcohol | | 123-42-2 | 3-7 |
| n-Methyl-2-Pyrrolidinone | | 872-50-4 | 0.1-1.0 |
| Toluene | | 108-88-3 | 0.1-1.0 |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.
The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash skin thoroughly with soap and water for several minutes. If irritation occurs, get medical attention. Remove contaminated clothing. Launder clothing before re-use.

EYE CONTACT: Rinse immediately with plenty of water. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

INHALATION: Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

INGESTION: Rinse mouth.

IMPORTANT SYMPTOMS: Inhalation may cause drowsiness or dizziness. Suspected of causing cancer. Harmful if inhaled. May cause severe eye irritation. May cause skin irritation. Prolonged or repeated exposure may cause damage to organs.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur.

5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 120°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

SPECIAL FIREFIGHTING PROCEDURES: No data available

6. Accidental Release Measures

PERSONAL PRECAUTIONS : Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

SAFE HANDLING ADVICE: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

STORAGE: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 3

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| <u>Chemical Name</u> | <u>TLV-TWA</u> | <u>TLV-STEL</u> | <u>PEL-TWA</u> | <u>PEL-CEILING</u> |
|----------------------|----------------|-----------------|----------------|--------------------|
| Xylene | 20 ppm | N.E. | 100 ppm | N.E. |
| Acetone | 250 ppm | 500 ppm | 1000 ppm | N.E. |

| | | | | |
|--------------------------|--------|----------|----------|---------|
| Propane | N.E. | N.E. | 1000 ppm | N.E. |
| Isobutane | N.E. | 1000 ppm | N.E. | N.E. |
| Ethyl Benzene | 20 ppm | N.E. | 100 ppm | N.E. |
| Diacetone Alcohol | 50 ppm | N.E. | 50 ppm | N.E. |
| n-Methyl-2-Pyrrolidinone | N.E. | N.E. | N.E. | N.E. |
| Toluene | 20 ppm | N.E. | 200 ppm | 300 ppm |

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation
Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS: No data available

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: Wear impervious gloves to prevent skin contact.

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and Chemical Properties

Appearance:

| | |
|---|---------------------|
| Physical State: | Liquid |
| Form: | Spray Aerosol |
| Color: | Colorless |
| Odor: | No data available |
| Odor Threshold: | No data available |
| pH: | No data available |
| Freeze Point, °C: | No data available |
| Boiling Point, °C: | 57 |
| Flash Point, °C: | -104 |
| Flammability (solid, gas): | No data available |
| Evaporation Rate: | No data available |
| Combustibility: | Supports Combustion |
| Explosive Limits, %: | 0.9 - 12.8 |
| Vapor Pressure @20°C, PSI: | 60-70 |
| Vapor Density: | No data available |
| Relative Density: | 0.714 |
| Solubility in Water: | No data available |
| Partition Coefficient, n-octanol/water: | No data available |
| Auto-Ignition Temperature, °C: | No data available |
| Decomposition temperature, °C: | No data available |
| Kinematic Viscosity: | No data available |

10. Stability and Reactivity

REACTIVITY: Not reactive under normal conditions of use.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

CONDITIONS TO AVOID: Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon dioxide and carbon monoxide.

11. Toxicological Information

Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation, drying, defatting of the skin and dermatitis.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: May cause central nervous system effects with drowsiness and dizziness. Harmful if inhaled.

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

Carcinogenicity: contains 1 component (Ethyl Benzene) present at a level greater or equal to 0.1% that have been identified as possible carcinogenic to humans by IARC (Group 2B).

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

ATE ORAL 5,533 mg/kg

ATE DERMAL 2,715 mg/kg

ATE INHALATION 28 mg/kg

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

| <u>CAS-No.</u> | <u>Chemical Name</u> | <u>Oral LD50</u> | <u>Dermal LD50</u> | <u>Vapor LC50</u> |
|----------------|--------------------------|------------------|--------------------|-------------------|
| 1330-20-7 | Xylene | 3,523 mg/kg | 1,100 mg/kg | 11 mg/l |
| 67-64-1 | Acetone | 5,800 mg/kg | 7,426 mg/kg | 50.1 mg/l |
| 74-98-6 | Propane | 5,000 mg/kg | 5,000 mg/kg | 100 mg/l |
| 75-28-5 | Isobutane | 5,000 mg/kg | 5000 mg/kg | 100 mg/l |
| 100-41-4 | Ethyl Benzene | 3,500 mg/kg | 5,000 mg/kg | 11 mg/l |
| 123-42-2 | Diacetone Alcohol | 5000 mg/kg | 5000 mg/kg | 100 mg/l |
| 872-50-4 | n-Methyl-2-Pyrrolidinone | 4,150 mg/kg | 5,000 mg/kg | 100 mg/l |
| 108-88-3 | Toluene | 5,580 mg/kg | 5,000 mg/kg | 28.1 mg/l |

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Components:
Xylene 1330-20-7 Causes skin irritation.

Serious Eye Damage & Irritation:

Product: No data available

Components:
Diacetone Alcohol 123-42-2 Causes serious eye irritation.
Acetone 67-64-1 Causes serious eye irritation.

Respiratory or Skin Sensitization:

Product: No data available

STOT-Single Exposure:

Product: No data available

Components:

| | | |
|---------|---------|------------------------------------|
| Acetone | 67-64-1 | May cause drowsiness or dizziness. |
|---------|---------|------------------------------------|

STOT-Repeated Exposure:

Product: No data available

Components:

| | | |
|---------------|----------|--|
| Ethyl Benzene | 100-41-4 | May cause damage to organs through prolonged or repeated exposure. |
|---------------|----------|--|

Aspiration Hazard:

Product: No data available

Carcinogenicity:

Product: No data available

Components:

| | | |
|---------------|----------|-----------------------------|
| Ethyl Benzene | 100-41-4 | Suspected of causing cancer |
|---------------|----------|-----------------------------|

Reproductive Toxicity:

Product: No data available

Components:

| | | |
|--------------------------|----------|---|
| n-Methyl-2-Pyrrolidinone | 872-50-4 | May damage fertility or the unborn child. |
|--------------------------|----------|---|

Germ Cell Mutagenicity:

Product: No data available

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

BIOACCUMULATE: No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING : Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

TDG

| | |
|------------------------------|---------------------|
| UN Number: | UN1950 |
| Proper Shipping Name: | AEROSOLS, FLAMMABLE |
| Technical Name: | N/A |
| Hazard Class(es) | |
| Class: | 2.1 |
| Subsidiary Risk | N/A |
| Packing Group: | N/A |

IATA

| | |
|-----------------------|---------------------|
| UN Number: | UN1950 |
| Proper Shipping Name: | AEROSOLS, FLAMMABLE |
| Technical Name: | N/A |
| Hazard Class(es) | |
| Class: | 2.1 |
| Subsidiary Risk: | N/A |
| Packing Group: | N/A |

IMDG

| | |
|-----------------------|---------------------|
| UN Number: | UN1950 |
| Proper Shipping Name: | AEROSOLS, FLAMMABLE |
| Technical Name: | N/A |
| Hazard Class(es) | |
| Class: | 2.1 |
| Subsidiary Risk: | N/A |
| Packing Group: | N/A |

The classification shown in this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory Information

CHEMICAL INVENTORY STATUS:

| | |
|------|--|
| TSCA | On or in compliance with the inventory |
| DSL | All ingredients in this product are listed on the DSL or are exempt. |

16. Other Information

| | |
|------------------------|-----------------------|
| Revision Date: | 9/27/2023 |
| Datasheet produced by: | Regulatory Department |

Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

TLV - Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)

PEL - Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended

TSCA - U.S. Toxic Substance Control Act

DSL - Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Hazardous Products Regulations (HPR) regulation (SOR/2015-17). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

Further Information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.