according to the Hazardous Products Regulations



MULTICLEAN, Food grade cleaner, 308 g

Vers 5.0	sion	Revision Date: 08/29/2023	-	OS Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009
SEC	CTION 1	. IDENTIFICATION			
	Produc	ct name	:	MULTICLEAN, Fo	ood grade cleaner, 308 g
	Produc	ct code	:	890.1096	
	Other I	means of identification	:	No data available	
	Manuf	acturer or supplier's o	deta	ails	
	Compa	any name of supplier	:	Würth Canada Lir	nited
	Addres	SS	:	345 Hanlon Creel GUELPH, ON N1	
	Teleph	one	:	+1 (905) 564 622	5
	Telefax	x	:	+1 (905) 564 367	1
	Emerg	ency telephone	:	CHEMTREC (24/ Transport related CANUTEC (24/7) Urgences implique exposition:	: 1-613-996-6666 or * 666 (cell) ant un déversement, incendie, explosion ou 7): 1-800-424-9300
				CANUTEC (24/7)	: 1-613-996-6666 ou * 666 (cellulaire)
	E-mail	address	:	prodsafe@wurth.	са
	Recon	nmended use of the c	hen	nical and restriction	ons on use
	Recom	nmended use	:	Cleaning agent Detergent	
	Restric	ctions on use	:	Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accore	lan	ce with the Hazardous Products Regulations
Aerosols	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Simple Asphyxiant	:	Category 1
GHS label elements		

according to the Hazardous Products Regulations



MULTICLEAN, Food grade cleaner, 308 g

Version 5.0	Revision Date: 08/29/2023	SDS Number: 10709023-0001	Date of last issue: 07/03/2023 2 Date of first issue: 12/23/2009
Hazaro	d pictograms		
Signal	Word	: Danger	
Hazaro	d Statements	H229 Press H336 May c	nely flammable aerosol. urised container: May burst if heated. ause drowsiness or dizziness. e oxygen and cause rapid suffocation.
Preca	utionary Statements	and other ig P211 Do no P251 Do no P261 Avoid	: away from heat, hot surfaces, sparks, open flames nition sources. No smoking. t spray on an open flame or other ignition source. t pierce or burn, even after use. breathing spray. nly outdoors or in a well-ventilated area.
			0 + P312 IF INHALED: Remove person to fresh air mfortable for breathing. Call a doctor if you feel
			locked up. 2 Protect from sunlight. Do not expose to tempera- ding 50 °C (122 °F).
		Disposal: P501 Dispo disposal pla	se of contents and container to an approved waste nt.
II Other	hazards		

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Hydrocarbons, C9- C11, n-alkanes, isoal- kanes, cyclics ,<2% aromatics	Naphtha (petro- leum), hy- drotreated heavy	64742-48-9	>= 80 - <= 100 *
Carbon dioxide	Carbonic anhy- dride	124-38-9	>= 1 - < 5 *

* Actual concentration or concentration range is withheld as a trade secret

according to the Hazardous Products Regulations



Version 5.0	Revision Date: 08/29/2023		OS Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009
SECTION	4. FIRST AID MEASUR	ES		
Gene	eral advice	:	vice immediately.	cident or if you feel unwell, seek medical ad- persist or in all cases of doubt seek medical
lf inh	aled	:		ive artificial respiration. icult, give oxygen.
In ca	se of skin contact	:	Remove contamin Get medical atter Wash clothing be	
In ca	se of eye contact	:		vater as a precaution. Ition if irritation develops and persists.
lf swa	allowed	:	Get medical atter	NOT induce vomiting. Ition if symptoms occur. oughly with water.
Most and e delay	important symptoms effects, both acute and red	:	Prolonged or repetion. May cause drows	gen available for breathing. eated contact may dry skin and cause irrita- iness or dizziness. gen and cause rapid suffocation.
Prote	ection of first-aiders	:	and use the recor	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).
Notes	s to physician	:	Treat symptomati	cally and supportively.
SECTION	5. FIRE-FIGHTING ME	ASI	JRES	
Suita	ble extinguishing media	:	Water spray	fa

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.




Ver 5.0	sion	Revision Date: 08/29/2023		DS Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009
	Hazaro ucts	lous combustion prod-	:	Carbon oxides	
	Specifi ods	c extinguishing meth-	:	cumstances and Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	•	l protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust





MULTICLEAN, Food grade cleaner, 308 g

Version 5.0	Revision Date: 08/29/2023		DS Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009
				essment of the local exposure potential, use quipped with explosion-proof exhaust ventila-
Advic	e on safe handling	:	practice, based o sessment Keep away from l other ignition sou Take precautiona Take care to prev environment.	pray.
Cond	itions for safe storage	:	Store in accordar	ell-ventilated place. nce with the particular national regulations. purn, even after use. ct from sunlight.
Mater	ials to avoid	:	Self-reactive subs Organic peroxide Oxidizing agents Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating subs	5
Recor perate	mmended storage tem- ure	:	> 10 - < 50 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION


Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cy- clics ,<2% aromatics	64742-48-9	TWA (Mist)	5 mg/m³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL

Ingredients with workplace control parameters



according to the Hazardous Products Regulations

	08/29/2023		0S Number: 709023-00012	Date of last 2 Date of firs	t issue: 12/23/2009	
1		1		TWA	525 mg/m³	CA ON OE
				TWAEV (Mist - Inhalable dust)	5 mg/m ³	CA QC OE
				TWA (Inha- lable particu- late matter)	5 mg/m³	ACGIH
Cart	oon dioxide		124-38-9	TWA	5,000 ppm 9,000 mg/m³	CA AB OE
				STEL	30,000 ppm 54,000 mg/m ³	CA AB OE
				TWA	5,000 ppm	CA BC OE
				STEL	15,000 ppm	CA BC OE
				STEV	30,000 ppm 54,000 mg/m ³	CA QC OE
				TWAEV	5,000 ppm 9,000 mg/m ³	CA QC OE
				TWA	5,000 ppm	ACGIH
				STEL	30,000 ppm	ACGIH
			ventilation. If advised by	assessment of th	ailable, use with loo ne local exposure p explosion-proof ex	otential, use
Pers	sonal protective equi	pment	ventilation. If advised by only in an are lation.	assessment of th	ne local exposure p	otential, use
	sonal protective equi piratory protection	pment :	ventilation. If advised by only in an are lation. If adequate le sure assessr	assessment of the a equipped with ocal exhaust vent	ne local exposure p	ootential, use haust venti- ble or expo- de the re-
Res		-	ventilation. If advised by only in an are lation. If adequate le sure assess commended	assessment of the a equipped with ocal exhaust vent	ne local exposure p explosion-proof ex ilation is not availa es exposures outsid espiratory protectio	botential, use haust venti- ble or expo- de the re-
Res F	piratory protection	-	ventilation. If advised by only in an are lation. If adequate le sure assess commended	assessment of the a equipped with ocal exhaust vent ment demonstrate guidelines, use re	ne local exposure p explosion-proof ex ilation is not availa es exposures outsid espiratory protectio	botential, use haust venti- ble or expo- de the re-
Res F Han	piratory protection	-	ventilation. If advised by only in an are lation. If adequate le sure assess commended	e assessment of the a equipped with ocal exhaust vent nent demonstrate guidelines, use re	ne local exposure p explosion-proof ex ilation is not availa es exposures outsid espiratory protectio	ootential, use haust venti- ble or expo- de the re-
Res F Han E C	piratory protection Filter type d protection Material Break through time	-	ventilation. If advised by only in an are lation. If adequate la sure assess commended Self-containe Nitrile rubber 480 min 0.45 mm Choose glov on the conce applications, micals of the	es to protect hand entration specific t we recommend of the advice of the entration specific t aforementioned	ne local exposure p explosion-proof ex ilation is not availa es exposures outsid espiratory protectio	botential, use thaust venti- ble or expo- de the re- on.
Res Han E C	piratory protection Filter type d protection Material Break through time Blove thickness	-	ventilation. If advised by only in an are lation. If adequate la sure assess commended Self-contained Nitrile rubber 480 min 0.45 mm Choose glov on the conce applications, micals of the manufacture workday.	es to protect hand entration specific t we recommend of aforementioned protect and aforementioned protect and owing personal p	the local exposure p explosion-proof ex illation is not availa es exposures outsid espiratory protection aratus ds against chemica o place of work. For clarifying the resista protective gloves w	ble or expo- de the re- on. als depending or special ance to che- vith the glove the end of





Vers 5.0	sion	Revision Date: 08/29/2023		S Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009			
				atmospheres or fl protective clothing	ash fires, use flame retardant antistatic g.			
	l Hygien	e measures	:	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the wor- king place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. 				
SEC	TION 9	. PHYSICAL AND CHI	ЕМІС		5			
	Appear	rance	:	Aerosol containir	ng a compressed gas			
	Propell	ant	:	Carbon dioxide				
	Color		:	colorless				
	Odor		:	solvent				
	Odor T	hreshold	:	No data available				
Ĩ	рН		:	substance/mixture is non-soluble (in water)				
I	Melting	point/freezing point	:	No data available	9			
	Initial b range	oiling point and boiling	:	150 °C				
	Flash p	point	:	Not applicable				
	Evapor	ation rate	:	Not applicable				
	Flamm	ability (solid, gas)	:	Extremely flamm	able aerosol.			
		explosion limit / Upper ability limit	:	7 %(V)				
		explosion limit / Lower ability limit	:	0.6 %(V)				
	Vapor	pressure	:	Not applicable				
	Relativ	e vapor density	:	Not applicable				
	Density	y	:	0.796 g/cm ³ (20	°C)			
	Solubil	ity(ies)						



Versio 5.0	on Revision Date: 08/29/2023	SDS Number:Date of last issue: 07/03/202310709023-00012Date of first issue: 12/23/2009			
	Water solubility	: insoluble			
Partition coefficient: n- octanol/water		: Not applicable			
ŀ	Autoignition temperature	: No data available			
Γ	Decomposition temperature	: No data available			
١	Viscosity Viscosity, kinematic	: < 7 mm²/s (40 °C)			
E	Explosive properties	: Not explosive			
	Oxidizing properties Particle size	The substance or mixture is not classified as oxidizing.Not applicable			

SECTION 10. STABILITY AND REACTIVITY

Reactivity :		Not classified as a reactivity hazard.
Chemical stability :		Stable under normal conditions.
Possibility of hazardous reac- tions		Extremely flammable aerosol. Vapors may form explosive mixture with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics ,<2% aromatics:



/ersion 5.0	Revision Date: 08/29/2023		DS Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009	
Acute	oral toxicity	:	LD50 (Rat): > 5,0 Remarks: Based	000 mg/kg on data from similar materials	
Acute	Acute inhalation toxicity		LC50 (Rat): > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Remarks: Based on data from similar materials		
Acute	dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	2,000 mg/kg on data from similar materials	
Carbo	on dioxide:				
Acute	inhalation toxicity	:	LC50 (Rat): 4000 Exposure time: 3 Test atmosphere	0 min	
Skin	corrosion/irritation				
Not cl	assified based on ava	ilable	information.		
Com	oonents:				
Hvdro	ocarbons. C9-C11. n-	alkan	es. isoalkanes. c	yclics ,<2% aromatics:	
Speci		:	Rabbit		
Resul		:	Mild skin irritation		
Rema	arks	:	Based on data fro	om similar materials	
Asses	ssment	:	Repeated exposu	ure may cause skin dryness or cracking.	
Serio	us eye damage/eye i	rritati	on		
Not cl	assified based on ava	ilable	information.		
<u>Comp</u>	oonents:				
Hydro	ocarbons, C9-C11, n-	alkan	es, isoalkanes, c	yclics ,<2% aromatics:	
Speci		:	Rabbit		
Resul		:	No eye irritation		
Metho Rema		:	OECD Test Guid Based on data fro	eline 405 om similar materials	
Resp	iratory or skin sensit	izatio	'n		
Skin	sensitization				
Not cl	assified based on ava	ilable	information.		
-	iratory sensitization				
Not cl	assified based on ava	ilable	information.		
Comp	oonents:				
Hydro	ocarbons, C9-C11, n-	alkan	es, isoalkanes, c	yclics ,<2% aromatics:	

•	•	
Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig

according to the Hazardous Products Regulations



MULTICLEAN, Food grade cleaner, 308 g

Version 5.0	Revision Date: 08/29/2023	SDS Numb 10709023-		Date of last issue: 07/03/2023 Date of first issue: 12/23/2009			
Resu Rema			negative Based on data from similar materials				
	n cell mutagenicity lassified based on availa	able informat	ion.				
<u>Com</u>	ponents:						
Hydr	ocarbons, C9-C11, n-a	kanes, isoa	lkanes, c	yclics ,<2% aromatics:			
Genc	otoxicity in vitro	Method Result:					
		Result:	negative	o mammalian cell gene mutation test on data from similar materials			
		Result:	negative	nosome aberration test in vitro on data from similar materials			
Genc	otoxicity in vivo	Species Applica	s: Rat	nt dominant lethal test (germ cell) (in vivo) e: inhalation (vapor)			
	inogenicity lassified based on availa	able informat	ion.				
	oductive toxicity						
Not classified based on available information.							
Com	ponents:						
Hydr	ocarbons, C9-C11, n-a	kanes, isoa	lkanes, c	yclics ,<2% aromatics:			
Effec	ts on fertility	Species Applica Result:	s: Rat tion Route negative	peneration reproduction toxicity study e: Ingestion on data from similar materials			
Гffaa	to on fotal dovelopment	L Toot Tu	na. Embr	in fatal davialesment			

Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Result: negative Remarks: Based on data from similar materials

STOT-single exposure

May cause drowsiness or dizziness.

May displace oxygen and cause rapid suffocation.

븢 WÜRTH

according to the Hazardous Products Regulations

MULTICLEAN, Food grade cleaner, 308 g

Version 5.0	Revision Date: 08/29/2023	SDS Number: 10709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009				
Com	ponents:						
Hvdr	rocarbons. C9-C11. n	-alkanes, isoalkanes, (cyclics ,<2% aromatics:				
-	essment		/siness or dizziness.				
STO	T-repeated exposure						
Not o	classified based on ava	ailable information.					
Repe	eated dose toxicity						
Com	ponents:						
Hydr	rocarbons, C9-C11, n	-alkanes, isoalkanes, (cyclics ,<2% aromatics:				
Spec		: Rat					
NOA		: > 100 mg/kg					
	ication Route	: Ingestion					
Expo Rem	osure time	: 13 Weeks	rom similar materials				
Rem	aiks	. Daseu un uala i					
Spec		: Rat					
NOA		: > 1 mg/l					
	ication Route	: inhalation (vapo	r)				
Expo Rem	osure time	: 90 Days	rom similar materials				
Rem	aiks	. Dased on data i	ion sinilar materials				
Spec	cies	: Rat					
LOA		: 500 mg/kg					
	ication Route	: Skin contact					
Expo	osure time	: 28 Days					
۵sni	ration toxicity						
	classified based on ava	ailable information.					
	ponents:						
Hydr	ocarbons C9-C11 n	-alkanos isoalkanos (cyclics ,<2% aromatics:				
-			-				
		nan aspiration toxicity h	n aspiration toxicity hazards or has to be re-				
gard							
SECTION	SECTION 12. ECOLOGICAL INFORMATION						
Ecot	oxicity						
<u>Com</u>	ponents:						
Hvdi	rocarbons, C9-C11. n	-alkanes, isoalkanes, (cyclics ,<2% aromatics:				
, «			- ,				

 Toxicity to fish
 :
 LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

 Exposure time: 96 h
 Test substance: Water Accommodated Fraction

 Method: OECD Test Guideline 203

 Toxicity to daphnia and other
 :

 EL50 (Daphnia magna (Water flea)): > 1,000 mg/l



ersion 0	Revision Date: 08/29/2023		S Number: 709023-00012	Date of last issue: 07/03/2023 Date of first issue: 12/23/2009
aquati	c invertebrates			3 h Vater Accommodated Fraction est Guideline 202
Toxicity to algae/aquatic plants		:	mg/l Exposure time: 72	Vater Accommodated Fraction
			mg/l Exposure time: 72	Vater Accommodated Fraction
Carbo	n dioxide:			
Toxicit	ty to fish	:	Exposure time: 96	macrochirus (Bluegill sunfish)): > 100 mg/l 6 h on data from similar materials
	ty to daphnia and other c invertebrates	:	Exposure time: 48	magna (Water flea)): > 100 mg/l 3 h on data from similar materials
Persis	stence and degradabili	ity		
<u>Comp</u>	onents:			
Hydro	carbons, C9-C11, n-al	kan	es, isoalkanes, cy	vclics ,<2% aromatics:
Biode	gradability	:	Result: Readily bi Biodegradation: 2 Exposure time: 28 Method: OECD T	80 %
Bioac	cumulative potential			
<u>Comp</u>	onents:			
Partitio	on dioxide: on coefficient: n- ol/water	:	log Pow: 0.83	
	ity in soil ta available			
	adverse effects ta available			

according to the Hazardous Products Regulations



MULTICLEAN, Food grade cleaner, 308 g

Version	Revision Date:	SDS Number:	Date of last issue: 07/03/2023
5.0	08/29/2023	10709023-00012	Date of first issue: 12/23/2009

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product. Please ensure aerosol cans are sprayed completely empty (including propellant)

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	•	UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	Flammable Gas
IMDG-Code UN number Proper shipping name	:	UN 1950 AEROSOLS
Class Packing group Labels EmS Code Marine pollutant	:	2.1 Not assigned by regulation 2.1 F-D, S-U no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

according to the Hazardous Products Regulations



MULTICLEAN, Food grade cleaner, 308 g

Version	Revision Date:	SDS Number:	Date of last issue: 07/03/2023
5.0	08/29/2023	10709023-00012	Date of first issue: 12/23/2009

Domestic regulation

TDG UN number Proper shipping name	:	UN 1950 AEROSOLS
Class Packing group Labels ERG Code Marine pollutant	:	2.1 Not assigned by regulation 2.1 126 no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds (VOC) content	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products VOC content: 98 % / 780 g/l

The ingredients of this pre-	oduct are reported in the following inventories:
DSL	: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations		
ACGIH		USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value



Version	Revision Date:	SDS Number:	Date of last issue: 07/03/2023
5.0	08/29/2023	10709023-00012	Date of first issue: 12/23/2009

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	-	08/29/2023 mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.