

Ver 1.3	sion	Revision Date: 11/12/2022		0S Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020			
SEC	CTION 1	. IDENTIFICATION						
	Product name		:		ROTECTION, Amber, 18.9 L			
	Produc	t code	:	892.0801				
	Other r	neans of identification	:	No data available				
	Manuf	acturer or supplier's o	deta	nils				
	Compa	any name of supplier	:	Würth Canada Lir	nited			
	Address			345 Hanlon Creek Blvd GUELPH, ON N1C 0A1				
	Telephone		:	+1 (905) 564 6225				
	Telefax	(	:	+1 (905) 564 3671				
	Emergency telephone		:	CHEMTREC (24/ Transport related CANUTEC (24/7)	olving a spill, fire, explosion or exposure: 7): 1-800-424-9300 emergencies: : 1-613-996-6666 or * 666 (cell) ant un déversement, incendie, explosion ou			
				exposition:	7): 1-800-424-9300			
				Urgences liées au				
	E-mail	address	:	prodsafe@wurth.	ca			
	Recom	nmended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Automotive Coatings				
	Restric	tions on use	:	Not applicable				

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture. Precautionary Statements :

#### Prevention:

P261 Avoid breathing spray. P271 Use only outdoors or in a well-ventilated area.





Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2021
1.3	11/12/2022	5653462-00004	Date of first issue: 04/16/2020

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent refined heavy paraffinic	Mineral oil, pe- troleum distil- lates, solvent- refined heavy paraffinic	64741-88-4	>= 30 - < 60 *
Distillates (petroleum), hydrotreated heavy paraffinic	Mineral oil, pe- troleum distil- lates, hy- drotreated heavy paraffinic	64742-54-7	>= 30 - < 60 *
Residual oils (petrole- um), solvent-refined	No data availa- ble	64742-01-4	>= 10 - < 30 *

\* Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)



Vers 1.3	sion	Revision Date: 11/12/2022		98 Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020		
				Dry chemical			
	Unsuita media	able extinguishing	:	High volume wate	er jet		
	Specific hazards during fire fighting		:	Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.			
	Hazard ucts	lous combustion prod-	:	Carbon oxides Nitrogen oxides (I Silicon oxides Metal oxides	NOx)		
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	•	l protective equipment fighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.		

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### SECTION 7. HANDLING AND STORAGE



Versio 1.3	on Revision Date: 11/12/2022		DS Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020	
Technical measures		:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Advice on safe handling		:	For outdoor use only Avoid breathing spray. Handle in accordance with good industrial hygiene and safe practice, based on the results of the workplace exposure as sessment Take care to prevent spills, waste and minimize release to t environment.		
C	Conditions for safe storage	:		abeled containers. ce with the particular national regulations.	
N	laterials to avoid	:	Do not store with Strong oxidizing a Gases	the following product types: agents	

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), solvent refined heavy paraffinic	64741-88-4	TWA (Mist)	5 mg/m³	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inha- lable particu- late matter)	5 mg/m³	ACGIH
Distillates (petroleum), hy- drotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m³	CA AB OEL
		STEL (Mist)	10 mg/m³	CA AB OEL
		TWAEV (Mist)	5 mg/m³	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
Residual oils (petroleum), sol- vent-refined	64742-01-4	TWA (Mist)	5 mg/m³	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inha- lable particu- late matter)	5 mg/m <sup>3</sup>	ACGIH

#### Ingredients with workplace control parameters

Engineering measures

: Minimize workplace exposure concentrations.



Version 1.3	Revision Date: 11/12/2022		DS Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020
			duct. In addition to ons of concentrati have to be conside vant limits include Regulated of 15 m fraction; and ACC soluble) Not Othe	ay be relevant in the processing of this pro- b substance-specific OELs, general limitati- ions of particulates in the air at workplaces ered in workplace risk assessment. Rele- c: OSHA PEL for Particulates Not Otherwise ng/m3 - total dust, 5 mg/m3 - respirable H TWA for Particles (insoluble or poorly rwise Specified of 3 mg/m3 - respirable n3 - inhalable particles.
Per	rsonal protective equipm	ent		
Re	spiratory protection	:	sure assessment	exhaust ventilation is not available or expo- demonstrates exposures outside the re- elines, use respiratory protection.
	Filter type	:	Combined particu	lates and organic vapor type
	nd protection Material	:	Nitrile rubber	
	Remarks	:	on the concentrat applications, we r micals of the afore manufacturer. Wa	protect hands against chemicals depending ion specific to place of work. For special ecommend clarifying the resistance to che- ementioned protective gloves with the glove ash hands before breaks and at the end of rough time is not determined for the pro- ves often!
Eye	e protection	:	Safety glasses Always wear eye eye contact with t Please follow all a	g personal protective equipment: protection when the potential for inadvertent he product cannot be excluded. applicable local/national requirements when ve measures for a specific workplace.
Ski	n and body protection	:	Skin should be wa	ashed after contact.
Hy	giene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Grease
Color	: amber
Odor	: characteristic

### SAFETY DATA SHEET



# UNDERBODY PROTECTION, Amber, 18.9 L

Versi 1.3		Revision Date: 11/12/2022		S Number: 3462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020
(	Odor Th	reshold	:	100 ppm	
k	pН		:	No data available	
ľ	Melting	point/freezing point	:	-10 °C	
	Initial bo range	iling point and boiling	:	> 150 °C	
F	Flash po	bint	:	> 93.3 °C	
E	Evapora	tion rate	:	No data available	
F	Flamma	bility (solid, gas)	:	Not applicable	
F	Flamma	bility (liquids)	:	Ignitable (see flas	sh point)
		xplosion limit / Upper pility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
١	Vapor p	ressure	:	< 1 kPa (25 °C)	
F	Relative	vapor density	:	> 1 (Air = 1.0)	
F	Relative	density	:	0.9	
S	Solubilit <u>y</u> Wate	y(ies) er solubility	:	insoluble	
	Partition octanol/	coefficient: n- water	:	Not applicable	
ŀ	Autoigni	tion temperature	:	350 °C	
Γ	Decomp	osition temperature	:	No data available	
١	Viscosity Visco	y osity, dynamic	:	No data available	
	Visco	osity, kinematic	:	> 20.5 mm²/s ( 40	) °C)
E	Explosiv	e properties	:	Not explosive	
(	Oxidizin	g properties	:	The substance or	mixture is not classified as oxidizing.
F	Particle	size	:	Not applicable	



VersionRevision Date:SDS Number:Date of last issue: 09/22/20211.311/12/20225653462-00004Date of first issue: 04/16/2020				Date of last issue: 09/22/2021 Date of first issue: 04/16/2020	
---	--	--	--	---	--

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Components:**

Blothlatoo (potroloulli), contont	
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity :	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Based on data from similar materials
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
Distillates (petroleum), hydrotro	eated heavy paraffinic:
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity :	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h



ersion .3	Revision Date: 11/12/2022	SDS Numb 5653462-00				
		Method	nosphere: dust/mist OECD Test Guideline 403 s: Based on data from similar materials			
Acute	Acute dermal toxicity :		LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials			
Resid	dual oils (petroleum),	solvent-refine	ed:			
Acute	e oral toxicity		at): > 5,000 mg/kg OECD Test Guideline 401			
Acute inhalation toxicity		Exposur Test atn Method: Assessr	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity			
Acute	Acute dermal toxicity		LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402			
	lassified based on ava ponents:	lable informati	on.			
	lates (petroleum), so		eavy paraffinic:			
Speci		: Rabbit : No skin	initation			
	Result Remarks		No skin irritation Based on data from similar materials			
Distil	lates (petroleum), hy	drotreated he	avy paraffinic:			
Spec		: Rabbit				
Resu		: No skin				
Rema	arks	: Based c	n data from similar materials			
Resid	dual oils (petroleum),	solvent-refine	ed:			
Spec		: Rabbit				
Resu	lt	: No skin	irritation			
	ous eye damage/eye i					
Not c	lassified based on ava	lable informati	on.			
<u>Com</u>	ponents:					
Distil	lates (petroleum), so	vent refined h	eavy paraffinic:			
Spec		: Rabbit				
Resu		: No eye irritation				
			OECD Test Guideline 405 Based on data from similar materials			
Remarks . Dased on data nom similar materials						





Version 1.3	Revision Date: 11/12/2022	SDS Number: 5653462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020					
Distil	Distillates (petroleum), hydrotreated heavy paraffinic:							
Speci	ies	: Rabbit						
Resu	lt	: No eye irritatio	n					
Metho	od	: OECD Test Gu	ideline 405					
Rema	arks	: Based on data	Based on data from similar materials					
Residual oils (petroleum), solvent-refined:Species: RabbitResult: No eye irritation								
Respiratory or skin sensitization								
Skin sensitization								
Not c	Not classified based on available information.							
Resp	Respiratory sensitization							

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), solvent refined heavy paraffinic:

Test Type :	Buehler Test
Routes of exposure :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	negative
Remarks :	Based on data from similar materials

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Routes of exposure:Species:Method:Result:	Buehler Test Skin contact Guinea pig OECD Test Guideline 406 negative
	Based on data from similar materials
	•

#### Residual oils (petroleum), solvent-refined:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471
	Result: negative
	Remarks: Based on data from similar materials



Revision Date: 11/12/2022	SDS Number: 5653462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020	
notoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials		
tillates (petroleum), hyd	rotreated heavy pa	raffinic:	
notoxicity in vitro	Result: negativ	cterial reverse mutation assay (AMES) /e ed on data from similar materials	
notoxicity in vivo	cytogenetic as Species: Mous Result: negativ	se	
sidual oils (petroleum), s	olvent-refined:		
	: Test Type: Ba	cterial reverse mutation assay (AMES) ve	
notoxicity in vivo	cytogenetic as Species: Mous Application Ro Method: OECI	se oute: Intraperitoneal injection D Test Guideline 474	
• •	able information.		
mponents:			
tillates (petroleum), solv ecies plication Route posure time hod sult	: Mouse : Skin contact : 78 weeks : OECD Test Ge : negative		
	11/12/2022 notoxicity in vivo tillates (petroleum), hydr notoxicity in vitro notoxicity in vivo sidual oils (petroleum), s notoxicity in vitro notoxicity in vitro notoxicity in vivo	11/12/20225653462-00004notoxicity in vivo:Test Type: Ma cytogenetic as Species: Mous Application Ro Method: OECI Result: negativ Remarks: Bastillates (petroleum), hydrotreated heavy pa notoxicity in vitro:Test Type: Ba Result: negativ Remarks: Basnotoxicity in vitro:Test Type: Ma cytogenetic as Species: Mous Result: negativ Remarks: Basnotoxicity in vivo:Test Type: Ma cytogenetic as Species: Mous Result: negativ Remarks: Bassidual oils (petroleum), solvent-refined: notoxicity in vitro:Test Type: Ma cytogenetic as Species: Mous Result: negativ Result: negativ Result: negativnotoxicity in vitro:Test Type: Ba Result: negativ Result: negativnotoxicity in vitro:Test Type: Ba Result: negativnotoxicity in vitro:Test Type: Ma cytogenetic as Species: Mous Application Ro Method: OECI Result: negativrcinogenicity classified based on available informationmponents::Mouse Skin contacttillates (petroleum), solvent refined heavy ecies:weiss:Mouse Skin contactvication Route:Skin contact Skin contactosure time:78 weeks stindtillates:OECD Test Gi sult	

#### **Reproductive toxicity**

Not classified based on available information.

#### Components:

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening
		test
		Species: Rat



Versio 1.3	on	Revision Date: 11/12/2022	-	9S Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020		
				Application Rou Result: negative Remarks: Base			
E	Effects on fetal development :			Test Type: Embryo-fetal development Species: Rat Application Route: Skin contact Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials			
0	Distilla	tes (petroleum), hydr	otr	eated heavy par	affinic:		
	<b>Distillates (petroleum), hydrotre</b> Effects on fertility :			Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative Remarks: Based on data from similar materials			
F	Residu	al oils (petroleum), s	olve	ent-refined:			
		on fertility	:	Test Type: Rep test Species: Rat Application Rou	Test Guideline 421		
E	Effects	on fetal development	:	test Species: Rat Application Rou	Test Guideline 421		
		single exposure ssified based on availa	ble	information.			
S	STOT-I	epeated exposure					
		ssified based on availa	ble	information.			
F	Repeat	ed dose toxicity					
<u>c</u>	Compo	onents:					
0	Distillates (petroleum), solvent refined heavy paraffinic:						
S N A E N	Species NOAEL Applica	tion Route re time		Rabbit 1,000 mg/kg Skin contact 4 Weeks OECD Test Gu			

Species

: Rat



Version 1.3	Revision Date: 11/12/2022		DS Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020
Expo	NEL ication Route psure time parks	:	> 980 mg/m³ inhalation (dust/m 4 Weeks Based on data fro	nist/fume) om similar materials
Spec NOA Appl			ent-refined: Rat >= 980 mg/kg Inhalation 28 Days	
	EL ication Route osure time	:	Rat >= 2,000 mg/kg Skin contact 90 Days OECD Test Guide	eline 411

#### Aspiration toxicity

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), solvent refined heavy paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Distillates (petroleum), hydrotreated heavy paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Components:

Toxicity to fish	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials



Vers 1.3	sion	Revision Date: 11/12/2022		S Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020
		r to daphnia and other invertebrates (Chron- ty)	:	Exposure time: 21 Method: OECD Te	
	Toxicity	to microorganisms	:	NOEC: > 1.93 mg Exposure time: 10 Method: DIN 38 4 Remarks: Based o	min
	Distilla	tes (petroleum), hydr	otre	eated heavy paraf	inic:
	Toxicity	r to fish	:	Exposure time: 96 Test substance: W Method: OECD Te	ater Accommodated Fraction
		to daphnia and other invertebrates	:	Exposure time: 48 Test substance: W Method: OECD Te	ater Accommodated Fraction
	Toxicity plants	v to algae/aquatic	:	mg/l Exposure time: 72 Test substance: W Method: OECD Te	ater Accommodated Fraction
				100 mg/l Exposure time: 72 Test substance: W Method: OECD Te	ater Accommodated Fraction
		invertebrates (Chron-	:	Exposure time: 21 Test substance: W Method: OECD Te	ater Accommodated Fraction
	Toxicity	to microorganisms	:	NOEC: > 1.93 mg Exposure time: 10 Method: DIN 38 4 Remarks: Based o	min
	Residu	al oils (petroleum), s	olve	ent-refined:	
	Toxicity	r to fish	:	Exposure time: 96	ater Accommodated Fraction



# **UNDERBODY PROTECTION, Amber, 18.9 L**

Versio 1.3	on	Revision Date: 11/12/2022	-	S Number: 53462-00004	Date of last issue: 09/22/2021 Date of first issue: 04/16/2020
		to daphnia and other invertebrates	:	Exposure time: 48	agna (Water flea)): > 10,000 mg/l 3 h Vater Accommodated Fraction
	Toxicity plants	to algae/aquatic	:	NOELR (Pseudok 100 mg/l Exposure time: 72 Method: OECD Te	
a		to daphnia and other invertebrates (Chron- ty)	:	Exposure time: 21	magna (Water flea)): 10 mg/l d Vater Accommodated Fraction
		ence and degradabili	ty		
<u>c</u>	Compo	nents:			
		tes (petroleum), solve			
E	Biodegr	adability	:	Result: Not readily Biodegradation: 2 Exposure time: 28 Method: OECD Te	2 - 4 %
[	Distilla	tes (petroleum), hydr	otre	eated heavy paraf	finic:
E	Biodegr	adability	:	Result: Not readily Biodegradation: 3 Exposure time: 28 Method: OECD Te	31 %
	Deeldu		- l. <i></i>	ant refined.	
		al oils (petroleum), so adability	:	Result: Not readily Biodegradation: 3 Exposure time: 28	31 %
		<b>umulative potential</b> available			
		<b>y in soil</b> a available			
		<b>dverse effects</b> available			
SECT	FION 1:	3. DISPOSAL CONSID	DER	ATIONS	
[	Dispos	al methods			
	-	rom residues	:	Dispose of in acco	ordance with local regulations.
C	Contam	inated packaging	:	handling site for re	should be taken to an approved waste ecycling or disposal. becified: Dispose of as unused product.
				14 / 16	



Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2021
1.3	11/12/2022	5653462-00004	Date of first issue: 04/16/2020

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### TDG

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

Volatile organic compounds	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -
(VOC) content	Guidelines for VOC in Consumer Products
	VOC content: 0 g/l
	Remarks: VOC content excluding water and exempt compounds

#### The ingredients of this product are reported in the following inventories:

DSL

: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

#### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
CA BC OEL	:	Canada. British Columbia OEL		
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants		
ACGIH / TWA	:	8-hour, time-weighted average		
CA AB OEL / TWA	:	8-hour Occupational exposure limit		
CA AB OEL / STEL	:	15-minute occupational exposure limit		
CA BC OEL / TWA	:	8-hour time weighted average		
CA QC OEL / TWAEV	:	Time-weighted average exposure value		



Version	Revision Date:	SDS Number:	Date of last issue: 09/22/2021
1.3	11/12/2022	5653462-00004	Date of first issue: 04/16/2020

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	-	11/12/2022 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8