

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version 1.0      Revision Date: 11/28/2025      SDS Number: 11601239-00001      Date of last issue: -  
Date of first issue: 11/28/2025

---

### SECTION 1. IDENTIFICATION

Product name : MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL  
Product code : 892.560004  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited/Limitée  
Address : 345 Hanlon Creek Blvd  
GUELPH, ON N1C 0A1

Telephone : 1-800-263-5002

Telefax : 1-905-564-3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:  
CHEMTREC (24/7): 1-800-424-9300

Urgences impliquant un déversement, incendie, explosion ou exposition: CHEMTREC (24/7): 1-800-424-9300

E-mail address : prodsafe@wurth.ca

#### Recommended use of the chemical and restrictions on use

Recommended use : Adhesives and/or sealants

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Sub-category 1A

Carcinogenicity : Category 1B

Specific target organ toxicity : Category 2 (Blood)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version 1.0      Revision Date: 11/28/2025      SDS Number: 11601239-00001      Date of last issue: -  
Date of first issue: 11/28/2025

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe vapors.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
2-Propanone, 2,2',2''-[O,O',O''-(ethylsilyldyne)trioxime]	Ethyl-tris(acetonoxim)-silan	58190-57-1	$\geq 1 - < 5$ *
3-(2-Aminoethylamino)propyltrimethoxysilane	1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]-	1760-24-3	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated exposure. No information available.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Silicon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal
--	---	--



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

Recommended storage temperature : < 30 °C  
Storage period : 12 Months

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

#### Hand protection

Material : butyl-rubber  
Break through time : 120 - 480 min  
Glove thickness : 0.5 - 1 mm

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

**Eye protection** : Wear the following personal protective equipment:  
Safety glasses

**Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

Color	:	transparent
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.99 - 1.05 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

Particle size : Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Hazardous decomposition products will be formed upon contact with water or humid air.

Conditions to avoid : Exposure to moisture.  
Incompatible materials : Water

#### Hazardous decomposition products

Contact with water or humid air : Acetone oxime

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline  
Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 1,000 - 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline  
Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

### 3-(2-Aminoethylamino) propyltrimethoxysilane:

Acute oral toxicity : LD50 (Rat, female): 1,897 mg/kg  
Method: OPPTS 870.1100

Acute toxicity estimate (Humans): > 300 - 2,000 mg/kg  
Method: Expert judgment  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 1.49 - 2.44 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OPPTS 870.1300

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OPPTS 870.1200

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : No skin irritation  
Remarks : The test was conducted according to guideline

#### 3-(2-Aminoethylamino) propyltrimethoxysilane:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### 2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : The test was conducted according to guideline

#### 3-(2-Aminoethylamino) propyltrimethoxysilane:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version 1.0      Revision Date: 11/28/2025      SDS Number: 11601239-00001      Date of last issue: -  
Date of first issue: 11/28/2025

---

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : positive  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans

##### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : positive

Assessment : Probability or evidence of high skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Method: OPPTS 870.5900  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Carcinogenicity**

May cause cancer.

### **Components:**

#### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 26 Months  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The test was conducted equivalent or similar to guideline  
Based on data from similar materials

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments  
Remarks: Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **Components:**

#### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Assessment : May cause drowsiness or dizziness.

#### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Routes of exposure : Ingestion  
Target Organs : Central nervous system, optic nerve  
Assessment : May cause damage to organs.  
Remarks : Based on data from similar materials

### **STOT-repeated exposure**

May cause damage to organs (Blood) through prolonged or repeated exposure.

### **Components:**

#### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:**

Routes of exposure : Ingestion  
Target Organs : Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version 1.0      Revision Date: 11/28/2025      SDS Number: 11601239-00001      Date of last issue: -  
Date of first issue: 11/28/2025

---

### 3-(2-Aminoethylamino) propyltrimethoxysilane:

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

### Repeated dose toxicity

#### Components:

#### 2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:

Species : Rat  
LOAEL : > 10 - 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : The test was conducted according to guideline  
Based on data from similar materials

#### 3-(2-Aminoethylamino) propyltrimethoxysilane:

Species : Rat  
NOAEL : >= 500 mg/kg  
Application Route : Ingestion  
Exposure time : 44 Days

Species : Rat  
NOAEL : 0.015 mg/l  
LOAEL : 0.045 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### 2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: The test was conducted equivalent or similar to guideline  
Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version 1.0      Revision Date: 11/28/2025      SDS Number: 11601239-00001      Date of last issue: -  
Date of first issue: 11/28/2025

- aquatic invertebrates      Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline  
Based on data from similar materials
- Toxicity to algae/aquatic plants      :      ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
Based on data from similar materials
- NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
Based on data from similar materials
- Toxicity to microorganisms      :      EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

### 3-(2-Aminoethylamino) propyltrimethoxysilane:

- Toxicity to fish      :      LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates      :      EL50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants      :      ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :      NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 1 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylydyne)trioxime]:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B  
Remarks: The test was conducted according to guideline  
Based on data from similar materials

##### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Biodegradability : Result: Not readily biodegradable.  
Method: Regulation (EC) No. 440/2008, Annex, C.4-A  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylydyne)trioxime]:**

Partition coefficient: n- : log Pow: 2.89  
octanol/water Remarks: Calculation

##### **3-(2-Aminoethylamino) propyltrimethoxysilane:**

Partition coefficient: n- : log Pow: -3.3  
octanol/water Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

##### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

<b>Volatile organic compounds (VOC) content</b>	Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations VOC content: 0 %
---	--

#### The ingredients of this product are reported in the following inventories:

CA. DSL : This product contains one or several components that are not on the Canadian DSL nor NDSL.

#### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## MULTIPURPOSE SILICONE, Neutral, Translucent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/28/2025	11601239-00001	Date of first issue: 11/28/2025

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/28/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8