

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

---

### SECTION 1. IDENTIFICATION

Product name : EASYSIL, Acetic silicone, Transparent, 300 mL  
Product code : 892.560304  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited/Limitée  
Address : 345 Hanlon Creek Blvd  
GUELPH, ON N1C 0A1  
Telephone : 1-800-263-5002  
Telefax : 1-905-564-3671  
Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:  
CHEMTREC (24/7): 1-800-424-9300  
Urgences impliquant un déversement, incendie, explosion ou exposition: CHEMTREC (24/7): 1-800-424-9300  
E-mail address : prodsafe@wurth.ca

#### Recommended use of the chemical and restrictions on use

Recommended use : Adhesives and/or sealants  
Restrictions on use : Not applicable


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2  
Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, eye protection and face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P332 + P313 If skin irritation occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propyltriacetoxysilane	Silanetriol, 1-propyl-, 1,1,1-triacetate	17865-07-5	$\geq 1 - < 5$ *
Methylsilanetriyl triacetate	Silanetriol, 1-methyl-, 1,1,1-triacetate	4253-34-3	$\geq 1 - < 5$ *
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	64359-81-5	$\geq 0.0015 - < 0.025$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and : Causes skin irritation.  
Causes serious eye damage.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

delayed	No information available.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Not applicable Will not burn
Unsuitable extinguishing media	: Not applicable Will not burn
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Silicon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from water.  
Protect from moisture.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Acetic acid	64-19-7	TWA	10 ppm 25 mg/m <sup>3</sup>	CA AB OEL
		STEL	15 ppm 37 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		STEL	15 ppm	CA BC OEL
		TWAEV	10 ppm 25 mg/m <sup>3</sup>	CA QC OEL
		STEV	15 ppm 37 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : butyl-rubber

Break through time : 120 - 480 min

Glove thickness : 0.5 - 1 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : No data available

Odor : Acetic acid

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.9 - 1.05 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous decomposition products will be formed upon contact with water or humid air.
Conditions to avoid	:	Exposure to moisture.
Incompatible materials	:	Water

**Hazardous decomposition products**

Contact with water or humid air	:	Acetic acid
---------------------------------	---	-------------

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### Propyltriacetoxysilane:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

##### Methylsilanetriyl triacetate:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

##### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Acute oral toxicity : LD50 (Mouse): 567 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.16 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

Causes skin irritation.

#### Components:

##### Propyltriacetoxysilane:

Result : Corrosive after 3 minutes to 1 hour of exposure

##### Methylsilanetriyl triacetate:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 4 hours or less of exposure

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### Propyltriacetoxysilane:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

##### Methylsilanetriyl triacetate:

Species : Rabbit  
Result : Irreversible effects on the eye

### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Test Type : Buehler Test  
Assessment : Does not cause skin sensitization.  
Method : OECD Test Guideline 406  
Result : negative

#### Components:

##### Methylsilanetriyl triacetate:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive
Assessment	: Probability or evidence of high skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propyltriacetoxysilane:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells Species: Mouse Application Route: Ingestion Result: negative

#### Methylsilanetriyl triacetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 475

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 486

Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **4,5-Dichloro-2-octyl-2H-isothiazol-3-one:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Components:**

#### **4,5-Dichloro-2-octyl-2H-isothiazol-3-one:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

---

### Repeated dose toxicity

#### Components:

##### **4,5-Dichloro-2-octyl-2H-isothiazol-3-one:**

Species : Rat, male  
NOAEL : 32.5 mg/kg  
LOAEL : 60.7 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : 0.02 mg/kg  
LOAEL : 0.63 mg/kg  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 3 Months  
Method : OECD Test Guideline 413

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Propyltriacetoxysilane:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79 - 88 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 65 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,562.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 40 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 100 mg/l  
Exposure time: 28 d

##### **Methylsilanetriyl triacetate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

---

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 500 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 500 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### 4,5-Dichloro-2-octyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0027 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0052 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Phaeodactylum): 0.025 mg/l  
Exposure time: 72 h  
Method: OPPTS 850.5400

NOEC (Phaeodactylum): 0.0043 mg/l  
Exposure time: 72 h  
Method: OPPTS 850.5400

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.00047 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0004 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 5.7 mg/l  
Exposure time: 3 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version 1.0      Revision Date: 11/21/2025      SDS Number: 11598992-00002      Date of last issue: -  
Date of first issue: 11/21/2025

---

### Persistence and degradability

#### Components:

##### **Propyltriacetoxysilane:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 79.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Methylsilanetriyl triacetate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 21 d  
Method: Directive 67/548/EEC Annex V, C.4.A.  
Remarks: Based on data from similar materials

##### **4,5-Dichloro-2-octyl-2H-isothiazol-3-one:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Propyltriacetoxysilane:**

Partition coefficient: n-octanol/water : log Pow: 1.23

##### **4,5-Dichloro-2-octyl-2H-isothiazol-3-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 750

Partition coefficient: n-octanol/water : log Pow: > 4

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

<b>Volatile organic compounds (VOC) content</b>	Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations VOC content: 0 %
---	--

#### The ingredients of this product are reported in the following inventories:

CA. NDSL : This product contains one or several components listed in the Canadian NDSL.

#### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA AB OEL / STEL	: 15-minute occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

CA BC OEL / STEL	: short-term exposure limit
CA QC OEL / TWAEV	: Time-weighted average exposure value
CA QC OEL / STEV	: Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---

Revision Date	: 11/21/2025
Date format	: mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## EASYSIL, Acetic silicone, Transparent, 300 mL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/21/2025	11598992-00002	Date of first issue: 11/21/2025

---

CA / Z8