according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Ver 1.0	sion	Revision Date: 12/06/2023	-	S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023
SEG		. IDENTIFICATION			
	Produc	t name	:	A/C PERFORMA	NCE ENHANCER, 60 g
	Produc	t code	:	892.764620	
	Other n	neans of identification	:	No data available	
	Manufa	acturer or supplier's o	deta	ils	
	Compa	ny name of supplier	:	Würth Canada Lir	nited
	Addres	S	:	345 Hanlon Creek GUELPH, ON N1	-
	Telepho	one	:	+1 (905) 564 622	5
	Telefax		:	+1 (905) 564 367	1
	Emerge	ency telephone	:	CHEMTREC (24/ Transport related CANUTEC (24/7)	olving a spill, fire, explosion or exposure: 7): 1-800-424-9300 emergencies: : 1-613-996-6666 or * 666 (cell) ant un déversement, incendie, explosion ou
				CHEMTREC (24/ Urgences liées au	7): 1-800-424-9300
					: 1-613-996-6666 ou * 666 (cellulaire)
	E-mail a	address	:	prodsafe@wurth.c	ca
	Recom	mended use of the cl	hem	ical and restriction	ons on use
	Recom	mended use	:	Lubricants and lub	pricant additives
	Restric	tions on use	:	Not applicable	

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations								
Aerosols	:	Category 3						
Reproductive toxicity	:	Category 2						
Specific target organ toxicity - repeated exposure	:	Category 2 (Adrenal gland)						

### **GHS** label elements

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

ersion .0	Revision Date: 12/06/2023	SDS Number: 11308311-00001	Date of last issue: - Date of first issue: 12/06/2023
Hazar	rd pictograms		
Signa	l Word	: Warning	
Hazard Statements		H361 Suspected H373 May caus	ed container: May burst if heated. d of damaging fertility or the unborn child. e damage to organs (Adrenal gland) through beated exposure.
Preca	utionary Statements	<sup>:</sup> Prevention:	
		P202 Do not ha and understood P210 Keep awa and other ignitic P251 Do not pie P260 Do not bre	y from heat, hot surfaces, sparks, open flames in sources. No smoking. erce or burn, even after use. eathe spray. ective gloves, protective clothing, eye protectio
		Response:	
		P308 + P313 IF	exposed or concerned: Get medical attention.
		<b>Storage:</b> P405 Store lock P410 + P412 Pr tures exceeding	otect from sunlight. Do not expose to tempera
		Disposal:	
		P501 Dispose o disposal plant.	f contents and container to an approved waste

Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
	Mineral oil, pe- troleum distil- lates, hy- drotreated heavy paraffinic	64742-54-7	>= 60 - < 80 *
Benzenamine, N- phenyl-, reaction prod-	4-(2,2,3- Trimethylbut-3-	68411-46-1	>= 1 - < 5 *

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Versio 1.0	n Revision Date: 12/06/2023	SDS Num 11308311		te of last issue: - te of first issue: 12/06/2023
	cts with 2,4,4- imethylpentene	en-1-yl)-N-[4- (2,2,3- trimethylbut-3- en-1- yl)phenyl]aniline		
	henol, isopropylated, hosphate (3:1)	Isopropylated Triaryl Phos- phate	68937-41-7	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing	:	High volume water jet

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Vers 1.0	sion	Revision Date: 12/06/2023		0S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023
	media				
	Specific fighting	c hazards during fire	:	Exposure to comb	explosive mixtures with air. bustion products may be a hazard to health. e rises there is danger of the vessels bursting apor pressure.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Oxides of phosph	,
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	•	l protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE	
		CONTROLS/PERSONAL PROTECTION section.	

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Versi 1.0	ion	Revision Date: 12/06/2023		OS Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023			
I	Local/T	otal ventilation	:	Use only with ade	equate ventilation.			
,	Advice on safe handling Conditions for safe storage			<ul> <li>Do not breathe spray. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take care to prevent spills, waste and minimize release to the environment.</li> </ul>				
(				<ul> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> <li>Do not pierce or burn, even after use.</li> <li>Keep cool. Protect from sunlight.</li> </ul>				
I	Materials to avoid		:	Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives Gases				
	Recom peratur	mended storage tem- e	:	< 40 °C				

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m³	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m³	CA QC OEL

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Version 1.0	Revision Date: 12/06/2023		S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023			
			Minimize workpla	ce exposure concentrations.			
Pers	sonal protective equip	ment					
Res	Respiratory protection		If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the re- commended guidelines, use respiratory protection.				
F	ilter type	:	Combined partic	lates and organic vapor type			
N E	Hand protection Material Break through time Glove thickness		Nitrile rubber 240 min 0.12 mm				
F	Remarks		on the concentra applications, we micals of the afo	o protect hands against chemicals depending tion specific to place of work. For special recommend clarifying the resistance to che- rementioned protective gloves with the glove ash hands before breaks and at the end of			
Eye	Eye protection		Please follow all applicable local/national requirements where selecting protective measures for a specific workplace. Wear the following personal protective equipment: Safety glasses Always wear eye protection when the potential for inadverting eye contact with the product cannot be excluded.				
Skin	and body protection	<ul> <li>Select appropriate protective clothing based on chemic resistance data and an assessment of the local exposi- potential.</li> <li>Skin contact must be avoided by using impervious pro- clothing (gloves, aprons, boots, etc).</li> </ul>		nd an assessment of the local exposure t be avoided by using impervious protective			
Hygi	Hygiene measures		If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the wor- king place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.				

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Propellant	:	Air
Color	:	clear

according to the Hazardous Products Regulations



/ersion .0	Revision Date: 12/06/2023		S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023
			yellow, green	
Odo	r	:	characteristic	
Odo	r Threshold	:	No data available	9
pН		:	No data available	9
Melt	ing point/freezing point	:	No data available	9
Initia rang	al boiling point and boiling le	:	Not applicable	
Flas	h point	:	Not applicable	
Evap	poration rate	:	Not applicable	
Flam	nmability (solid, gas)	:	Not classified as	a flammability hazard
Flam	nmability (liquids)	:	No data available	9
	er explosion limit / Upper mability limit	:	No data available	9
	er explosion limit / Lower mability limit	:	No data available	9
Vapo	or pressure	:	Not applicable	
Rela	tive vapor density	:	Not applicable	
Den	sity	:	No data available	9
	bility(ies) Vater solubility	:	No data available	9
	ition coefficient: n- nol/water	:	Not applicable	
Auto	ignition temperature	:	No data available	9
Decomposition temperature		:	No data available	2
	osity ⁄iscosity, kinematic	:	Not applicable	
Expl	osive properties	:	Not explosive	
Oxid	lizing properties	:	The substance o	r mixture is not classified as oxidizing.

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Vers 1.0	sion	Revision Date: 12/06/2023		S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023
Particle size		:	Not applicable		
SEC	TION 1	0. STABILITY AND RE	EAC	ΤΙVITY	
Reactivity		:	Not classified as a reactivity hazard.		
Chemical stability		:	Stable under normal conditions.		
Possibility of hazardous reac- tions		:	Vapors may form explosive mixture with air. If the temperature rises there is danger of the vessels bursti due to the high vapor pressure. Can react with strong oxidizing agents.		
	Conditi	ons to avoid	:	: None known.	
	Incomp	patible materials	: Oxidizing agents		
Hazardous decomposition products		:	No hazardous decomposition products are known.		

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity :	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Based on data from similar materials
Acute dermal toxicity :	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

according to the Hazardous Products Regulations



rsion )	Revision Date: 12/06/2023		last issue: - first issue: 12/06/2023		
Acute oral toxicity		: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401			
Acute dermal toxicity			Assessment: The substance or mixture has no acute dermal		
Phene	ol, isopropylated, ph	sphate (3:1):			
Acute	oral toxicity	: LD50 (Rat): > 2,000 mg/kg	J		
Acute	inhalation toxicity	: LC50 (Rat): > 200 mg/l Exposure time: 1 h Test atmosphere: dust/mis			
Acute	dermal toxicity	: LD50 (Rabbit): > 10,000 m	ıg/kg		
_	corrosion/irritation assified based on ava	ble information.			
Comp	oonents:				
Distill	lates (petroleum), hy	otreated heavy paraffinic:			
Speci	es	: Rabbit			
Resul	t	: No skin irritation			
Rema	IIKS	: Based on data from simila	rmaterials		
Benze	enamine, N-phenyl-,	action products with 2,4,4-tri	methylpentene:		
Speci		: Rabbit			
Metho		: OECD Test Guideline 404			
Resul	t	: Mild skin irritation			
Serio	us eye damage/eye i	itation			
	assified based on ava				
Comp	oonents:				
Distill	lates (petroleum), hy	otreated heavy paraffinic:			
Speci		: Rabbit			
Resul		: No eye irritation			
Metho		: OECD Test Guideline 405			
Rema	ırks	: Based on data from simila	r materials		
Benze	enamine. N-phenyl	action products with 2,4,4-tri	methylpentene:		
Speci		: Rabbit			
Resul		: No eye irritation			
Metho		: OECD Test Guideline 405			
Phene	ol, isopropylated, ph	sphate (3:1):			
Speci		: Rabbit			
Resul		: No eye irritation			
		9 / 19			

according to the Hazardous Products Regulations



## A/C PERFORMANCE ENHANCER, 60 g

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/06/2023	11308311-00001	Date of first issue: 12/06/2023

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Test Type :	Buehler Test
Routes of exposure :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	negative
Remarks :	Based on data from similar materials

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### Phenol, isopropylated, phosphate (3:1):

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	equivocal

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

according to the Hazardous Products Regulations



/ersion .0	Revision Date: 12/06/2023	SDS Number: 11308311-00001	Date of last issue: - Date of first issue: 12/06/2023		
Geno	otoxicity in vitro		Test Type: Bacterial reverse mutation assay (AMES) Result: negative		
Pher	nol, isopropylated, pho	osphate (3:1):			
	otoxicity in vitro	: Test Type: Chro Method: OECD	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative		
		Test Type: Bac Result: negative	terial reverse mutation assay (AMES) e		
		Test Type: In vi Result: negative	tro mammalian cell gene mutation test e		
			A damage and repair, unscheduled DNA syn- nalian cells (in vitro) e		
Geno	otoxicity in vivo	cytogenetic test Species: Hams Application Rou	ite: Ingestion Test Guideline 475		
	inogenicity				
	classified based on avai	able information.			
	ponents:				
Spec Appli	ication Route osure time od Ilt	<ul> <li>Mouse</li> <li>Skin contact</li> <li>78 weeks</li> <li>OECD Test Gu</li> <li>negative</li> </ul>			
Repr	oductive toxicity				
Susp	ected of damaging ferti	ity or the unborn child	I.		
<u>Com</u>	ponents:				
Disti	llates (petroleum), hyd	Irotreated heavy par	affinic:		
Effec	ts on fertility	: Test Type: Rep test Species: Rat	roduction/Developmental toxicity screening		

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Versi 1.0	ion	Revision Date: 12/06/2023		0S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023			
				Remarks: Based	on data from similar materials			
	Effects on fetal development :			<ul> <li>Test Type: Embryo-fetal development Species: Rat Application Route: Skin contact Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials</li> </ul>				
	Benzer	namine, N-phenyl-, re	acti	on products with	2,4,4-trimethylpentene:			
	Effects	on fertility	:	Test Type: One-g Species: Rat Application Route Method: OECD To Result: positive				
	Effects on fetal development : Reproductive toxicity - As- : sessment		:	: Test Type: Combined repeated dose toxicity study wir reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative				
			:	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.				
	Phenol	, isopropylated, phos	sph	ate (3:1):				
	Effects	on fertility	:	Test Type: Reprotest Species: Rat Application Route Method: OECD To Result: positive				
	Effects	on fetal development	:	Test Type: Fertilit Species: Rat Application Route Method: OECD To Result: negative				
	Reprod sessme	uctive toxicity - As- ent	:		f adverse effects on sexual function and development, based on animal experiments.			

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Adrenal gland) through prolonged or repeated exposure.

according to the Hazardous Products Regulations



rsion	Revision Date: 12/06/2023		umber: 311-00001	Date of last issue: - Date of first issue: 12/06/2023	
<u>Comp</u>	onents:				
		reaction r	products wi	h 2,4,4-trimethylpentene:	
Assess		: No	significant h	ealth effects observed in animals at concent /kg bw or less.	
Phenol, isopropylated, phosphate (3:1):					
Routes	s of exposure Organs	: Ing : Adr : Sho	estion enal gland own to produ	ice significant health effects in animals at co 10 to 100 mg/kg bw.	
Repea	ted dose toxicity				
<u>Comp</u>	onents:				
	ates (petroleum), h	ydrotreate	d heavy par	affinic:	
Expose Method Remar Specie NOAEI Applica Expose Benze Specie NOAEI	L ation Route ure time d ks ks L ation Route ure time <b>namine, N-phenyl-</b> s L	: 1,0 : Ski : 4 W : OE : Bas : Rat : > 9 : inh : 4 W , <b>reaction p</b> : Rat : 25	t 80 mg/m <sup>3</sup> alation (dust /eeks products wit t mg/kg	rom similar materials	
	ation Route ure time	: Ing : 53	mg/kg estion Days CD Test Gui	deline 422	
Pheno	ol, isopropylated, p	hosphate (	3:1):		
Specie NOAEI Applica		: Ing : 90	t 5 mg/kg estion Days CD Test Gui	deline 408	

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Version R 1.0 12

Revision Date: 12/06/2023

SDS Number: 11308311-00001 Date of last issue: -Date of first issue: 12/06/2023

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### **Components:**

### Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish :	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms :	NOEC: > 1.93 mg/l Exposure time: 10 min Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Benzenamine, N-phenyl-, reac	tion products with 2,4,4-trimethylpentene:
Toxicity to fish :	LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EL50 (Daphnia magna (Water flea)): 51 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	NOELR (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
	EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

sion	Revision Date: 12/06/2023		S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023		
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)		:	<ul> <li>EL10 (Daphnia magna (Water flea)): 1.69 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211</li> </ul>			
	ol, isopropylated, phos	spha :		hus mykics (rainhaw traut)): 1.6 mg/l		
TUXICI	y to fish	•	: LL50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Exposure time: 96 h			
	y to daphnia and other cinvertebrates	:	EL50 (Daphnia m Exposure time: 48	agna (Water flea)): 1.5 mg/l 3 h		
Toxicit plants	y to algae/aquatic	:	EL50 (Pseudokiro mg/l	chneriella subcapitata (green algae)): > 2.5		
planto			Exposure time: 72 Method: OECD T			
			NOELR (Pseudok mg/l	tirchneriella subcapitata (green algae)): 0.3		
			Exposure time: 72 Method: OECD T			
Toxicit icity)	y to fish (Chronic tox-	:	NOEC (Pimephal Exposure time: 33 Method: OECD T			
	ty to daphnia and other c invertebrates (Chron- city)	:	NOEC (Daphnia r Exposure time: 2' Method: OECD T			
Toxicit	y to microorganisms	:	EC50: > 1,000 m Exposure time: 3 Method: OECD T	ĥ		
Persis	stence and degradabili	ity				
	onents:	-				
Distill	ates (petroleum), hydr	otre	eated heavy paraf	finic:		
Biodeç	gradability	:	Result: Not readil Biodegradation: 3			
			Exposure time: 28 Method: OECD T	3 d est Guideline 301F		
Benze	enamine, N-phenyl-, rea	acti	on products with	2,4,4-trimethylpentene:		
Biodeo	gradability	:	Result: Not readil Biodegradation:			
				1 /0		

### Phenol, isopropylated, phosphate (3:1):

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Versi 1.0	ion	Revision Date: 12/06/2023		9S Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023		
I	Biodegradability		:	Result: Not readily biodegradable. Biodegradation: 17.9 % Exposure time: 28 d Method: OECD Test Guideline 301D			
I	Bioacc	umulative potential					
<u>(</u>	Compo	onents:					
I	Benzer	namine, N-phenyl-, re	acti	on products with	2,4,4-trimethylpentene:		
	Partition octanol	n coefficient: n- /water	:	log Pow: > 4 Remarks: Calcula	ition		
I	Phenol	, isopropylated, phos	spha	ate (3:1):			
I	Bioaccumulation		:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 776 Method: OECD Test Guideline 305			
	Partition coefficient: n- octanol/water		:	log Pow: > 4			
I	Mobilit	y in soil					
I	No data	a available					
		<b>adverse effects</b> a available					
SEC	TION 1	3. DISPOSAL CONSII	DER	ATIONS			
	Dispos	al methods					
	Waste f	from residues	:	Do not dispose of	waste into sewer.		
				Dispose of in acco	ordance with local regulations.		
	Contarr	inated packaging	:	(including propella Empty containers handling site for re	rosol cans are sprayed completely empty ant) should be taken to an approved waste ecycling or disposal. pecified: Dispose of as unused product.		

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

### UNRTDG

according to the Hazardous Products Regulations



# A/C PERFORMANCE ENHANCER, 60 g

Vers 1.0	sion	Revision Date: 12/06/2023		DS Number: 308311-00001	Date of last issue: - Date of first issue: 12/06/2023
	Enviro	nmentally hazardous	:	yes	
	IATA-I				
	UN/ID		:	UN 1950	
		shipping name	:	Aerosols, non-flai	nmable
	Class		:	2.2	
		g group	:	Not assigned by r	
	Labels		:	Non-flammable, r	ion-toxic Gas
	Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft) IMDG-Code		:	203	
			:	203	
	UN nu	mber	:	UN 1950	
	Proper	shipping name	:	AEROSOLS	
				(Phenol, isopropy	lated, phosphate (3:1))
	Class		:	2.2	
		g group	:	Not assigned by r	egulation
	Labels		:	2.2	
	EmS C		:	F-D, S-U	
	Marine	pollutant	:	yes	
	Trans	port in bulk according	y to	Annex II of MARP	OL 73/78 and the IBC Code
	Not applicable for product as s				
	Dome	stic regulation			
	TDG				

<b>TDG</b> UN number Proper shipping name	: UN 1950 : AEROSOLS	
Class Packing group Labels ERG Code Marine pollutant	: 2.2 : Not assigned by regu : 2.2 : 126 : yes(Phenol, isopropy	llation lated, phosphate (3:1))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:				
NDSL	:	This product contains one or several components listed in the		

Canadian NDSL.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

according to the Hazardous Products Regulations



## A/C PERFORMANCE ENHANCER, 60 g

Version 1.0	Revision Date: 12/06/2023	SDS Number: 11308311-0000 <sup>7</sup>	Date of last issue: - Date of first issue: 12/06/2023				
CA AB OEL		: Canada. Alb 2: OEL)	: Canada. Alberta, Occupational Health and Safety Code (tab 2: OEL)				
CA BC OEL CA QC OEL		: Québec. Reo ty, Schedule	<ul> <li>Canada. British Columbia OEL</li> <li>Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants</li> </ul>				
CA AB OEL / TWA CA AB OEL / STEL CA BC OEL / TWA CA QC OEL / TWAEV		: 15-minute oc : 8-hour time v	8-hour Occupational exposure limit 15-minute occupational exposure limit 8-hour time weighted average Time-weighted average exposure value				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	12/06/2023 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

according to the Hazardous Products Regulations



## A/C PERFORMANCE ENHANCER, 60 g

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/06/2023	11308311-00001	Date of first issue: 12/06/2023

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8