according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

### **SECTION 1. IDENTIFICATION**

Product name : LEATHER CARE, 500 mL

Product code : 893.012901

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300

Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Polish

Care product

Restrictions on use : Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Sub-category 1A

**GHS** label elements

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Glycerine	1,2,3-	56-81-5	>= 5 - < 10 *
	Propanetriol		>= 5 - < 10
Alcohols, C16-18 and	(C16-C18) and	68920-66-1	
C18-unsatd., ethox-	(C18) Unsatu-		>= 1 - < 5 *
ylated	rated alkylalco-		/=1-<5
	hol, ethoxylate		
2-Octyl-2H-isothiazol-	Octhilinone	26530-20-1	>= 0.0015 - < 0.1 *
3-one			>= 0.0015 - < 0.1

Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapors.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

according to the Hazardous Products Regulations



### **LEATHER CARE, 500 mL**

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Res-	3 mg/m³	CA BC OEL
		pirable mist)		
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		(Mist)		

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : >= 0.11 mm

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version 2.6

Revision Date: 12/15/2023

SDS Number: 11004395-00011

Date of last issue: 07/25/2023 Date of first issue: 07/28/2017

Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : white

Odor : characteristic

Odor Threshold : No data available

pH : 7 - 7.5

Concentration: 100 %

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

100 °C

Flash point : boils before flash

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : 23 hPa (20 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 1 g/cm³ (20 °C)

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

: Not applicable

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

Autoignition temperature : 400 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### **Components:**

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

### Alcohols, C16-18 and C18-unsatd., ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

icity

Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

2-Octyl-2H-isothiazol-3-one:

Acute oral toxicity : LD50 (Rat): 125 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 0.27 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 311 mg/kg

Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### Glycerine:

Species : Rabbit

Result : No skin irritation

### Alcohols, C16-18 and C18-unsatd., ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

### 2-Octyl-2H-isothiazol-3-one:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 4 hours or less of exposure

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

### Glycerine:

Species : Rabbit

Result : No eye irritation

### Alcohols, C16-18 and C18-unsatd., ethoxylated:

Species : Rabbit

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

Result : No eye irritation

Method : OECD Test Guideline 405

2-Octyl-2H-isothiazol-3-one:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### **Components:**

### Alcohols, C16-18 and C18-unsatd., ethoxylated:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

### 2-Octyl-2H-isothiazol-3-one:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Assessment : Probability or evidence of high skin sensitization rate in hu-

mans

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

### Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

thesis in mammalian cells (in vitro)

Result: negative

2-Octyl-2H-isothiazol-3-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

**Application Route: Ingestion** 

Result: negative

2-Octyl-2H-isothiazol-3-one:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rabbit

Application Route: Ingestion

Result: negative

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

#### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### **Components:**

### Glycerine:

**Species** Rat **NOAEL** 0.167 mg/l LOAEL 0.622 mg/l

: inhalation (dust/mist/fume) Application Route

Exposure time 13 Weeks

**Species** Rat

NOAEL 8,000 - 10,000 mg/kg

Application Route Ingestion Exposure time : 2 y

**Species** Rabbit NOAEL : 5,040 mg/kg Application Route Skin contact Exposure time : 45 Weeks

## 2-Octyl-2H-isothiazol-3-one:

Species : Mouse NOAEL : 65 mg/kg Application Route : Ingestion : 18 Months Exposure time

#### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

## Glycerine:

LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to microorganisms NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

according to the Hazardous Products Regulations



### **LEATHER CARE, 500 mL**

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

Method: DIN 38 412 Part 8

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 108 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.1 mg/l

Exposure time: 30 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.77 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 10,000 mg/l

Exposure time: 17 h

Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

2-Octyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.036 mg/l

Exposure time: 96 h Method: OPPTS 850.1075

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.00129

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.000224

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.0085 mg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.003 mg/l

Exposure time: 21 d

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

Persistence and degradability

**Components:** 

Glycerine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301B

2-Octyl-2H-isothiazol-3-one:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

**Components:** 

Glycerine:

Partition coefficient: n-

octanol/water

log Pow: -1.75

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Partition coefficient: n-

octanol/water

: log Pow: 4.2 - 4.6

2-Octyl-2H-isothiazol-3-one:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 843 - 886 Method: OECD Test Guideline 305

Metriod. OLOD Test Odideline 30

Partition coefficient: n-

octanol/water

log Pow: 2.61

Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

Version Revision Date: SDS Number: Date of last issue: 07/25/2023 2.6 12/15/2023 11004395-00011 Date of first issue: 07/28/2017

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

#### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

according to the Hazardous Products Regulations



## LEATHER CARE, 500 mL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/25/2023

 2.6
 12/15/2023
 11004395-00011
 Date of first issue: 07/28/2017

borne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 12/15/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to the Hazardous Products Regulations



# LEATHER CARE, 500 mL

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/25/2023

 2.6
 12/15/2023
 11004395-00011
 Date of first issue: 07/28/2017

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8