

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

Version 1.0      Revision Date: 12/03/2025      SDS Number: 11603320-00001      Date of last issue: -  
Date of first issue: 12/03/2025

### SECTION 1. IDENTIFICATION

Product name : CUT+COOL PERFECT, High-performance cutting oil, 5 L  
Product code : 893.050009  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited/Limitée  
Address : 345 Hanlon Creek Blvd  
GUELPH, ON N1C 0A1  
Telephone : 1-800-263-5002  
Telefax : 1-905-564-3671  
Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:  
CHEMTREC (24/7): 1-800-424-9300  
Urgences impliquant un déversement, incendie, explosion ou exposition: CHEMTREC (24/7): 1-800-424-9300  
E-mail address : prodsafe@wurth.ca

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

| Chemical name                                          | Common Name/Synonym                                               | CAS-No.    | Concentration (% w/w) |
|--------------------------------------------------------|-------------------------------------------------------------------|------------|-----------------------|
| Distillates (petroleum), hydrotreated light paraffinic | Mineral oil, petroleum distillates, hydrotreated light paraffinic | 64742-55-8 | $\geq 10 - < 30$ *    |
| Rape oil                                               | No data available                                                 | 8002-13-9  | $\geq 10 - < 30$ *    |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

|                                                             |   |                                                                                                                         |
|-------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : | No information available.                                                                                               |
| If inhaled                                                  | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.                                            |
| In case of skin contact                                     | : | Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact                                      | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed                                                | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | No information available.                                                                                               |
| Protection of first-aiders                                  | : | No special precautions are necessary for first aid responders.                                                          |
| Notes to physician                                          | : | Treat symptomatically and supportively.                                                                                 |

### SECTION 5. FIRE-FIGHTING MEASURES

|                                                |   |                                                                                                                                                                                                                                                 |
|------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                      |
| Unsuitable extinguishing media                 | : | High volume water jet                                                                                                                                                                                                                           |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.                                                                                                                                                                                      |
| Hazardous combustion products                  | : | Carbon oxides<br>Sulfur oxides                                                                                                                                                                                                                  |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.<br>Use personal protective equipment.                                                                                                                                    |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                   |   |                                                                                                                |
|-------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency measures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|-------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

gency procedures

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

Storage period : 24 Months

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components                                             | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|--------------------------------------------------------|------------|----------------------------------|------------------------------------------------|-----------|
| Distillates (petroleum), hydrotreated light paraffinic | 64742-55-8 | TWA (Mist)                       | 5 mg/m <sup>3</sup>                            | CA AB OEL |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

Version 1.0      Revision Date: 12/03/2025      SDS Number: 11603320-00001      Date of last issue: -  
Date of first issue: 12/03/2025

|          |           |                                    |                      |           |
|----------|-----------|------------------------------------|----------------------|-----------|
|          |           | STEL (Mist)                        | 10 mg/m <sup>3</sup> | CA AB OEL |
|          |           | TWAEV (Mist - Inhalable dust)      | 5 mg/m <sup>3</sup>  | CA QC OEL |
|          |           | TWA (Mist)                         | 1 mg/m <sup>3</sup>  | CA BC OEL |
|          |           | TWA (Inhalable particulate matter) | 5 mg/m <sup>3</sup>  | ACGIH     |
| Rape oil | 8002-13-9 | TWAEV (Mist)                       | 10 mg/m <sup>3</sup> | CA QC OEL |

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

### Hand protection

Material : Nitrile rubber

Break through time : 480 min

Glove thickness : 0.45 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow-orange

Odor : characteristic

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|                |                              |                               |                                                          |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>12/03/2025 | SDS Number:<br>11603320-00001 | Date of last issue: -<br>Date of first issue: 12/03/2025 |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Odor Threshold                                   | : | No data available                                        |
| pH                                               | : | substance/mixture is non-soluble (in water)              |
| Melting point/freezing point                     | : | No data available                                        |
| Initial boiling point and boiling range          | : | 350 °C                                                   |
| Flash point                                      | : | 180 °C<br>Method: ISO 3679                               |
| Evaporation rate                                 | : | No data available                                        |
| Flammability (solid, gas)                        | : | Not applicable                                           |
| Flammability (liquids)                           | : | No data available                                        |
| Upper explosion limit / Upper flammability limit | : | 6.5 %(V)                                                 |
| Lower explosion limit / Lower flammability limit | : | 0.6 %(V)                                                 |
| Vapor pressure                                   | : | No data available                                        |
| Relative vapor density                           | : | No data available                                        |
| Density                                          | : | 0.858 g/cm <sup>3</sup> (20 °C)<br>Method: DIN 51757     |
| Solubility(ies)<br>Water solubility              | : | insoluble                                                |
| Partition coefficient: n-octanol/water           | : | Not applicable                                           |
| Autoignition temperature                         | : | No data available                                        |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity<br>Viscosity, kinematic                | : | 26 mm <sup>2</sup> /s ( 40 °C)                           |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Particle characteristics<br>Particle size        | : | Not applicable                                           |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |                                                |
|------------------------------------|---|------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents.        |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | Oxidizing agents                               |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Distillates (petroleum), hydrotreated light paraffinic:**

|                           |   |                                                                                                                                                   |
|---------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg<br>Remarks: Based on data from similar materials                                                                        |
| Acute inhalation toxicity | : | LC50 (Rat): > 4 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : | LD50 (Rabbit): > 5,000 mg/kg<br>Remarks: Based on data from similar materials                                                                     |

#### **Rape oil:**

|                       |   |                           |
|-----------------------|---|---------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 2,000 mg/kg |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg |

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **Distillates (petroleum), hydrotreated light paraffinic:**

|         |   |                    |
|---------|---|--------------------|
| Species | : | Rabbit             |
| Result  | : | No skin irritation |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

---

### Rape oil:

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No skin irritation                   |
| Remarks | : | Based on data from similar materials |

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Distillates (petroleum), hydrotreated light paraffinic:

|         |   |                   |
|---------|---|-------------------|
| Species | : | Rabbit            |
| Result  | : | No eye irritation |

### Rape oil:

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Remarks | : | Based on data from similar materials |

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Distillates (petroleum), hydrotreated light paraffinic:

|                    |   |                                      |
|--------------------|---|--------------------------------------|
| Test Type          | : | Buehler Test                         |
| Routes of exposure | : | Skin contact                         |
| Species            | : | Guinea pig                           |
| Method             | : | OECD Test Guideline 406              |
| Result             | : | negative                             |
| Remarks            | : | Based on data from similar materials |

### Rape oil:

|                    |   |                                        |
|--------------------|---|----------------------------------------|
| Test Type          | : | Human repeat insult patch test (HRIPT) |
| Routes of exposure | : | Skin contact                           |
| Species            | : | Humans                                 |
| Result             | : | negative                               |
| Remarks            | : | Based on data from similar materials   |

### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

### **Components:**

#### **Distillates (petroleum), hydrotreated light paraffinic:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

#### **Rape oil:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

#### **Carcinogenicity**

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Rape oil:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

#### **STOT-single exposure**

Not classified based on available information.

#### **STOT-repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

### Repeated dose toxicity

#### Components:

##### **Distillates (petroleum), hydrotreated light paraffinic:**

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rabbit                               |
| NOAEL             | : | 1,000 mg/kg                          |
| Application Route | : | Skin contact                         |
| Exposure time     | : | 4 Weeks                              |
| Method            | : | OECD Test Guideline 410              |
| Remarks           | : | Based on data from similar materials |

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat                                  |
| NOAEL             | : | > 980 mg/m <sup>3</sup>              |
| Application Route | : | inhalation (dust/mist/fume)          |
| Exposure time     | : | 4 Weeks                              |
| Remarks           | : | Based on data from similar materials |

##### **Rape oil:**

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat                                  |
| NOAEL             | : | > 100 mg/kg                          |
| Application Route | : | Ingestion                            |
| Exposure time     | : | 90 Days                              |
| Remarks           | : | Based on data from similar materials |

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **Distillates (petroleum), hydrotreated light paraffinic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Distillates (petroleum), hydrotreated light paraffinic:**

|                                                     |   |                                                                                                                                                           |
|-----------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : | LL50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202 |
|-----------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                  |   |                                                                                                                                        |
|----------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to algae/aquatic plants | : | NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction |
|----------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|                |                              |                               |                                                          |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>12/03/2025 | SDS Number:<br>11603320-00001 | Date of last issue: -<br>Date of first issue: 12/03/2025 |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction

### Rape oil:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: ISO 7346/1  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOELR (Desmodesmus subspicatus (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

#### Distillates (petroleum), hydrotreated light paraffinic:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Rape oil:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

#### Rape oil:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|                |                              |                               |                                                          |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>12/03/2025 | SDS Number:<br>11603320-00001 | Date of last issue: -<br>Date of first issue: 12/03/2025 |
|----------------|------------------------------|-------------------------------|----------------------------------------------------------|

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Expert judgment

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

Not regulated as a dangerous good

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

**Volatile organic compounds (VOC) content** Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations  
VOC content: 0 %

### The ingredients of this product are reported in the following inventories:

CA. DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

### Canadian lists

No substances are subject to CEPA Section 84 Ministerial Conditions.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

|                    |   |                                                                                                                                          |
|--------------------|---|------------------------------------------------------------------------------------------------------------------------------------------|
| ACGIH              | : | USA. ACGIH Threshold Limit Values (TLV)                                                                                                  |
| CA AB OEL          | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)                                                                      |
| CA BC OEL          | : | Canada. British Columbia OEL                                                                                                             |
| CA QC OEL          | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants |
| ACGIH / TWA        | : | 8-hour, time-weighted average                                                                                                            |
| CA AB OEL / TWA    | : | 8-hour Occupational exposure limit                                                                                                       |
| CA AB OEL / STEL   | : | 15-minute occupational exposure limit                                                                                                    |
| CA BC OEL / TWA    | : | 8-hour time weighted average                                                                                                             |
| CA QC OEL / TWA EV | : | Time-weighted average exposure value                                                                                                     |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## CUT+COOL PERFECT, High-performance cutting oil, 5 L

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: -           |
| 1.0     | 12/03/2025     | 11603320-00001 | Date of first issue: 12/03/2025 |

---

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 12/03/2025  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8