according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

SECTION 1. IDENTIFICATION

Product name : ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Product code : 893.139611

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300 Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou * 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common CAS-No.		Concentration (% w/w)	
	Name/Synonym			
2-(2- Butoxyethoxy)ethanol	Butoxydiglycol	112-34-5	>= 5 - < 10 *	
Butoxyethoxy)ethanol			, , , ,	

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inha-	10 ppm	ACGIH
		lable fraction		
		and vapor)		

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Rubber gloves

Material : Latex gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the pro-

duct. Change gloves often!

Eye protection : Wear the following personal protective equipment:

Safety glasses

Always wear eye protection when the potential for inadvertent

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

eye contact with the product cannot be excluded.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

Odor : characteristic

Odor Threshold : No data available

pH : 10.5 - 11

Melting point/freezing point : 0 °C

Initial boiling point and boiling :

range

100 °C

Flash point : $>= 250 \, ^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : 18.665 hPa (22 °C)

Relative vapor density : No data available

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Relative density : 1.02

Density : 1.015 g/cm³ (20 °C)

Bulk density : 1.020 kg/m³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 1 mm²/s (22 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

2-(2-Butoxyethoxy)ethanol:

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Test Type : Maximization Test Routes of exposure : Skin contact

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Species : Guinea pig Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 415

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Readyto-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 06/13/2024 2.0 11011225-00006 Date of first issue: 06/20/2018

Repeated dose toxicity

Components:

2-(2-Butoxyethoxy)ethanol:

Species Rat

NOAEL : 250 mg/kg LOAEL : 1,000 mg/kg Application Route : Ingestion Exposure time : 90 Days

Method **OECD Test Guideline 408**

Species Rat

NOAEL >= 0.094 mg/lApplication Route Exposure time inhalation (vapor)

90 Days

Method **OECD Test Guideline 413**

Species Rat

NOAEL >= 2,000 mg/kgApplication Route Skin contact Exposure time 90 Days

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

plants

Components:

2-(2-Butoxyethoxy)ethanol:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Toxicity to algae/aquatic

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 100

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

: EC10: > 1,995 mg/l Toxicity to microorganisms

Exposure time: 30 min

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Persistence and degradability

Components:

2-(2-Butoxyethoxy)ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 85 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

2-(2-Butoxyethoxy)ethanol:

Partition coefficient: n-

octanol/water

log Pow: 1

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds

(VOC) content

CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -

Guidelines for VOC in Consumer Products

VOC content: 0 g/l

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

Additional regulatory information

Alanine, N,N-bis(carboxymethyl)-, 164462-16-2

trisodium salt

This product contains 164462-16-2 which is subject to Significant New Activity Notice 12499. A significant new activity involving the substance is any activity involving the use of the substance Alanine, N,N-bis(carboxymethyl)-, trisodium salt in a personal care product.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

according to the Hazardous Products Regulations



ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 1 L

Version Revision Date: SDS Number: Date of last issue: 11/11/2022 2.0 06/13/2024 11011225-00006 Date of first issue: 06/20/2018

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/13/2024 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8