

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

SECTION 1. IDENTIFICATION

Product name : WASH & WAX, SiO2 Infused, 18.9 L
Product code : 893.150074
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited
Address : 345 Hanlon Creek Blvd
GUELPH, ON N1C 0A1
Telephone : +1 (905) 564 6225
Telefax : +1 (905) 564 3671
Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:
CHEMTREC (24/7): 1-800-424-9300
Transport related emergencies:
CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou exposition:
CHEMTREC (24/7): 1-800-424-9300
Urgences liées au transport:
CANUTEC (24/7): 1-613-996-6666 ou * 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Automotive
Detergent

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1
Carcinogenicity : Category 2

GHS label elements

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version 1.1 Revision Date: 06/19/2024 SDS Number: 10870226-00002 Date of last issue: 10/14/2022
Date of first issue: 10/14/2022

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.
H351 Suspected of causing cancer.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available	68585-34-2	>= 5 - < 10 *
Coconut oil diethanolamide	Amides, coco, N,N-bis(hydroxyethyl)	68603-42-9	>= 1 - < 5 *
1,3- Di(hydroxymethyl)-5,5-dimethylhydantoin	2,4-Imidazolidinedione, 1,3-bis(hydroxymeth	6440-58-0	>= 0.1 - < 1 *

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version 1.1	Revision Date: 06/19/2024	SDS Number: 10870226-00002	Date of last issue: 10/14/2022 Date of first issue: 10/14/2022
----------------	------------------------------	-------------------------------	---

_____ |yl)-5,5-dimethyl- | _____
* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Suspected of causing cancer.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Not applicable
Will not burn
- Unsuitable extinguishing media : Not applicable
Will not burn
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Metal oxides
Chlorine compounds

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO₂ Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid inhalation of vapor or mist.
Do not swallow.
Do not get in eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : PVC
Break through time : > 480 min
Glove thickness : 0.35 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	green
Odor	:	fruity
Odor Threshold	:	No data available
pH	:	6.9
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.06
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	Not applicable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : 713 - 1000 mm²/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version 1.1 Revision Date: 06/19/2024 SDS Number: 10870226-00002 Date of last issue: 10/14/2022
Date of first issue: 10/14/2022

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Coconut oil diethanolamide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Acute oral toxicity : LD50 (Rat): 1,572 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgment
Remarks: Value is for a gas formed in contact with water

Acute dermal toxicity : LD50 (Rabbit): > 1,052 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : Based on data from similar materials

Coconut oil diethanolamide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version 1.1 Revision Date: 06/19/2024 SDS Number: 10870226-00002 Date of last issue: 10/14/2022
Date of first issue: 10/14/2022

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Coconut oil diethanolamide:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Coconut oil diethanolamide:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Test Type : Buehler Test
Routes of exposure : Skin contact

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Coconut oil diethanolamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Coconut oil diethanolamide:

Species : Rat
Application Route : Skin contact
Exposure time : 2 Years
Result : negative

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Species : Mouse
Application Route : Ingestion
Exposure time : 78 weeks
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Reproductive toxicity

Not classified based on available information.

Components:

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Coconut oil diethanolamide:

Species : Rat
NOAEL : > 750 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Remarks : Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Species : Rat
NOAEL : 220 - 330 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- NOEC (Desmodesmus subspicatus (green algae)): > 0.10 - 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8
Remarks: Based on data from similar materials

Coconut oil diethanolamide:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 6.7 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 2.15 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 2.2 mg/l
Exposure time: 72 h
- NOEC (Scenedesmus subspicatus): 0.32 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.32 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.07 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Remarks: Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 82.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 29.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 11 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 5.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 14 mg/l
Exposure time: 28 d
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 70.9 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

- Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Coconut oil diethanolamide:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Bioaccumulative potential

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Partition coefficient: n-octanol/water : log Pow: < 3

Coconut oil diethanolamide:

Partition coefficient: n-octanol/water : log Pow: 4.2
Remarks: Based on data from similar materials

1,3- Di(hydroxymethyl) -5,5-dimethylhydantoin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1.79
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -2.9

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds (VOC) content

Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations
VOC content: 0.1 g/l

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tempera-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



WASH & WAX, SiO2 Infused, 18.9 L

Version	Revision Date:	SDS Number:	Date of last issue: 10/14/2022
1.1	06/19/2024	10870226-00002	Date of first issue: 10/14/2022

ture; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/19/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8