

Vers 1.5	ion	Revision Date: 11/16/2020		DS Number: 23660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
SEC	TION 1	. IDENTIFICATION			
	Produc	t name	:	ECO HEAVY DU	TY DEGREASER, Concentrated, 20 L
	Produc	t code	:	893.162502	
	Other r	neans of identification	:	No data available	
	Manuf	acturer or supplier's o	deta	ails	
	Compa	iny name of supplier	:	Würth Canada Lir	nited
	Addres	S	:	345 Hanlon Creel GUELPH, ON N1	
	Teleph	one	:	+1 (905) 564 622	5
	Telefax	(	:	+1 (905) 564 367	1
	Emerg	ency telephone	:	CHEMTREC (24/ Transport related	olving a spill, fire, explosion or exposure: 7): 1-800-424-9300 emergencies: : 1-613-996-6666 or * 666 (cell)
				exposition: CHEMTREC (24/ Urgences liées au	ant un déversement, incendie, explosion ou 7): 1-800-424-9300 u transport: : 1-613-996-6666 ou * 666 (cellulaire)
	E-mail	address	:	prodsafe@wurth.	са
	Recom	mended use of the c	hen	nical and restriction	ons on use
	Recom	mended use	:	Cleaning agent Degreasing agen	t

## **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture



Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.5	11/16/2020	1023660-00003	Date of first issue: 11/04/2016

#### Components

CAS-No.	Concentration (% w/w)
Not Assigned	>= 5 - < 10 *
	Not Assigned

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.



Vers 1.5	sion	Revision Date: 11/16/2020		S Number: 23660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (N Metal oxides	NOx)
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for fire-	protective equipment fighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Avoid inhalation of vapor or mist. Do not swallow.



Versio 1.5	n Revision Date: 11/16/2020		DS Number: 023660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
			practice, based of sessment	n eyes. ance with good industrial hygiene and safety n the results of the workplace exposure as- rent spills, waste and minimize release to the
C	onditions for safe storage	:		abeled containers. ce with the particular national regulations.
М	aterials to avoid	:	Do not store with Strong oxidizing a	the following product types: agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.	
Personal protective equipmen	t	
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the re- commended guidelines, use respiratory protection.	
Filter type :	Particulates type	
Hand protection		
Material :	Chemical-resistant gloves	
Remarks :	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough	

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the re- sistance to chemicals of the aforementioned protective glo- ves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses



Version 1.5	Revision Date: 11/16/2020	SDS Number: 1023660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
Skin a	and body protection	: Skin should be	washed after contact.
Hygie	ene measures	eye flushing sy king place. When using do	themical is likely during typical use, provide stems and safety showers close to the wor- not eat, drink or smoke. nated clothing before re-use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	blue
Odor	:	characteristic
Odor Threshold	:	No data available
рН	:	12
Melting point/freezing point	:	0°C
Initial boiling point and boiling range	:	100 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.028 g/cm <sup>3</sup>
Solubility(ies)		



Version 1.5	Revision Date: 11/16/2020		S Number: 23660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
Wa	ater solubility	:	soluble	
	on coefficient: n- bl/water	:	Not applicable	
Autoig	nition temperature	:	No data available	e
Decon	nposition temperature	:	No data available	9
Viscos Vis	sity cosity, kinematic	:	No data available	e
Explos	sive properties	:	Not explosive	
Oxidiz	ing properties	:	The substance o	r mixture is not classified as oxidizing.
Particl	le size	:	Not applicable	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

## Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method



ersion 5	Revision Date: 11/16/2020	SDS Number: 1023660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016
<u>Com</u>	oonents:		
Alkyl	Ammonium Compo	und Alkoxylated Alco	hol Amphoteric Surfactant:
Acute	oral toxicity	: LD50 (Rat): 2,2	292 mg/kg
	corrosion/irritation assified based on ava	ailable information.	
Comp	oonents:		
<b>Alkyl</b> Resul	-	und Alkoxylated Alco : Skin irritation	hol Amphoteric Surfactant:
	us eye damage/eye assified based on av		
<u>Comp</u>	<u>oonents:</u>		
Alkyl	Ammonium Compo	und Alkoxylated Alco	hol Amphoteric Surfactant:
Resul	t	: Irritation to eye	s, reversing within 21 days
Respi	iratory or skin sens	itization	
•••••	sensitization assified based on av	ailable information.	
-	iratory sensitization assified based on av		
	cell mutagenicity		
	assified based on av	allable information.	
	<b>nogenicity</b> assified based on ava	ailable information.	
Repro	oductive toxicity		
Not cl	assified based on av	ailable information.	
	-single exposure		
	assified based on av		
	-repeated exposure		
	assified based on av	allable information.	
•	ation toxicity assified based on av	ailable information	

No data available Persistence and degradability No data available



Version 1.5	Revision Date: 11/16/2020	SDS Number: 1023660-00003	Date of last issue: 06/03/2019 Date of first issue: 11/04/2016		
	ccumulative potentia ata available	al			
	Mobility in soil No data available				
••	Other adverse effects No data available				
SECTION 13. DISPOSAL CONSIDERATIONS					
Dispo	osal methods				

Biopedal methead	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

## **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### TDG

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

Volatile organic compounds (VOC) content	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products VOC content: 0 % / 0 g/l		
The ingredients of this product are reported in the following inventories:			

-	-	
DSL	:	All chemical substances in this product comply with the CEPA
		1999 and NSNR and are on or exempt from listing on the
		Canadian Domestic Substances List (DSL).



VersionRevision Date:SDS Number:Date of la1.511/16/20201023660-00003Date of f

Date of last issue: 06/03/2019 Date of first issue: 11/04/2016

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	11/16/2020 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their



Version	Revision Date:	SDS Number:	Date of last issue: 06/03/2019
1.5	11/16/2020	1023660-00003	Date of first issue: 11/04/2016

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8