



Version 2.3	Revision Date: 07/25/2023	-	OS Number: 612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017			
SECTIO	N 1. IDENTIFICATION						
Pro	Product name		IPA SURFACE PREPARER, 409 g				
Pro	Product code		893.223500				
Oth	Other means of identification		No data available				
	nufacturer or supplier's o	deta	ails				
Cor	npany name of supplier	:	Würth Canada Lir	nited			
Ado	Address		345 Hanlon Creek Blvd GUELPH, ON N1C 0A1				
Tel	ephone	:	+1 (905) 564 622	5			
Tel	efax	:	+1 (905) 564 367	1			
Em	ergency telephone	:	CHEMTREC (24/ Transport related CANUTEC (24/7) Urgences impliqu exposition:	: 1-613-996-6666 or * 666 (cell) ant un déversement, incendie, explosion ou 7): 1-800-424-9300			
				: 1-613-996-6666 ou * 666 (cellulaire)			
E-n	nail address	:	prodsafe@wurth.	ca			
Red	commended use of the c	hen	nical and restriction	ons on use			
Red	commended use	:	Cleaning agent Detergent				
Res	strictions on use	:	Not applicable				

### SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the Hazardous Products Regulations

Flammable aerosols	:	Category 1
Gases under pressure	:	Compressed gas
Eye irritation	:	Category 2A
Specific target organ toxicity - single exposure	:	Category 3





ents ns	: Danger	
nts	: Danger	• •
nts		
	H280 Contains g H319 Causes se	flammable aerosol. as under pressure; may explode if heated. rious eye irritation. e drowsiness or dizziness.
atements	and other ignition P211 Do not spra P251 Do not pier P261 Avoid brea P264 Wash skin P271 Use only o P280 Wear eye p <b>Response:</b> P304 + P340 + F and keep comfor unwell. P305 + P351 + F for several minut to do. Continue r	thoroughly after handling. utdoors or in a well-ventilated area. protection and face protection. 2312 IF INHALED: Remove person to fresh a table for breathing. Call a doctor if you feel 2338 IF IN EYES: Rinse cautiously with wate es. Remove contact lenses, if present and ea
	P405 Store locke P410 + P412 Pro tures exceeding <b>Disposal:</b>	ptect from sunlight. Do not expose to temperative
Ç	<b>SITION/IN</b> ıre	P501 Dispose of disposal plant.

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		



Version 2.3	Revision Date: 07/25/2023	SDS Num 10612602		Date of last issue: 03/21/2023 Date of first issue: 05/30/2017		
Propa	an-2-ol	Isopropyl alco- hol	67-63-0	>= 80 - <= 100 *		
Carbo	on dioxide	Carbonic anhy- dride	124-38-9	>= 1 - < 5 *		
	4. FIRST AID ME		ange is with	nheld as a trade secret		
Gene	ral advice	vice in	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical			

		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation. May cause drowsiness or dizziness.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.



ersion 3	Revision Date: 07/25/2023	-	OS Number: 612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
Haza ucts	rdous combustion prod-	:	Carbon oxides	
Speci ods	ific extinguishing meth-	:	cumstances and to Use water spray to	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
•	ial protective equipment e-fighters	:		e, wear self-contained breathing apparatus. tective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	<ul> <li>Non-sparking tools should be used.</li> <li>Soak up with inert absorbent material.</li> <li>Suppress (knock down) gases/vapors/mists with a water spray jet.</li> <li>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.</li> <li>Clean up remaining materials from spill with suitable absorbent.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>

#### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. If advised by assessment of the local exposure potential, use



Version 2.3	Revision Date: 07/25/2023	SDS Number: 10612602-0001	Date of last issue: 03/21/2023 2 Date of first issue: 05/30/2017			
		only in an ai tion.	rea equipped with explosion-proof exhaust ventila-			
Advice on safe handling		Do not swal Do not get in Avoid prolor Wash skin ti Handle in ac practice, bas sessment Keep away other ignition Take precau Take care to environmen	<ul> <li>Avoid breathing spray. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safet practice, based on the results of the workplace exposure as- sessment Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to th environment. Do not spray on an open flame or other ignition source.</li> </ul>			
Conditions for safe storage		Keep in a co Store in acc Do not pierc	Store locked up. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.			
Materials to avoid		Self-reactive Organic per Oxidizing ag Flammable Pyrophoric I Pyrophoric s Self-heating	jents solids iquids solids substances and mixtures and mixtures which in contact with water emit			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

	-			
Components	CAS-No.	Value type	Control parame- ters / Permissible	Basis
		(Form of		
		exposure)	concentration	
Propan-2-ol	67-63-0	STEL	400 ppm	CA AB OEL
			984 mg/m <sup>3</sup>	
		TWA	200 ppm	CA AB OEL
			492 mg/m <sup>3</sup>	
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	200 ppm	CA QC OEL
		STEV	400 ppm	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH



sion	Revision Date: 07/25/2023			umber: 602-00012		Date of las Date of firs				
Carbo	n dioxide		124-	-38-9	T۷	VA	5,000 pp 9,000 mg		CA	AB OE
					SI	EL	30,000 p 54,000 m	pm	CA	AB OE
					Т٧	VA	5,000 pp		CA	BC OE
						EL	15,000 p			BC OE
					SI	EV	30,000 p 54,000 m		CA	A QC OE
					T۷	VAEV	5,000 pp 9,000 mg		CA	A QC OE
					T٧	VA	5,000 pp	m	AC	GIH
					SI	EL	30,000 p	pm	AC	GIH
Compo	gical occupational	CAS-N	0.	Control parameter	rs	Biological specimen	Sam- pling time	Permissi concentration		Basis
Propa	n-2-01	67-63-0	J	Acetone		Urine	End of shift at end of work- week	40 mg/l		ACGIH BEI
Engin	eering measures	:	lf su ven lf ad	ufficient ver itilation. dvised by a y in an area	ntila Isse	ce exposure tion is unav essment of t juipped with	ailable, use he local ex	e with local posure pot	entia	al, use
Perso	nal protective equ	uipment								
Respir	atory protection	:	sure	e assessme	ent	exhaust ven demonstrate elines, use r	es exposur	es outside	the	
Filt	er type	:	Self	f-contained	bre	eathing appa	aratus			
Hand <sub>I</sub>	protection									
Bre	terial eak through time ove thickness	:	> 48	ile rubber 80 min 5 mm						
Rei	marks	:	on t app	the concent	trat /e r	protect han ion specific ecommend	to place of clarifying th	work. For ne resistan	spec ce to	cial che-





Version 2.3	Revision Date: 07/25/2023	SDS Number: 10612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
Skin a	and body protection	resistance data a potential. Wear the followir If assessment de atmospheres or f protective clothin Skin contact mus	te protective clothing based on chemical and an assessment of the local exposure ng personal protective equipment: emonstrates that there is a risk of explosive flash fires, use flame retardant antistatic ig. st be avoided by using impervious protective aprons, boots, etc).
Hygie	ene measures	eye flushing syst king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a compressed gas
Propellant	:	Carbon dioxide
Color	:	colorless
Odor	:	characteristic
Odor Threshold	:	No data available
рН	:	Solvent mixture; pH value determination not possible, no aqueous solution
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	-57 °C
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	12.00 %(V)
Lower explosion limit / Lower flammability limit	:	2.00 %(V)

### SAFETY DATA SHEET



## IPA SURFACE PREPARER, 409 g

Version 2.3	Revision Date: 07/25/2023	SDS Number:Date of last issue: 03/21/202310612602-00012Date of first issue: 05/30/2017	
Vapo	or pressure	: 43 hPa (50 °C)	
Rela	tive vapor density	: Not applicable	
Rela	tive density	: No data available	
Den	sity	: 0.803 g/cm <sup>3</sup> (20 °C)	
	bility(ies) √ater solubility	: completely soluble	
	tion coefficient: n- nol/water	: Not applicable	
Auto	ignition temperature	: 370 °C	
Deco	omposition temperature	: No data available	
	osity ′iscosity, dynamic	: 1 mPa.s ( 20 °C)	
V	ïscosity, kinematic	: 1 mm²/s ( 20 °C)	
Expl	osive properties	: Not explosive	
	izing properties	: The substance or mixture is not classified as oxidizing.	
Parti	cle size	: Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Extremely flammable aerosol. Vapors may form explosive mixture with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact



ersion .3	Revision Date: 07/25/2023	SDS Nu 1061260	mber: )2-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
Inges	tion contact			
-	e toxicity			
	lassified based on ava	ailable inforn	nation.	
Com	ponents:			
	an-2-ol:			
	e oral toxicity	: LD50	) (Rat): > 5,	000 mg/kg
	-			
Acute	e inhalation toxicity		0 (Rat): > 25 osure time: 6	
			atmosphere	
Acute	e dermal toxicity	: LD50	) (Rabbit): >	> 5,000 mg/kg
	on dioxide:	· • =		
Acute	e inhalation toxicity		) (Rat): 400 sure time: 3	00 - 50000 ppm 30 min
			atmosphere	
<b>Prop</b> Spec Resu		: Rabl : No s	oit kin irritation	
Serio	ous eye damage/eye	irritation	KIII IIItation	
	es serious eye irritatio	n.		
<u>Com</u>	<u>ponents:</u>			
	an-2-ol:			
Spec Resu		: Rabl		, reversing within 21 days
				,
Resp	iratory or skin sensi	tization		
••••••	sensitization			
	lassified based on ava	ailable inforn	nation.	
-	biratory sensitization		otion	
	lassified based on ava	allable inforn	hation.	
Com	ponents:			
	an-2-ol:	_		
Test Route	Type es of exposure		nler Test contact	
Spec			ea pig	
-			-	
			9 / 15	





	Revision Date: 07/25/2023		DS Number: 612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
Metho Resu		:	OECD Test Guid	deline 406
	<b>cell mutagenicity</b> lassified based on ava	ulable	information.	
Com	ponents:			
Propa	an-2-ol:			
Geno	toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
			Test Type: In vit Result: negative	ro mammalian cell gene mutation test
Geno	toxicity in vivo	:	cytogenetic assa Species: Mouse Application Rout	malian erythrocyte micronucleus test (in vi ay) e: Intraperitoneal injection
			Result: negative	
Not c	nogenicity lassified based on ava	ilable	-	
Not c <u>Com</u>	lassified based on ava	iilable	-	
Not cl <u>Com</u> Propa Specia Applia	lassified based on ava ponents: an-2-ol: ies cation Route sure time od	ilable : : : :	-	
Not c <u>Com</u> Propa Speci Applic Expos Metho Resu	lassified based on ava ponents: an-2-ol: ies cation Route sure time od lt	ilable : : :	information. Rat inhalation (vapor 104 weeks OECD Test Guid	
Not c <u>Com</u> Propa Speci Applic Expos Metho Resu Repro	lassified based on ava ponents: an-2-ol: ies cation Route sure time od	:	information. Rat inhalation (vapor 104 weeks OECD Test Guid negative	
Not cl <u>Com</u> Propa Speci Applic Expos Metho Resul Repro	lassified based on ava ponents: an-2-ol: ies cation Route sure time od lt oductive toxicity	:	information. Rat inhalation (vapor 104 weeks OECD Test Guid negative	
Not cl <u>Com</u> Propa Speci Applic Expos Metho Resul Repro Not cl <u>Com</u>	lassified based on ava ponents: an-2-ol: ies cation Route sure time od lt oductive toxicity lassified based on ava	:	information. Rat inhalation (vapor 104 weeks OECD Test Guid negative	
Not c Comj Propa Speci Applic Expos Metho Resu Not c Comj Propa	lassified based on ava ponents: an-2-ol: ies cation Route sure time od lt oductive toxicity lassified based on ava ponents:	:	information. Rat inhalation (vapor 104 weeks OECD Test Guid negative information.	deline 451 generation reproduction toxicity study e: Ingestion

May cause drowsiness or dizziness.



sion	Revision Date: 07/25/2023		DS Number: 612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
Comp	oonents:			
Propa	ın-2-ol:			
-	sment	:	May cause drows	iness or dizziness.
	-repeated exposure assified based on availa	able	information.	
Repea	ated dose toxicity			
<u>Comp</u>	onents:			
Propa	ın-2-ol:			
Speci		:	Rat	
NOAE		÷	12.5 mg/l	
	ation Route sure time	:	inhalation (vapor) 104 Weeks	
-	ation toxicity			
Not cl	assified based on availa	able	information.	
CTION	12. ECOLOGICAL INFO	ORI	MATION	
Ecoto	xicity			
	xicity ponents:			
<u>Comp</u>	oonents:			
<u>Comp</u> Propa	-	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 9,640 mg/l 5 h
<u>Comp</u> Propa Toxici Toxici	oonents: In-2-ol: ty to fish	:	Exposure time: 96	5 h nagna (Water flea)): > 10,000 mg/l
Comp Propa Toxici Toxici aquati	<b>ponents:</b> In-2-ol: ty to fish ty to daphnia and other	: :	Exposure time: 96 EC50 (Daphnia m Exposure time: 24	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l
Comp Propa Toxici Toxici aquati Toxici	<b>ponents:</b> <b>In-2-ol:</b> ty to fish ty to daphnia and other c invertebrates ty to microorganisms	::	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l
Comp Propa Toxici Toxici aquati Toxici	<b>ponents:</b> In-2-ol: ty to fish ty to daphnia and other c invertebrates	: :	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h macrochirus (Bluegill sunfish)): > 100 mg/
Comp Propa Toxici aquati Toxici Carbo Toxici	oonents: an-2-ol: ty to fish ty to daphnia and other c invertebrates ty to microorganisms on dioxide:	:	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96 Remarks: Based NOEC (Daphnia n Exposure time: 48	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h macrochirus (Bluegill sunfish)): > 100 mg/ 6 h on data from similar materials magna (Water flea)): > 100 mg/l
Comp Propa Toxici aquati Toxici Carbo Toxici Toxici	ponents: an-2-ol: ty to fish ty to daphnia and other ic invertebrates ty to microorganisms on dioxide: ty to fish ty to fish ty to daphnia and other ic invertebrates	:	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96 Remarks: Based NOEC (Daphnia n Exposure time: 48	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h on data from similar materials magna (Water flea)): > 100 mg/l 3 h
Comp Propa Toxici aquati Toxici Carbo Toxici Toxici aquati	ponents: an-2-ol: ty to fish ty to daphnia and other ic invertebrates ty to microorganisms on dioxide: ty to fish ty to daphnia and other ic invertebrates stence and degradabil	:	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96 Remarks: Based NOEC (Daphnia n Exposure time: 48	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h on data from similar materials magna (Water flea)): > 100 mg/l 3 h
Comp Propa Toxici aquati Toxici Carbo Toxici Toxici aquati Persis <u>Comp</u>	ponents: in-2-ol: ty to fish ty to daphnia and other ic invertebrates ty to microorganisms on dioxide: ty to fish ty to daphnia and other ic invertebrates stence and degradabilitionents:	:	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96 Remarks: Based NOEC (Daphnia n Exposure time: 48	5 h nagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h on data from similar materials magna (Water flea)): > 100 mg/l 3 h
Comp Propa Toxici aquati Toxici Carbo Toxici Toxici aquati Persis Comp Propa	ponents: an-2-ol: ty to fish ty to daphnia and other ic invertebrates ty to microorganisms on dioxide: ty to fish ty to daphnia and other ic invertebrates stence and degradabil	:	Exposure time: 96 EC50 (Daphnia m Exposure time: 24 EC50 (Pseudomo Exposure time: 16 NOEC (Lepomis n Exposure time: 96 Remarks: Based NOEC (Daphnia n Exposure time: 48	5 h hagna (Water flea)): > 10,000 mg/l 4 h onas putida): > 1,050 mg/l 5 h on data from similar materials magna (Water flea)): > 100 mg/l 3 h on data from similar materials





Versior 2.3	n Revision Date: 07/25/2023	SDS Number: 10612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
BC	DD/COD	: BOD: 1.19 (B	OD5)COD: 2.23BOD/COD: 53 %
Bi	oaccumulative potential		
<u>Co</u>	omponents:		
Pr	opan-2-ol:		
	artition coefficient: n- tanol/water	: log Pow: 0.05	
Ca	arbon dioxide:		
	artition coefficient: n- tanol/water	: log Pow: 0.83	
M	obility in soil		
No	o data available		
Ot	her adverse effects		
No	o data available		
SECTI	ON 13. DISPOSAL CONSI	DERATIONS	

### **Disposal methods**

Waste from residues	Dispose of in accordance with local re	gulations.
	Do not dispose of waste into sewer.	
Contaminated packaging	Empty containers should be taken to a handling site for recycling or disposal. Empty containers retain residue and o Do not pressurize, cut, weld, braze, so pose such containers to heat, flame, so of ignition. They may explode and cau If not otherwise specified: Dispose of a Please ensure aerosol cans are spray (including propellant)	an be dangerous. Ider, drill, grind, or ex- parks, or other sources se injury and/or death. as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

UNRTDG		
UN number	: UN 1950	
Proper shipping name	: AEROSOLS	
Class	: 2.1	
Packing group	: Not assigned by regulation	
Labels	: 2.1	
IATA-DGR		
UN/ID No.	: UN 1950	
Proper shipping name	: Aerosols, flammable	
Class	: 2.1	





Versi 2.3	on Revision Date: 07/25/2023	SDS Number:Date of last issue: 03/2110612602-00012Date of first issue: 05/30	
L F a F	Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	<ul> <li>Not assigned by regulation</li> <li>Flammable Gas</li> <li>203</li> <li>203</li> </ul>	
l	<b>MDG-Code</b> JN number <sup>P</sup> roper shipping name	: UN 1950 : AEROSOLS	
F L E	Class Packing group Labels EmS Code Marine pollutant	<ol> <li>2.1</li> <li>Not assigned by regulation</li> <li>2.1</li> <li>F-D, S-U</li> <li>no</li> </ol>	

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

<b>TDG</b> UN number Proper shipping name	:	UN 1950 AEROSOLS
Class Packing group Labels ERG Code Marine pollutant	:	2.1 Not assigned by regulation 2.1 126 no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Volatile organic compounds (VOC) content	CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products VOC content: 97.7 %		
The ingredients of this product are reported in the following inventories:			
DSL :	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).		

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH :	USA. ACGIH Threshold Limit Values (TLV)
---------	---



Version 2.3	Revision Date: 07/25/2023		DS Number: 612602-00012	Date of last issue: 03/21/2023 Date of first issue: 05/30/2017
ACGI⊦ CA AB				al Exposure Indices (BEI) Occupational Health and Safety Code (table
CA BC	OEL	:	Canada. British C	olumbia OEL
CA QC	OEL	:		on respecting occupational health and safe- art 1: Permissible exposure values for air- nts
ACGIF	I/TWA	:	8-hour, time-weig	hted average
ACGIH	I / STEL	:	Short-term expos	ure limit
CA AB	OEL / TWA	:	8-hour Occupatio	nal exposure limit
CA AB	OEL / STEL	:	15-minute occupa	ational exposure limit
CA BC	; OEL / TWA	:	8-hour time weigh	ited average
CA BC	; OEL / STEL	:	short-term exposit	ure limit
CA QC	OEL / TWAEV	:	Time-weighted av	verage exposure value
CA QC	OEL / STEV	:	Short-term expos	ure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent. Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date Date format	:	07/25/2023 mm/dd/yyyy





Version	Revision Date:	SDS Number:	Date of last issue: 03/21/2023
2.3	07/25/2023	10612602-00012	Date of first issue: 05/30/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8