according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Vers 6.1	ion	Revision Date: 11/08/2024		OS Number: 778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015
SEC	TION 1	. IDENTIFICATION			
	Product name Product code		:	THREADLOCKE	R, High strength, 45 mL
			:	893.271050	
	Other r	neans of identification	:	No data available	
	Manufa	acturer or supplier's o	deta	ails	
	Compa	ny name of supplier	:	Würth Canada Lir	nited/Limitée
	Address Telephone		:	345 Hanlon Creel GUELPH, ON N1	
			:	1-800-263-5002	
	Telefax	< compared with the second sec	:	1-905-564-3671	
	Emerge	ency telephone	:		lving a spill, fire, explosion or exposure: 7): 1-800-424-9300
					ant un déversement, incendie, explosion ou ITREC (24/7): 1-800-424-9300
	E-mail address		:	prodsafe@wurth.	ca
	Recom	mended use of the c	hen	nical and restriction	ons on use
	Recom	mended use	:	Adhesives	
	Restric	tions on use	:	Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2024
6.1	11/08/2024	10778621-00011	Date of first issue: 02/04/2015

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
α,α-dimethylbenzyl hydroperoxide	No data availa- ble	80-15-9	>= 0.1 - < 1 *
2'- Phenylacetohydrazide	1-Acetyl-2- phenylhydrazine	114-83-0	>= 0.1 - < 1 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	•	None known.
Specific hazards during fire	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod-	:	Nitrogen oxides (NOx) Sulfur oxides Carbon oxides



Versior 6.1	n Revision Date: 11/08/2024		DS Number: 0778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015	
Specific extinguishing meth- ods		:	 Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area. 		
	pecial protective equipment r fire-fighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the



Version 6.1	Revision Date: 11/08/2024	SDS Number:Date of last issue: 03/28/202410778621-00011Date of first issue: 02/04/2015				
		environment.				
Conditions for safe storage			Keep in properly labeled containers. Store in accordance with the particular national regulations.			
Mater	ials to avoid	: Do not store wi Strong oxidizing Gases	th the following product types: g agents			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures :		Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.	
Personal protective equipmer	nt		
Respiratory protection :		If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the re- commended guidelines, use respiratory protection.	
Filter type	:	Particulates type	
Hand protection Material Break through time Glove thickness Protective index		butyl-rubber 480 min 0.6 - 0.8 mm Class 6	
Material Break through time Glove thickness Protective index	: : :	Natural Rubber 480 min 0.9 - 1.1 mm Class 6	
Material Break through time Glove thickness Protective index	: : :	Nitrile rubber 480 min 0.35 - 0.45 mm Class 6	
Material Break through time Glove thickness Protective index	: : :	Fluorinated rubber 480 min 0.6 - 0.8 mm Class 6	
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to che- micals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of	



Version 6.1	Revision Date: 11/08/2024	SDS Number: 10778621-0001	Date of last issue: 03/28/2024 1 Date of first issue: 02/04/2015	
		workday.		
Eye protection		 Please follow all applicable local/national requirements whe selecting protective measures for a specific workplace. Wear the following personal protective equipment: Safety glasses Always wear eye protection when the potential for inadverte eye contact with the product cannot be excluded. 		
Skir	and body protection	: Skin should	be washed after contact.	
Hyg	iene measures	eye flushing king place. When using	to chemical is likely during typical use, provide systems and safety showers close to the wor- do not eat, drink or smoke. minated clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	red
Odor	:	characteristic
Odor Threshold	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Ver 6.1	Version Revision Date: 6.1 11/08/2024			S Number: 78621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015
	Vapor	pressure	:	No data available	9
	Relativ	e vapor density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	¢	:	1.11 g/cm³ (20 °0	C)
	Solubil Wat	ity(ies) ter solubility	:	practically insolu	ble
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
	Autoignition temperature		:	No data available	9
	Decomposition temperature		:	No data available	9
	Viscosi Visc	ity cosity, dynamic	:	500 - 900 mPa.s Method: Brookfie	
	Viso	cosity, kinematic	:	No data available	9
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2024
6.1	11/08/2024	10778621-00011	Date of first issue: 02/04/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation		
Skin contact Ingestion		
Eye contact		
Acute toxicity		
Not classified based on avai	lable	information.
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l
		Exposure time: 4 h Test atmosphere: vapor
		Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
· · · · · · · · · · · · · · · · · · ·		Method: Calculation method
Components:		
α,α-dimethylbenzyl hydrop	berox	ide:
Acute oral toxicity	:	LD50 (Rat, male): 382 mg/kg
Acute inhalation toxicity	:	
		Exposure time: 4 h
		Test atmosphere: vapor Method: Expert judgment
		Remarks: Based on national or regional regulation
Acute dermal toxicity	:	LD50 (Rabbit, male): 133.6 mg/kg
2'-Phenylacetohydrazide:		
Acute oral toxicity	:	LD50 (Mouse): 270 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 300 - 2,000 mg/kg

Not classified based on available information.

Components:

α,α-dimethylbenzyl hydrope	erox	ide:
Species Result	-	Rabbit Corrosive after 4 hours or less of exposure

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Ver 6.1	sion	Revision Date: 11/08/2024		9S Number: 778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015				
	2'-Phe Specie Result Rema		:	Rabbit Skin irritation Based on data fro	om similar materials				
	Serious eye damage/eye irri Not classified based on availa								
	<u>Comp</u>	onents:							
		methylbenzyl hydrop	erox	ide:					
	Specie Result		:	Rabbit Irreversible effect	s on the eye				
	2'-Phe	enylacetohydrazide:							
	Specie Result Rema	9S	:		reversing within 21 days om similar materials				
	Respi	ratory or skin sensitiz	ization						
	Skin s	sensitization							
	Not cla	assified based on availa	sified based on available information.						
	-	ratory sensitization assified based on availa	able	information.					
		cell mutagenicity assified based on availa	able	information.					
	<u>Comp</u>	Components:							
	α,α-di	methylbenzyl hydrop	erox	ide:					
	Genot	oxicity in vitro	:	Test Type: Bacte Result: positive	rial reverse mutation assay (AMES)				
				Test Type: DNA of thesis in mamma Result: positive	damage and repair, unscheduled DNA syn- lian cells (in vitro)				
				Test Type: Chron Result: positive	nosome aberration test in vitro				
	Genot	oxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative					
	Germ Asses	cell mutagenicity - sment	:	Weight of evidend cell mutagen.	ce does not support classification as a germ				

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

 2'-Phenylacetohydrazide: Genotoxicity in vitro :: Test Type: Bacterial reverse mutation assay (AMES): Result: positive Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development :: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment :: May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Route as effects an available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure :: Inhalation Target Organs :: Lungs Assessment :: Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Capiration toxicity Not classified based on available information. 	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: positive Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con <tr< th=""><th>ersion 1</th><th>Revision Date: 11/08/2024</th><th>SDS Number: 10778621-00011</th><th>Date of last issue: 03/28/2024 Date of first issue: 02/04/2015</th></tr<>	ersion 1	Revision Date: 11/08/2024	SDS Number: 10778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015					
Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,o-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-sepated exposure Not classified based on available information. Components: a,o-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,o-dimethylbenzyl hydroperoxide: Route sof exposure : Inhalation Target Organs : Lung Assessment : Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mg//6h/d.	Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con Centrations of >0.2 to 1 mg/l/6h/d. Assessified based on available information. Components			: Test Type: Ba	cterial reverse mutation assay (AMES)					
Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Effects on fetal development Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Route of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not	Not classified based on available information. Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Route sof exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con Centrations of >0.2 to 1 mg//6h/d. Aspiration toxicity Not classified based on available information. CTON 12. ECOLOGICAL INFORMATION			Result: positiv	e					
Reproductive toxicity Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure Routes of exposure Moutes of exposure Assessment Youtes of exposure Assessment Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mgl//6h/d. Aspiration toxicity Not classified based on available information.	Reproductive toxicity Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Currations of >0.2 to 1 mg/l/6h/d. Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxi									
Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Route sof exposure Routes of exposure Routes of exposure Corgans : Lungs Assessment : Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mg//6h/d.	Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg//6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	Not cl	assified based on ava	ilable information.						
Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-single exposure May cause respiratory irritation. Components: a,dimethylbenzyl hydroperoxide: Routes of exposure : Multison Target Organs : Assessment : Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Components: a,a-dimethylbenzyl hydroperoxide: Effects on fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTON 12. ECOLOGICAL INFORMATION									
Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Routes of exposure Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co Centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. Components:	Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. <u>Components:</u> a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. <u>Components:</u> a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg//6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION									
Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. <u>Components:</u> a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. <u>Components:</u> a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg//6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION			peroxide:						
Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: α, α -dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α, α -dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION			t : Test Type: Em	nbryo-fetal development					
Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a, α -dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a, α -dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Method: OECD Test Guideline 414 Result: negative STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION			•	oute: Ingestion					
STOT-single exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	STOT-single exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION			Method: OECI	D Test Guideline 414					
Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure Routes of exposure Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION			Result: negativ	ve					
Components: α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Components: a,a-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	STOT	-single exposure							
α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	α,α-dimethylbenzyl hydroperoxide: Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	Not cl	assified based on ava	ilable information.						
Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Assessment : May cause respiratory irritation. STOT-repeated exposure Not classified based on available information. Components: a,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CCTION 12. ECOLOGICAL INFORMATION	Com	oonents:							
STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	STOT-repeated exposure Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at con centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	α,α-d	imethylbenzyl hydro	peroxide:						
Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at coccentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Not classified based on available information. Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	Asses	ssment	: May cause res	spiratory irritation.					
Components: a,a-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Components: α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CCTION 12. ECOLOGICAL INFORMATION	STOT	-repeated exposure							
α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Inhalation Target Organs : Assessment : Shown to produce significant health effects in animals at coccentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	α,α-dimethylbenzyl hydroperoxide: Routes of exposure : Target Organs : Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	Not cl	assified based on ava	ilable information.						
Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Routes of exposure : Inhalation Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	<u>Com</u>	Components:							
Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at co centrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Target Organs : Lungs Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION	α,α-d	imethylbenzyl hydro	peroxide:						
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information.	Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d. Aspiration toxicity Not classified based on available information. CTION 12. ECOLOGICAL INFORMATION									
Not classified based on available information.	Not classified based on available information.			: Shown to prod						
	CTION 12. ECOLOGICAL INFORMATION	Aspir	ation toxicity							
ECTION 12. ECOLOGICAL INFORMATION		Not classified based on available information.								
	Ecotoxicity	CTION	12. ECOLOGICAL IN	FORMATION						
	Ecotoxicity									

Components:

α, α -dimethylbenzyl hydroperoxide:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



Ver 6.1	sion	Revision Date: 11/08/2024		0S Number: 778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015
		y to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	Toxicity to algae/aquatic plants		:	ErC50 (Desmode Exposure time: 72 Method: OECD Te	
				NOEC (Desmode Exposure time: 72 Method: OECD Te	
	2'-Phe	nylacetohydrazide:			
		y to fish	:	Exposure time: 96	io rerio (zebrafish)): > 0.1 - 1 mg/l 5 h on data from similar materials
	Persist	tence and degradabili	ity		
	Compo	onents:			
	α,α-dimethylbenzyl hydrope Biodegradability 2'-Phenylacetohydrazide:		erox	ide:	
			:	Result: Not readily Biodegradation: 3 Exposure time: 28 Method: OECD To	3 %
		radability	:	Result: Readily bi Remarks: Based	odegradable. on data from similar materials
	Bioaco	umulative potential			
	<u>Compo</u>	onents:			
	α,α-din	nethylbenzyl hydrope	erox	ide:	
	Partitio octanol	n coefficient: n- I/water	:	log Pow: 1.6 Method: OECD To	est Guideline 117
	Mobility in soil No data available Other adverse effects No data available SECTION 13. DISPOSAL CONSID				
SEC			DER	ATIONS	
	Disper	al mothods			
	-	sal methods from residues	:	Do not dispose of	waste into sewer.

Dispose of in accordance with local regulations.

according to the Hazardous Products Regulations



THREADLOCKER, High strength, 45 mL

Version 6.1	Revision Date: 11/08/2024	SDS Number: 10778621-00011	Date of last issue: 03/28/2024 Date of first issue: 02/04/2015				
Conta	aminated packaging	handling site for	s should be taken to an approved waste recycling or disposal. specified: Dispose of as unused product.				
SECTION	14. TRANSPORT INF	ORMATION					
Inter	national Regulations						
•••••	UNRTDG Not regulated as a dangerous good						
	IATA-DGR Not regulated as a dangerous good						
	IMDG-Code Not regulated as a dangerous good						
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.						
Dom	Domestic regulation						
TDG	TDG						

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds (VOC) content	Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations VOC content: 0.70 %				
The ingredients of this product are reported in the following inventories:					

: All chemical substances in this product comply with the CEPA DSL 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2024
6.1	11/08/2024	10778621-00011	Date of first issue: 02/04/2015

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	-	11/08/2024 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8