according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

SECTION 1. IDENTIFICATION

Product name : REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Product code : 893.40B

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225 Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300 Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou * 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives and/or sealants

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

Skin sensitization : Category 1

Specific target organ toxicity

single exposure

Category 3

GHS label elements

Hazard pictograms



Signal Word : Warning

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Hazard Statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves, eye protection and face protec-

tion.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P337 + P313 If eye irritation persists: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Methacrylic acid, mo- noester with propane- 1,2-diol	No data availa- ble	27813-02-1	>= 80 - <= 100 *
Naphthenic acids, copper salts	Copper naph- thenate	1338-02-9	>= 1 - < 5 *
Naphthenic acids	Cyclohex- anecarbaroxylic acid	1338-24-5	>= 0.1 - < 1 *

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 10/25/2024 10673379-00012 5.0 Date of first issue: 12/11/2017

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur. Rinse mouth thoroughly with water. May cause an allergic skin reaction.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation. May cause respiratory irritation.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Metal oxides

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

Carbon oxides

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Actual concentration or concentration range is withheld as a trade secret

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

should consult their physician regarding working with

respiratory irritants or sensitizers.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : green

Odor : characteristic

Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Initial boiling point and boiling

range

209 °C

Flash point : 100 - < 200 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.03 g/cm³ (20 °C)

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 5 - 15 mPa.s (25 °C)

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 10673379-00012 5.0 10/25/2024 Date of first issue: 12/11/2017

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Oxidizing agents Incompatible materials

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute toxicity estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

LD50 (Rabbit, male): > 5,000 mg/kg Acute dermal toxicity

Naphthenic acids, copper salts:

Acute oral toxicity LD50 (Rat): > 300 - 2,000 mg/kg

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Naphthenic acids:

Acute oral toxicity : LD50 (Mouse, male): 3,550 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit

Result : No skin irritation

Naphthenic acids, copper salts:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Naphthenic acids:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Naphthenic acids, copper salts:

Species : Tissue Culture

Method : OECD Test Guideline 492

Result : No eye irritation

Naphthenic acids:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Routes of exposure : Skin contact Species : Humans Result : positive

Assessment : Probability or evidence of skin sensitization in humans

Naphthenic acids, copper salts:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans

Naphthenic acids:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Naphthenic acids, copper salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Naphthenic acids:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Naphthenic acids:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT-single exposure

May cause respiratory irritation.

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rat
NOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 54 Days

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Method : OECD Test Guideline 422

Naphthenic acids, copper salts:

Species Rat

: > 100 mg/kgNOAEL : Ingestion Application Route Exposure time : 90 Days

Remarks : Based on data from similar materials

Naphthenic acids:

Species Rat NOAEL 302 mg/kg : 881 mg/kg LOAEL : Ingestion Application Route Exposure time 90 Days

Method **OECD Test Guideline 408**

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 493 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 143 mg/l

NOEC (Daphnia magna (Water flea)): 45.2 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

97.2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): >=

97.2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

Exposure time: 21 d

ic toxicity)

Method: OECD Test Guideline 211

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Naphthenic acids, copper salts:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.01 - 0.1

mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aquatic invertebrates (Chic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Naphthenic acids:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5.62 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 20 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 29.6

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 7.38

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 4.1 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 10 - 100 mg/l

Exposure time: 15 min

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

Persistence and degradability

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Naphthenic acids:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 60 % Exposure time: 17 d

Bioaccumulative potential

Components:

Methacrylic acid, monoester with propane-1,2-diol:

Partition coefficient: n- : log Pow: 0.97

octanol/water

Naphthenic acids, copper salts:

Partition coefficient: n- : log Pow: > 4

octanol/water Remarks: Calculation

Naphthenic acids:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 2

Partition coefficient: n-

octanol/water

log Pow: >= 5

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

UN/ID No. : UN 3334

Proper shipping name : Aviation regulated liquid, n.o.s.

(Methacrylic acid, monoester with propane-1,2-diol)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds

(VOC) content

Canada - Volatile Organic Compound Concentration Limits for

Certain Products Regulations VOC content: 96.67 % / 995 g/l

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

according to the Hazardous Products Regulations



REAR-VIEW MIRROR ADHESIVE, Component B, 5 x 0.5 ml

Version Revision Date: SDS Number: Date of last issue: 05/08/2024 5.0 10/25/2024 10673379-00012 Date of first issue: 12/11/2017

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 10/25/2024 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8