according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 1. IDENTIFICATION**

Product name : INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Product code : 893.474122

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300 Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Cleansing agents, alkaline.

Detergent

Restrictions on use : Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity

- repeated exposure

: Category 2 (Respiratory Tract)

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

**GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, eye protection and face protec-

tion.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

P314 Get medical attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Disodium metasilicate	Silicic acid (H2SiO3), sodi- um salt (1:2)	6834-92-0	>= 1 - < 5 *
Propylene glycol n- propyl ether	1- propoxypropan- 2-ol	1569-01-3	>= 1 - < 5 *

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Alcohols, C9-11, eth-oxylated	Ethoxylated C9- 11 alcohols	68439-46-3	>= 1 - < 5 *
Benzenesulfonic acid, C10-16-alkyl derivs.	4-Dodecan-3- ylbenzenesul- fonic acid	68584-22-5	>= 1 - < 5 *
Tetrasodium ethylene- diaminetetraacetate	Glycine, N,N'- 1,2- ethanediylbis[N- (carboxyme- thyl)-, sodium salt	64-02-8	>= 1 - < 5 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye damage.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable

Will not burn

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Sulfur oxides

> Metal oxides Silicon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the re-

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

sistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks

and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, green

Odor : characteristic

Odor Threshold : No data available

pH : 11.0 - 11.4

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

100 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Upper explosion limit / Upper : No data available

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

flammability limit

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.01 - 1.02 g/cm³ (20 °C)

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : None known.

Incompatible materials : Acids

Hazardous decomposition

products

: No hazardous decomposition products are known.

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

### **Components:**

**Disodium metasilicate:** 

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 4 h Test atmosphere: vapor Method: OPPTS 870.1300

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OPPTS 870.1200

Remarks: Based on data from similar materials

Propylene glycol n-propyl ether:

Acute oral toxicity : LD50 (Rat, female): 2,490 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 8.43 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit, male): 3,775 mg/kg

Alcohols, C9-11, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs.:

Acute oral toxicity : LD50 (Rat): 775 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

Tetrasodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): 1,780 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Disodium metasilicate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

Remarks : Based on data from similar materials

Propylene glycol n-propyl ether:

Species : Rabbit

Result : No skin irritation

Alcohols, C9-11, ethoxylated:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs.:

Species : Rabbit

Result : Corrosive after 4 hours or less of exposure

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Remarks : Based on data from similar materials

### Tetrasodium ethylenediaminetetraacetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

#### **Disodium metasilicate:**

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

### Propylene glycol n-propyl ether:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

## Alcohols, C9-11, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Remarks : Based on data from similar materials

### Benzenesulfonic acid, C10-16-alkyl derivs.:

Result : Irritation to eyes, reversing within 21 days

### Tetrasodium ethylenediaminetetraacetate:

Result : Irreversible effects on the eye

Remarks : Based on national or regional regulation.

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

### Components:

## Disodium metasilicate:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

## Propylene glycol n-propyl ether:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

### Alcohols, C9-11, ethoxylated:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

## Benzenesulfonic acid, C10-16-alkyl derivs.:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Result : negative

Remarks : Based on data from similar materials

### Tetrasodium ethylenediaminetetraacetate:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### **Disodium metasilicate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

**Application Route: Ingestion** 

Result: negative

Propylene glycol n-propyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Alcohols, C9-11, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs.:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion
Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

## Carcinogenicity

Not classified based on available information.

### Components:

## Tetrasodium ethylenediaminetetraacetate:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

### Propylene glycol n-propyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapor) Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: inhalation (vapor)

Result: negative

### Alcohols, C9-11, ethoxylated:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Application Route: Skin contact

Result: negative

Effects on fetal development : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Benzenesulfonic acid, C10-16-alkyl derivs.:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 415

Result: negative

Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.

**Components:** 

Tetrasodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.02 to 0.2 mg/l/6h/d.

Repeated dose toxicity

Components:

Disodium metasilicate:

Species : Rat

NOAEL : >= 227 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### Propylene glycol n-propyl ether:

Species : Rat

NOAEL : 1.474 mg/l

Application Route : inhalation (vapor)

Exposure time : 90 Days

### Alcohols, C9-11, ethoxylated:

Species : Rat

NOAEL : >= 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

## Benzenesulfonic acid, C10-16-alkyl derivs.:

Species : Rat

NOAEL : > 300 mg/kg
Application Route : Ingestion
Exposure time : 29 Days

Method : OECD Test Guideline 407

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 600 mg/kg Application Route : Skin contact Exposure time : 28 Days

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

### Tetrasodium ethylenediaminetetraacetate:

Species : Mouse

NOAEL : >= 938 mg/kg
Application Route : Ingestion
Exposure time : 103 Weeks

Remarks : Based on data from similar materials

Species : Rat LOAEL : 0.03 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version SDS Number: Date of last issue: 11/18/2022 Revision Date: 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

**Disodium metasilicate:** 

Toxicity to fish LC50 (Danio rerio (zebra fish)): 210 mg/l

> Exposure time: 96 h Method: ISO 7346/1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms EC50: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Propylene glycol n-propyl ether:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3,440

ma/l Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 500

Exposure time: 72 h

Alcohols, C9-11, ethoxylated:

Toxicity to fish LC50 : > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs.:

Toxicity to fish LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version **Revision Date:** SDS Number: Date of last issue: 11/18/2022 11069306-00008 4.4 06/23/2024 Date of first issue: 10/15/2013

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to microorganisms EC50: > 100 mg/l

Exposure time: 8 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 121 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 140 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to fish (Chronic tox-

icity)

ic toxicity)

NOEC (Danio rerio (zebra fish)): > 25.7 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 25 mg/l

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

Exposure time: 21 d Remarks: Based on data from similar materials

Toxicity to microorganisms EC10: > 1,000 mg/l

> Exposure time: 30 min Method: ISO 8192

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### Persistence and degradability

### **Components:**

## Propylene glycol n-propyl ether:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91.5 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Alcohols, C9-11, ethoxylated:

Biodegradability : Result: rapidly degradable

Benzenesulfonic acid, C10-16-alkyl derivs.:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Remarks: Based on data from similar materials

Tetrasodium ethylenediaminetetraacetate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 - 10 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Remarks: Based on data from similar materials

### Bioaccumulative potential

### **Components:**

### Propylene glycol n-propyl ether:

Partition coefficient: n- : log Pow: 0.621 catanol/water : Remarks: Calculation

### Benzenesulfonic acid, C10-16-alkyl derivs.:

Partition coefficient: n- : log Pow: > 4

octanol/water Remarks: Calculation

### Tetrasodium ethylenediaminetetraacetate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1.8

Mobility in soil

No data available

#### Other adverse effects

No data available

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

Volatile organic compounds

(VOC) content

CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -

Guidelines for VOC in Consumer Products

VOC content: 2.25 %

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Deta Chast

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/23/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

according to the Hazardous Products Regulations



# INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version Revision Date: SDS Number: Date of last issue: 11/18/2022 4.4 06/23/2024 11069306-00008 Date of first issue: 10/15/2013

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8