

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

### SECTION 1. IDENTIFICATION

Product name : INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Product code : 893.474125

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd  
GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:  
CHEMTREC (24/7): 1-800-424-9300  
Transport related emergencies:  
CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou exposition:  
CHEMTREC (24/7): 1-800-424-9300  
Urgences liées au transport:  
CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

#### Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent  
Detergent  
Degreasing agent

Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2

Eye irritation : Category 2A

#### GHS label elements

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0      Revision Date: 04/15/2024      SDS Number: 11372141-00001      Date of last issue: -  
Date of first issue: 04/15/2024

Hazard pictograms

:



Signal Word

:

Warning

Hazard Statements

:

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary Statements

:

### Prevention:

P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves, eye protection and face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Alcohols, C7-C21, ethoxylated	No data available	68991-48-0	$\geq 1 - < 5$ *
Disodium metasilicate	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2)	6834-92-0	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice

:

In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled

:

If inhaled, remove to fresh air.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Not applicable  
Will not burn

Unsuitable extinguishing media : Not applicable  
Will not burn

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Metal oxides  
Silicon oxides  
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid inhalation of vapor or mist.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

Recommended storage temperature : > 0 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

#### Hand protection

**Material** : Natural Rubber

**Material** : Latex gloves

**Material** : Neoprene

**Material** : Nitrile rubber

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

**Eye protection** : Wear the following personal protective equipment:  
Safety goggles

**Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/15/2024	11372141-00001	Date of first issue: 04/15/2024

Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	green
Odor	:	slight
Odor Threshold	:	No data available
pH	:	11.0 Concentration: 100 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 100 °C
Flash point	:	boils before flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.01 - 1.02
Density	:	ca. 1.01 - 1.02 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	:	completely soluble
Partition coefficient: n-octanol/water	:	Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	: Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: None known.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

#### Alcohols, C7-C21, ethoxylated:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/15/2024	11372141-00001	Date of first issue: 04/15/2024

### Disodium metasilicate:

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: OPPTS 870.1300  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OPPTS 870.1200  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### Alcohols, C7-C21, ethoxylated:

Result : No skin irritation

### Disodium metasilicate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Alcohols, C7-C21, ethoxylated:

Result : Irritation to eyes, reversing within 7 days

### Disodium metasilicate:

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Alcohols, C7-C21, ethoxylated:

Routes of exposure : Skin contact  
Species : Guinea pig

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/15/2024	11372141-00001	Date of first issue: 04/15/2024

Method : OECD Test Guideline 406  
Result : negative

### Disodium metasilicate:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Disodium metasilicate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/15/2024	11372141-00001	Date of first issue: 04/15/2024

### Repeated dose toxicity

#### Components:

##### **Disodium metasilicate:**

Species	:	Rat
NOAEL	:	>= 227 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Alcohols, C7-C21, ethoxylated:**

Toxicity to fish	:	LC50 : 70.1 mg/l
		Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia sp. (Water flea)): 5.3 mg/l
		Exposure time: 48 h

##### **Disodium metasilicate:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 210 mg/l
		Exposure time: 96 h
		Method: ISO 7346/1

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l
		Exposure time: 48 h
		Method: Directive 67/548/EEC, Annex V, C.2.
		Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
		Exposure time: 72 h
		Remarks: Based on data from similar materials

Toxicity to microorganisms	:	EC50: > 100 mg/l
		Exposure time: 3 h
		Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Alcohols, C7-C21, ethoxylated:**

Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: > 60 %

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

Exposure time: 28 d

### Bioaccumulative potential

#### Components:

#### Alcohols, C7-C21, ethoxylated:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### TDG

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INDUSTRIAL STRENGTH DEGREASER, Ready-to-use, 20 L

Version 1.0	Revision Date: 04/15/2024	SDS Number: 11372141-00001	Date of last issue: - Date of first issue: 04/15/2024
----------------	------------------------------	-------------------------------	--

### **Volatile organic compounds (VOC) content**

Canada - Volatile Organic Compound Concentration Limits for Certain Products Regulations  
VOC content: 0 % / 0 g/l  
Remarks: VOC content excluding water and exempt compounds

### **The ingredients of this product are reported in the following inventories:**

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

## SECTION 16. OTHER INFORMATION

### **Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

according to the Hazardous Products Regulations



Data Sheet	cy, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Revision Date	: 04/15/2024
Date format	: mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8