

# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

#### **SECTION 1. IDENTIFICATION**

Product name : INDUSTRIAL STRENGTH HAND CLEANER, 3 L

Product code : 893.93401

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300 Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Cosmetic products

Hand cleaner

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

instruction sheet.



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Precautionary Statements : Prevention:

P261 Avoid breathing vapors.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves, eye protection and face protec-

tion.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Undecan-1-ol, ethox-	Poly(oxy-1,2-	34398-01-1	>= 5 - < 10 *



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version **Revision Date:** SDS Number: Date of last issue: 06/01/2022 11/20/2022 10772105-00008 Date of first issue: 06/24/2011 5.3

ylated	ethanediyl), .alp haundecyl- .omega hydroxy-		
Silica gel, precipitated, crystalline free	Hydrated silica	112926-00-8	>= 5 - < 10 *
Glycerine	1,2,3- Propanetriol	56-81-5	>= 1 - < 5 *
Amides, rape-oil, N- (hydroxyethyl), ethox- ylated	No data availa- ble	85536-23-8	>= 1 - < 5 *
Sweet orange pulp extract	CITRUS AURANTIUM DULCIS PEEL EXTRACT	8028-48-6	>= 0.1 - < 1 *

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes serious eye damage.

Protection of first-aiders First Aid responders should pay attention to self-protection.

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Suitable extinguishing media : Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing vapors.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Storage period : 24 Months

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Silica gel, precipitated, crystal-	112926-00-8	TWA (Res-	1.5 mg/m <sup>3</sup>	CA BC OEL
line free		pirable)		
		TWA (Total)	4 mg/m³	CA BC OEL
		TWAEV	6 mg/m³	CA QC OEL
		(respirable		
		dust)		
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Res-	3 mg/m³	CA BC OEL
		pirable mist)		
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		(Mist)		

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Remarks : not required

Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : gel

Color : yellow

Odor : perfumed

Odor Threshold : No data available

pH : 6-7

Melting point/freezing point : 0 °C

Initial boiling point and boiling :

range

100 °C

Flash point : Method: Pensky-Martens closed cup

No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Self-ignition : The substance or mixture is not classified as self heating.

Upper explosion limit / Upper

flammability limit

: No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.0 g/cm³ (25 °C)

Solubility(ies)

Water solubility : partly soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : does not ignite

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition

products

: No hazardous decomposition products are known.



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Undecan-1-ol, ethoxylated:

Acute oral toxicity : LD50 (Rat, male): 1,710 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Silica gel, precipitated, crystalline free:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Assessment: The substance or mixture has no acute dermal

toxicity

Sweet orange pulp extract:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Undecan-1-ol, ethoxylated:

Species : Rabbit

Result : Mild skin irritation

Remarks : Based on data from similar materials

Silica gel, precipitated, crystalline free:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Glycerine:

Species : Rabbit

Result : No skin irritation

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Sweet orange pulp extract:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

Undecan-1-ol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Silica gel, precipitated, crystalline free:

Species : Rabbit



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Glycerine:

Species : Rabbit

Result : No eye irritation

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Sweet orange pulp extract:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

**Components:** 

Undecan-1-ol, ethoxylated:

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Remarks : Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Sweet orange pulp extract:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

## Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

# Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

# Sweet orange pulp extract:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

# Carcinogenicity

Not classified based on available information.



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

#### Components:

#### Silica gel, precipitated, crystalline free:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

#### Sweet orange pulp extract:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

## Reproductive toxicity

Not classified based on available information.

#### Components:

## Silica gel, precipitated, crystalline free:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

# Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Effects on fetal development : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

## STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Not classified based on available information.

#### Components:

## Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Routes of exposure : Ingestion

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

#### Sweet orange pulp extract:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

## Repeated dose toxicity

# **Components:**

# Silica gel, precipitated, crystalline free:

Species : Rat

NOAEL : > 4,500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

# Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

# Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rat

NOAEL : 150 mg/kg Application Route : Ingestion Exposure time : 28 Days

Method : OECD Test Guideline 407

## Sweet orange pulp extract:

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 30 mg/kg

Application Route : Ingestion

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

## **Aspiration toxicity**

Not classified based on available information.

#### Components:

## Sweet orange pulp extract:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

# Components:

# Undecan-1-ol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

#### Silica gel, precipitated, crystalline free:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: EL50 (Scenedesmus subspicatus): > 10,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 410 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 11.9 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.379 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

Sweet orange pulp extract:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): 5.65 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 1.1 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Persistence and degradability

Components:

Undecan-1-ol, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 - 70 %

Exposure time: 28 d

Remarks: Based on data from similar materials

Glycerine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 96 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Sweet orange pulp extract:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 83.4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

**Components:** 

Glycerine:

Partition coefficient: n-

log Pow: -1.75

octanol/water

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Partition coefficient: n-

: log Pow: 5.57 - 5.73

octanol/water

Sweet orange pulp extract:

Partition coefficient: n-

log Pow: > 4

octanol/water



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

Volatile organic compounds

(VOC) content

CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -

Guidelines for VOC in Consumer Products

VOC content: 0 % / 0 g/l

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

**Data Sheet** 

cy, http://echa.europa.eu/

Revision Date : 11/20/2022 Date format : mm/dd/yyyy



# **INDUSTRIAL STRENGTH HAND CLEANER, 3 L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2022 5.3 11/20/2022 10772105-00008 Date of first issue: 06/24/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8