according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

SECTION 1. IDENTIFICATION

Product name : SOLVENT-FREE HAND CLEANER, 3 L

Product code : 893.93402

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited

Address : 345 Hanlon Creek Blvd

GUELPH, ON N1C 0A1

Telephone : +1 (905) 564 6225

Telefax : +1 (905) 564 3671

Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:

CHEMTREC (24/7): 1-800-424-9300

Transport related emergencies:

CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou

exposition:

CHEMTREC (24/7): 1-800-424-9300

Urgences liées au transport:

CANUTEC (24/7): 1-613-996-6666 ou * 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Cosmetic products

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

instruction sheet.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

GHS label elements

Hazard pictograms

Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : Prevention:

P280 Wear eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Silica gel, precipitated, crystalline free	Amorphous precipitated silica	112926-00-8	>= 5 - < 10 *
Undecan-1-ol, ethox- ylated	Poly(oxy-1,2- ethanediyl), .alp haundecyl- .omega hydroxy-	34398-01-1	>= 1 - < 5 *
Undecan-1-ol, ethox- ylated	Polyethylene glycol mon- oundecyl ether	34398-01-1	>= 1 - < 5 *
Amides, rape-oil, N- (hydroxyethyl), ethox- ylated	Polyethylene Glycol Rape- seedamide	85536-23-8	>= 1 - < 5 *
Titanium dioxide	Titanium(IV)	13463-67-7	>= 0.1 - < 1 *

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

oxide

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Carbon oxides

Actual concentration or concentration range is withheld as a trade secret

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 06/24/2024 10772148-00008 Date of first issue: 06/28/2011 4.7

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Use only with adequate ventilation.

Advice on safe handling Do not get on skin or clothing.

Avoid breathing vapors.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Recommended storage tem-

perature

< 49 °C

Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silica gel, precipitated, crystal- line free	112926-00-8	TWA (Respirable)	1.5 mg/m³	CA BC OEL
		TWA (Total)	4 mg/m³	CA BC OEL
		TWAEV (respirable dust)	6 mg/m³	CA QC OEL
Titanium dioxide	13463-67-7	TWA	10 mg/m³	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respir- able dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m ³	CA QC OEL
		TWA (Respirable particu-	2.5 mg/m³ (Titanium dioxide)	ACGIH
		late matter)		

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the re-

commended guidelines, use respiratory protection.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Combined particulates and organic vapor type Filter type

Hand protection

Remarks not required

Eye protection Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance cream

Color tan

Odor perfumed

Odor Threshold No data available

8 - 9

Melting point/freezing point 0°C

Initial boiling point and boiling : 100 °C

range

Flash point does not flash

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : '

Density : 9.8 g/cm³

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 100,000 - 200,000 mPa.s

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Impact sensitivity : Not impact sensitive.

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : None known.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Incompatible materials : None.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Silica gel, precipitated, crystalline free:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

Undecan-1-ol, ethoxylated:

Acute oral toxicity : LD50 (Rat, male): 1,710 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

oxicity

Remarks: Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Silica gel, precipitated, crystalline free:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Undecan-1-ol, ethoxylated:

Species : Rabbit

Result : Mild skin irritation

Remarks : Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Silica gel, precipitated, crystalline free:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Undecan-1-ol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Undecan-1-ol, ethoxylated:

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Undecan-1-ol, ethoxylated:

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Remarks : Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse : negative

Germ cell mutagenicity

Not classified based on available information.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Components:

Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Silica gel, precipitated, crystalline free:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

This substance(s) is not bioavailable and therefore does not

contribute to a dust inhalation hazard.

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in inhalation studies with

animals.

Reproductive toxicity

Not classified based on available information.

Components:

Silica gel, precipitated, crystalline free:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Effects on fetal development : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion
Method: OECD Test Guideline 421

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Repeated dose toxicity

Components:

Silica gel, precipitated, crystalline free:

Species : Rat

NOAEL : > 4,500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Species : Rat

NOAEL : >= 200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Titanium dioxide:

Species : Rat

NOAEL : 24,000 mg/kg Application Route : Ingestion Exposure time : 28 Days

Species : Rat NOAEL : 10 mg/m³

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Silica gel, precipitated, crystalline free:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Scenedesmus subspicatus): > 10,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Remarks: Based on data from similar materials

Undecan-1-ol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Undecan-1-ol, ethoxylated:

Toxicity to fish : LC50 :> 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 410 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 11.9 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

EC10 (Daphnia magna (Water flea)): 0.574 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC (activated sludge): >= 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Undecan-1-ol, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 - 70 %

Exposure time: 28 d

Remarks: Based on data from similar materials

Undecan-1-ol, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 96 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Amides, rape-oil, N-(hydroxyethyl), ethoxylated:

Bioaccumulation : Bioconcentration factor (BCF): < 500

Partition coefficient: n-

octanol/water

log Pow: 5.57 - 5.73

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Volatile organic compounds

(VOC) content

CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 -

Guidelines for VOC in Consumer Products

VOC content: 0 % / 0 g/l

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average CA AB OEL / TWA : 8-hour Occupational exposure limit

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: Date of last issue: 11/20/2022 4.7 06/24/2024 10772148-00008 Date of first issue: 06/28/2011

CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/24/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to the Hazardous Products Regulations



SOLVENT-FREE HAND CLEANER, 3 L

Version Revision Date: SDS Number: 4.7 06/24/2024 10772148-00008

Date of last issue: 11/20/2022 Date of first issue: 06/28/2011

CA / Z8