

TECHNICAL DATA SHEET

HHS FOODSTUFFS

Food grade lubricant

Product Description

Adhesive penetrating lubricant especially made for food related industries. Fully synthetic lubricant formula suited for precise applications where substrate compatibility and long-lasting lubrication is essential.

Areas of Application

Suitable for universal lubrication at high pressure loads, e.g. for chains, linkages, joints, levers, bearings, sliding points, cables, open drives and hinges.

Directions

Shake well before use. Clean all dirt, grease and grime from the lubricating point. Spray the lubricating point evenly from a distance of approximately 20 to 25 cm (8 - 10 in).

Technical Details

| | |
|--|------------------------------|
| Format | Aerosol |
| Lubricant System | Oil |
| Oil Base | Synthetic |
| Colour | Transparent |
| Temperature Range | -25°C to +180°C |
| Short Term Temperature Resistance | +220°C |
| Density | 0.8 g/cm ³ |
| Base Oil Viscosity | 1251 mm ² /s |
| Solid Lubricant | None |
| Smell/Fragrance | Characteristic |
| Shelf Life | 24 Months |
| Resin-Free | Yes |
| Silicone-Free | Yes |
| Acid-Free | Yes |
| AOX-Free | Yes |
| Resistance Against | Water, Salt Water, Acid, Lye |



GREASE



FLUID GREASE



◀ OIL

| Description | Contents | Art. No. |
|----------------|----------|----------|
| HHS FOODSTUFFS | 350 g | 893.1076 |

Key Features

Can be used in areas in which food is processed or stored

- NSF H1 Registered (no. 140816). This product may come into contact with foodstuffs for technical reasons

Excellent penetrating properties

- For lubrication in hard-to-reach places
- Penetrates very tight spaces and tolerances

Good adhesive properties

- Broad application range, e.g. on vertical lubrication points
- Resistant to centrifugal forces on turning and rotating parts

Material compatibility

- Compatible with O-Rings and X-Rings

Provides lasting protection against corrosion and non-ferrous metal corrosion

Waterproof

Disclosure Information

The technical information, recommendations and other statements contained in this document are based upon tests or experience that Wurth Canada believes are reliable, however the accuracy or completeness of such information is not guaranteed.

Many factors beyond Wurth Canada's control, and uniquely within the user's knowledge and control, can affect the use and performance of a Wurth Canada product in a particular application. Given the variety of factors that can affect the use and performance of a Wurth Canada product, the user is solely responsible for evaluating the Wurth Canada product and determining whether it is fit for a particular purpose and suitable for the user's method of application. For additional details, please see Wurth Canada's complete Terms & Conditions by visiting www.wurth.ca.