

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9 L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

---

### SECTION 1. IDENTIFICATION

Product name : Brake and Parts Cleaner, Non-Flammable, 18.9 L  
Product code : 890.108724  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited  
Address : 345 Hanlon Creek Blvd  
GUELPH, ON N1C 0A1  
Telephone : +1 (905) 564 6225  
Telefax : +1 (905) 564 3671  
Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:  
CHEMTREC (24/7): 1-800-424-9300  
Transport related emergencies:  
CANUTEC (24/7): 1-613-996-6666 or \* 666 (cell)  
  
Urgences impliquant un déversement, incendie, explosion ou exposition:  
CHEMTREC (24/7): 1-800-424-9300  
Urgences liées au transport:  
CANUTEC (24/7): 1-613-996-6666 ou \* 666 (cellulaire)  
  
E-mail address : prodsafe@wurth.ca

#### Recommended use of the chemical and restrictions on use

Recommended use : Solvent  
Detergent  
  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Sub-category 1B  
Carcinogenicity : Category 2

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

---

Specific target organ toxicity : Category 3  
- single exposure

### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.

Precautionary Statements :

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

#### Disposal:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Substance name : Tetrachloroethylene  
CAS-No. : 127-18-4  
Common Name/Synonym : Perchloroethylene

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Tetrachloroethylene	Perchloroethylene	127-18-4	$\geq 80 - \leq 100$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and : Causes skin irritation.  
May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

delayed Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Suspected of causing cancer.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Not applicable  
Will not burn

Unsuitable extinguishing media : Not applicable  
Will not burn

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate contain-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Tetrachloroethylene	127-18-4	STEL	100 ppm 678 mg/m <sup>3</sup>	CA AB OEL
		TWA	25 ppm 170 mg/m <sup>3</sup>	CA AB OEL
		TWA	25 ppm	CA BC OEL
		STEL	100 ppm	CA BC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

		TWAEV	25 ppm 170 mg/m <sup>3</sup>	CA QC OEL
		STEV	100 ppm 685 mg/m <sup>3</sup>	CA QC OEL
		TWA	25 ppm	ACGIH
		STEL	100 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Tetrachloroethylene	127-18-4	Tetrachlo-roethylene	In end-exhaled air	Prior to shift (16 hours after exposure ceases)	3 parts per million	ACGIH BEI
		Tetrachlo-roethylene	In blood	Prior to shift (16 hours after exposure ceases)	0.5 mg/l	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-sure assessment demonstrates exposures outside the re-commended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection  
Material : Laminate: Polyethylene/Polyvinylalcohol/Polyethylene

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to che-micals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the pro-duct. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear
Odor	: mild
Odor Threshold	: 50 ppm
pH	: 9 - 10
Melting point/freezing point	: -22.3 °C
Initial boiling point and boiling range	: 121.3 °C
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Will not burn
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: 19 mbar (20 °C)
Relative vapor density	: 5.7

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

(Air = 1.0)

Relative density	:	No data available
Density	:	1.62 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	:	immiscible
Partition coefficient: n-octanol/water	:	log Pow: 2.5 - 2.9
Autoignition temperature	:	No data available
Decomposition temperature	:	> 140 °C
Viscosity Viscosity, dynamic	:	0.8 mPa.s ( 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9 L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

---

Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

### Components:

#### Tetrachloroethylene:

Acute oral toxicity : LD50 (Rat): 3,005 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### Tetrachloroethylene:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Tetrachloroethylene:

Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9 L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

---

### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Tetrachloroethylene:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Tetrachloroethylene:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Suspected of causing cancer.

#### Components:

##### Tetrachloroethylene:

Species : Mouse  
Application Route : inhalation (vapor)  
Exposure time : 103 weeks  
Result : positive

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 103 weeks  
Result : positive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

---

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Tetrachloroethylene:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 414  
Result: negative

### STOT-single exposure

May cause drowsiness or dizziness.

### Components:

#### Tetrachloroethylene:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### Tetrachloroethylene:

Species : Mouse  
LOAEL : 390 mg/kg  
Application Route : Ingestion  
Exposure time : 78 Weeks

Species : Rat  
LOAEL : 0.675 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 103 Weeks

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9 L

Version 1.5      Revision Date: 04/10/2024      SDS Number: 5653321-00006      Date of last issue: 11/11/2022  
Date of first issue: 04/16/2020

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Tetrachloroethylene:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.5 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Chlamydomonas reinhardtii (green algae)): 3.64 mg/l  
Exposure time: 72 h
- EC10 (Chlamydomonas reinhardtii (green algae)): 1.77 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Jordanella floridae (flagfish)): 2.34 mg/l  
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 28 d
- Toxicity to microorganisms : IC50 (Nitrosomonas sp.): 112 mg/l  
Exposure time: 24 h

#### Persistence and degradability

##### Components:

##### **Tetrachloroethylene:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 11 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

#### Bioaccumulative potential

##### Components:

##### **Tetrachloroethylene:**

- Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 49
- Partition coefficient: n-octanol/water : log Pow: 2.53

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1897  
Proper shipping name : TETRACHLOROETHYLENE  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1897  
Proper shipping name : Tetrachloroethylene  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 663  
Packing instruction (passenger aircraft) : 655

#### IMDG-Code

UN number : UN 1897  
Proper shipping name : TETRACHLOROETHYLENE  
(Tetrachloroethylene)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

### Domestic regulation

#### TDG

UN number : UN 1897  
Proper shipping name : TETRACHLOROETHYLENE

Class : 6.1  
Packing group : III  
Labels : 6.1  
ERG Code : 160  
Marine pollutant : yes(Tetrachloroethylene)

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

**Volatile organic compounds (VOC) content** : CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products  
VOC content: 100 %

#### The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

## SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA AB OEL / STEL : 15-minute occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA QC OEL / TWA EV : Time-weighted average exposure value  
CA QC OEL / STEV : Short-term exposure value

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Brake and Parts Cleaner, Non-Flammable, 18.9

L

Version	Revision Date:	SDS Number:	Date of last issue: 11/11/2022
1.5	04/10/2024	5653321-00006	Date of first issue: 04/16/2020

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/10/2024  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8