

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

Version 1.1 Revision Date: 11/18/2020 SDS Number: 5906239-00002 Date of last issue: 05/07/2020
Date of first issue: 05/07/2020

SECTION 1. IDENTIFICATION

Product name : ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L
Product code : 893.139613
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Würth Canada Limited
Address : 345 Hanlon Creek Blvd
GUELPH, ON N1C 0A1
Telephone : +1 (905) 564 6225
Telefax : +1 (905) 564 3671
Emergency telephone : Emergencies involving a spill, fire, explosion or exposure:
CHEMTREC (24/7): 1-800-424-9300
Transport related emergencies:
CANUTEC (24/7): 1-613-996-6666 or * 666 (cell)

Urgences impliquant un déversement, incendie, explosion ou exposition:
CHEMTREC (24/7): 1-800-424-9300
Urgences liées au transport:
CANUTEC (24/7): 1-613-996-6666 ou * 666 (cellulaire)

E-mail address : prodsafe@wurth.ca

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

Version 1.1 Revision Date: 11/18/2020 SDS Number: 5906239-00002 Date of last issue: 05/07/2020
Date of first issue: 05/07/2020

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------------------------|------------|-----------------------|
| (2-Methoxymethylethoxy)propanol | 34590-94-8 | $\geq 5 - < 10$ * |

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
-

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Storage period : 24 Months

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

Version 1.1 Revision Date: 11/18/2020 SDS Number: 5906239-00002 Date of last issue: 05/07/2020
 Date of first issue: 05/07/2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------------------------|------------|----------------------------------|--|-----------|
| (2-Methoxymethyllethoxy)propanol | 34590-94-8 | TWA | 100 ppm 606 mg/m ³ | CA AB OEL |
| | | STEL | 150 ppm 909 mg/m ³ | CA AB OEL |
| | | TWA | 100 ppm | CA BC OEL |
| | | STEL | 150 ppm | CA BC OEL |
| | | TWAEV | 100 ppm 606 mg/m ³ | CA QC OEL |
| | | STEV | 150 ppm 909 mg/m ³ | CA QC OEL |
| | | TWA | 100 ppm | ACGIH |
| | | STEL | 150 ppm | ACGIH |

Engineering measures : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection
 Material : Rubber gloves

Material : Latex gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:
 Safety glasses
 Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
 Please follow all applicable local/national requirements when

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

selecting protective measures for a specific workplace.

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

Odor : characteristic

Odor Threshold : No data available

pH : 10.5 - 11

Melting point/freezing point : 0 °C

Initial boiling point and boiling range : 100 °C

Flash point : ≥ 250 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 18.665 hPa (22 °C)

Relative vapor density : No data available

Relative density : 1.02

Density : 1.015 g/cm³ (20 °C)

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

| | | |
|--|---|--|
| Bulk density | : | 1.020 kg/m ³ |
| Solubility(ies) Water solubility | : | soluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity Viscosity, kinematic | : | 1 mm ² /s (22 °C) |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Particle size | : | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents Acids |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

Version 1.1 Revision Date: 11/18/2020 SDS Number: 5906239-00002 Date of last issue: 05/07/2020
Date of first issue: 05/07/2020

Components:**(2-Methoxymethylethoxy)propanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC0 (Rat): > 1.667 mg/l
Exposure time: 7 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): 9,510 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: Saacharomyces cerevisiae, mitotic recombination assay (in vitro)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Species : Rat
Application Route : inhalation (vapor)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**(2-Methoxymethylethoxy)propanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapor)
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: inhalation (vapor)
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****(2-Methoxymethylethoxy)propanol:**

Species : Rat
NOAEL : 1.21 mg/l
Application Route : inhalation (vapor)

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

| | | |
|-------------------|---|--------------|
| Exposure time | : | 13 Weeks |
| Species | : | Rat |
| NOAEL | : | 1,000 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 4 Weeks |
| Species | : | Rabbit |
| NOAEL | : | 2,850 mg/kg |
| Application Route | : | Skin contact |
| Exposure time | : | 90 Days |

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

(2-Methoxymethylethoxy)propanol:

| | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1,919 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 969 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | | NOEC (Pseudokirchneriella subcapitata (green algae)): 969 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): >= 0.5 mg/l Exposure time: 22 d |
| Toxicity to microorganisms | : | EC50 (Pseudomonas putida): 4,168 mg/l Exposure time: 18 h |

Persistence and degradability

Components:

(2-Methoxymethylethoxy)propanol:

| | | |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: Readily biodegradable. |
|------------------|---|--------------------------------|

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

Biodegradation: 76 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****(2-Methoxymethylethoxy)propanol:**

Partition coefficient: n- : log Pow: 0.004
octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**TDG**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

| | |
|---|--|
| Volatile organic compounds (VOC) content | CANADIAN ENVIRONMENTAL PROTECTION ACT, 1999 - Guidelines for VOC in Consumer Products VOC content: 0 g/l |
|---|--|

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

The ingredients of this product are reported in the following inventories:

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

Additional regulatory information

Alanine, N,N-bis(carboxymethyl)-, 164462-16-2
trisodium salt

This product contains 164462-16-2 which is subject to Significant New Activity Notice 12499. A significant new activity involving the substance is any activity other than importing it or manufacturing it for use in industrial water softeners or as a chelating agent intended for use in industrial or consumer detergents and cleaners.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| | | |
|-------------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| CA AB OEL | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| ACGIH / STEL | : | Short-term exposure limit |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA AB OEL / STEL | : | 15-minute occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA BC OEL / STEL | : | short-term exposure limit |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value |
| CA QC OEL / STEV | : | Short-term exposure value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

ECO MULTIPURPOSE DISINFECTANT, Ready-to-use, 20 L

| | | | |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 05/07/2020 |
| 1.1 | 11/18/2020 | 5906239-00002 | Date of first issue: 05/07/2020 |

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/18/2020
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8